



Medical Therapy Jaundice PL-L – the compact way to eliminate the need for blood transfusions

Medical Therapy Jaundice PL-L/PL-S

By emitting light almost entirely within the 400 to 500 nm bandwidth these Medical Therapy Jaundice PL-L lamps have no radiation from the short wave UVB waveband. They are therefore ideal for treating new born babies suffering from hyperbilirubinemia (neonatal jaundice) and Crigler-Najjar Syndrome (CNS). Moreover, the bandwidth of these lamps peak at the most effective treatment wavelength of 450 nm. This highly efficacious phototherapy treatment has eliminated the need for blood transfusions in almost all jaundiced infants. In addition, with the compact format of this PL-L lamp equipment manufacturers have more design freedom in developing their solutions. By emitting a full spectrum of a high color temperature, the PL-L /953 lamps are ideal for treating SAD.

Benefits

- PL-L 18W/52: Optimal spectrum for photo-oxidative process to convert unconjugated bilirubin into a water soluble form
- PL-L 36W/953: Natural daylight

Features

- PL-L 18W/52: Emission peak at 450 nm
- PL-L 36W/953: Natural daylight spectrum and high light output for optimal effect

Medical Therapy Jaundice PL-L/PL-S


Application

- PL-L 18W/52: Medical treatment of jaundice in new-born babies (hyperbilirubinaemia), Crigler - Najjar (CN) syndrome
- PL-L 36W/953: SAD syndrome


Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Dimensional drawing



Product	D1 (max)	D (max)	A (max)	B (max)	C (max)
PL-L 18W/52/4P 1CT/25	18 mm	39 mm	188.2 mm	214 mm	220.6 mm



Product	D1 (max)	D (max)	A (max)	B (max)	C (max)
PL-S 9W/52/2P 1CT/6X10BOX	13 mm	28 mm	129 mm	144.5 mm	167.5 mm

General information	
Main Application	-
Light technical	
Colour Code	52

Approval and application

Order Code	Full Product Name	Mercury (Hg) Content (Nom)
927901705203	PL-S 9W/52/2P 1CT/6X10BOX	3.0 mg

Order Code	Full Product Name	Mercury (Hg) Content (Nom)
927904105206	PL-L 18W/52/4P 1CT/25	4.4 mg

Operating and electrical

Order Code	Full Product Name	Lamp Current (Nom)	Voltage (Nom)	Power (Nom)
927901705203	PL-S 9W/52/2P 1CT/6X10BOX	0.17 A	60 V	8.6 W

Medical Therapy Jaundice PL-L/PL-S

Order Code	Full Product Name	Lamp Current (Nom)	Voltage (Nom)	Power (Nom)
927904105206	PL-L 18W/52/4P 1CT/25	0.375 A	57 V	17.5 W

General information

Order Code	Full Product Name	Cap-Base	Life To 50% Failures (Nom)	Useful Life (Nom)
927901705203	PL-S 9W/52/2P 1CT/6X10BOX	G23	8000 h	2000 h

Order Code	Full Product Name	Cap-Base	Life To 50% Failures (Nom)	Useful Life (Nom)
927904105206	PL-L 18W/52/4P 1CT/25	2G11	-	-

Light technical

Order Code	Full Product Name	Luminous Flux (Nom)
927901705203	PL-S 9W/52/2P 1CT/6X10BOX	130 lm

Order Code	Full Product Name	Luminous Flux (Nom)
927904105206	PL-L 18W/52/4P 1CT/25	330 lm

Mechanical and housing

Order Code	Full Product Name	Bulb Shape
927901705203	PL-S 9W/52/2P 1CT/6X10BOX	2xT12

Order Code	Full Product Name	Bulb Shape
927904105206	PL-L 18W/52/4P 1CT/25	2xT16

