



iWGraze MX Powercore – highintensity illumination of multi-storey façades and surfaces

iW Graze MX Powercore

Many architectural structures need a linear fixture capable of illuminating multiple storeys with minimal setback. Property owners/end users need a controllable product capable of dynamic illumination to draw attention to their establishments and emphasise their brands. Graze MX Powercore is capable of illuminating over 20 meters at very close setback distances. Powercore technology enables simple installation and long product run lengths.

Benefits

- Superior light quality, consistency and output thanks to Philips Color Kinetics Optibin and Chromasync technologies
- · Simple installation and long run lengths enabled by Powercore technology
- Static and dynamic lighting effects can be designed, displayed and changed via Philips Color Kinetics controllers

Features

- · Highest-intensity exterior-rated linear LED luminaire in the market
- · High output and beam quality thanks to holographic diffusion technology
- $\boldsymbol{\cdot}$ Unparalleled control via adjustable dimming curves and transition speeds
- Superior output matching from fixture to fixture thanks to Optibin and Chromasync technologies

iW Graze MX Powercore

Application

- Illumination of exterior facades and structures
- · Illumination of large architectural details
- Flood- and wash-lighting applications (depending on beam angle)

Versions



Svítidlo pro architektonické osvětlení eW Graze MX Powercore BCS429

Product details







iW Graze MX Powercore



© 2021 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. All trademarks are owned by Signify Holding or their respective owners.