



iW Graze EC Powercore – exterior cove, niche and detail illumination

iW Graze EC Powercore

Some exterior architectural details require a soft-edged volume fill of light. Graze EC Powercore combines this output with the proven, durable design of the Graze Powercore product family and low power consumption.

Benefits

- Superior light quality, consistency and output thanks to Philips Color Kinetics Optibin and Chromasync technologies
- Simple installation and long run lengths enabled by Powercore technology
- Static and dynamic lighting effects can be designed, displayed and changed via Philips Color Kinetics controllers

Features

- Soft-edged light output for volume-fill applications thanks to diffuse cover lens
- Low power consumption is perfect for less demanding exterior applications
- Unparalleled control via adjustable dimming curves and transition speeds
- Superior output matching from fixture to fixture thanks to Optibin and Chromasync technologies

Application

- Illumination of exterior coves
- Illumination of exterior details (porte-cochères, mullions, balustrades, etc.)

iW Graze EC Powercore

Versions

	iW Graze EC Powercore BCS438 architectural lighting fixture, 305 mm		iW Graze EC Powercore BCS438 architectural lighting fixture, 609 mm
	iW Graze EC Powercore BCS438 architectural lighting fixture, 914 mm		iW Graze EC Powercore BCS438 architectural lighting fixture, 1219 mm

Product details

		OPDP_BCS438i_0003-Detail photo
		OPDP_BCS438i_0005-Detail photo

