



# Richting het eerste licht

## Aurore-uthouders

Vijf verschillende lengtes en hoeken zorgen ervoor dat de Aurore-uthouder zich kan aanpassen en sommige obstakels kan ontwijken die goede verlichting op straat, in parken of in woonwijken zouden kunnen belemmeren.

### Voordelen

- Compatibel met onze Accente-serie conische masten

### Kenmerken

- Verkrijgbaar in uitvoeringen voor enkele arm, dubbele arm, wandmontage en mastmontage
- Verkrijgbare lengtes: 950, 1200, 1250, 1400 of 1500 mm
- Armatuurbevestiging: opschuif- of pendelmontage

### Toepassing

- Parken en pleinen
- Wegen en straten
- Stadscentra
- Woonwijken

# Aurore-uthouders

## Versions



AURORE K212S BRACKETS



AURORE K212S BRACKETS



AURORE K212S BRACKETS



AURORE K212S BRACKETS



AURORE K212L BRACKETS



AURORE K212L BRACKETS



AURORE K212L BRACKETS



AURORE K212L BRACKETS



AURORE K213S BRACKETS



AURORE K213S BRACKETS



AURORE K213S BRACKETS



AURORE K213S BRACKETS



AURORE K222S BRACKETS



AURORE K222S BRACKETS



AURORE K222S BRACKETS



AURORE K222S BRACKETS

## Aurore-uthouders

### Versions



AURORE K222L BRACKETS



AURORE K222L BRACKETS



AURORE K222L BRACKETS



AURORE K222L BRACKETS

