PHILIPS

Lighting

Time to upgrade your conventional lighting to LumiStreet gen2

LumiStreet gen2

Increasing numbers of municipalities are having to upgrade large-scale conventional street lighting installations with energy efficient LED technology. But they are having to do this with smaller and smaller budgets. That's why the new generation of LumiStreet has been upgraded and designed to provide a solution to this challenge, it is the ideal solution for performing point-to-point replacement of conventional lighting. LumiStreet gen2 achieves this by offering high efficiency, low Total Cost of Ownership, and ease of installation and maintenance. The ease of installation and maintenance is enabled by the Philips Service tag. Moreover, the Philips SR (System Ready) socket makes it future-ready and you can pair this luminaire with lighting control and software applications such as Interact City.

Benefits

- Economical LED alternative to conventional street lights
- Offers high efficiency and energy savings
- Made of high-quality materials for longer lifetime and minimized maintenance

Features

- Good application coverage thanks to wide range of optics, tunable flux and tillable spigot
- Easy luminaire identification due to the Philips Service tag
- Future-ready thanks to the SR (System Ready) socket
- High system efficiency with good application coverage
- Luminaire is also equipped with dedicated light recipes that help with: 1) maintaining an optimal ecosystems for bats or 2) preserving a dark night sky and reduce light pollution

LumiStreet gen2

Application

- Roads and streets
- Residential streets

Versions

UniStreet LumiStreet gen2 Nano with Zhaga sockets

Dimensional drawing











Product details

UniStreet LumiStreet gen2 Nano top side view with Zhaga sockets

UniStreet_LumiStreet_gen2

UniStreet_LumiStreet_gen2

UniStreet LumiStreet gen2 Nano profile view

UniStreet gen2 spigot regulation

UniStreet_LumiStreet_gen2

UniStreet_LumiStreet_gen2

UniStreet LumiStreet gen2 Nano gear compartment



UniStreet_LumiStreet_gen2

UniStreet_LumiStreet_gen2

Product details

UniStreet_LumiStreet_gen2

UniStreet_LumiStreet_gen2

UniStreet LumiStreet gen2 Nano spigot view

Bottom view for spigot regulation and screw

UniStreet LumiStreet gen2 Nano spigot view

UniStreet LumiStreet gen2 Nano profile view with Zhaga sockets

UniStreet_LumiStreet_gen2

UniStreet LumiStreet gen2 Nano top view

Product details

UniStreet LumiStreet gen2 Nano bottom view

UniStreet_LumiStreet_gen2

UniStreet LumiStreet gen2 Nano bottom view with louvre

UniStreet LumiStreet gen2 Nano gear compartment

UniStreet LumiStreet gen2 Nano gear compartment

UniStreet_LumiStreet_gen2

UniStreet_LumiStreet_gen2

General Information	
CE mark	Yes
Driver included	Yes
Flammability mark	For mounting on normally flammable surfaces
Light source replaceable	Yes
Light Technical	
Optical cover type	Flat glass
Standard tilt angle side entry	0°
Standard tilt angle posttop	0°
Upward light output ratio	0
Mechanical and Housing	
Housing Color	Gray
Approval and Application	
Mech. impact protection code	IK08
Ingress protection code	IP66

General Information

Order Code	Full Product Name	Lamp family code	Number of gear units	Product family code	Service tag
910925868721	BGP290 LED50-1F/740 I DM10 48/60S	LED50	1 unit	BGP290	-
910925868722	BGP390 LED50-1F/740 I DM10 48/60S	LED50	1 unit	BGP390	-
910925868724	BGP290 LED50-1F/740 II DM10 48/60S	LED50	1 unit	BGP290	-
910925868725	BGP390 LED50-1F/740 II DM10 48/60S	LED50	1 unit	BGP390	-
910925869152	BGP290 LED20-1F/730 II DM50 D9 48/60S	LED20	1 unit	BGP290	-
910925869153	BGP290 LED40-1F/730 II DM50 D9 48/60S	LED40	1 unit	BGP290	-
910925869154	BGP290 LED50-1F/730 II DM50 D9 48/60S	LED50	1 unit	BGP290	-
910925869155	BGP290 LED60-1F/730 II DM50 D9 48/60S	LED60	1 unit	BGP290	-
910925869156	BGP290 LED50-1F/730 II DM12 SRTB 48/60S	LED50	1 unit	BGP290	-
910925865670	BGP292 LED49-4S/740 I DX10 7024 D9 76S	LED49	1 unit	BGP292	Yes
910925865673	BGP292 LED39-4S/740 II DN10 SW302F CLO D	LED39	1 unit	BGP292	Yes
910925865677	BGP292 LED99-4S/740 I DX10 7024 D9 48/60	LED99	1 unit	BGP292	Yes
910925865683	BGP292 LED14-4S/740 II DM12 SW302F CLO D	LED14	1 unit	BGP292	Yes
910925866443	BGP292 LED120-4S/740 I DM11 48/60S	LED120	1 unit	BGP292	Yes
910925866607	BGP292 LED18-4S/740 I DM50 D948/60S	LED18	1 unit	BGP292	Yes
910925866608	BGP292 LED22-4S/740 I DM50 D948/60S	LED22	1 unit	BGP292	Yes
910925866615	BGP292 LED34-4S/740 II DM50 D9 48/60S	LED34	1 unit	BGP292	Yes
910925866616	BGP292 LED60-4S/740 II DM50 D9 48/60S	LED60	1 unit	BGP292	Yes
910925866617	BGP292 LED80-4S/740 II DM50 D9 48/60S	LED80	1 unit	BGP292	Yes
910925866618	BGP292 LED100-4S/740 II DM50 D9 48/60S	LED100	1 unit	BGP292	Yes
910925866628	BGP292 LED120-4S/740 II DM50 D9 48/60S	LED120	1 unit	BGP292	Yes
910925866639	BGP292 LED120-4S/740 II DM11 48/60S	LED120	1 unit	BGP292	Yes
910925866640	BGP292 LED85-4S/740 II DM11 48/60S	LED85	1 unit	BGP292	Yes
910925866642	BGP292 LED85-4S/740 II DM11 48/60S	LED85	1 unit	BGP292	Yes

Order Code	Full Product Name	Lamp family code	Number of gear units	Product family code	Service tag
910925866657	BGP392 LED120-4S/740 II DM11 D9 48/60S	LED120	1 unit	BGP392	Yes
910925866697	BGP292 LED75-4S/740 I DX10 7024 D9 48/60	LED75	1 unit	BGP292	Yes
910925866698	BGP292 LED49-4S/740 I DX10 7024 D9 48/60	LED49	1 unit	BGP292	Yes
910925866699	BGP292 LED27-4S/740 II DN10 SW302F CLO D	LED27	1 unit	BGP292	Yes
910925866702	BGP292 LED99-4S/740 II DX10 7024 D9 48/6	LED99	1 unit	BGP292	Yes
910925866703	BGP292 LED34-4S/740 II DN10 SW302F CLO D	LED34	1 unit	BGP292	Yes
910925866704	BGP292 LED22-4S/740 II DM12 SW302F CLO D	LED22	1 unit	BGP292	Yes
910925866705	BGP292 LED75-4S/740 I DX10 7024 D9 76S	LED75	1 unit	BGP292	Yes
910925866712	BGP292 LED18-4S/740 II DM12 SW302F CLO D	LED18	1 unit	BGP292	Yes
910925866716	BGP292 LED27-4S/740 II DN10 SW302F CLO D	LED27	1 unit	BGP292	Yes
910925866721	BGP292 LED85-4S/740 I DM10 D9SRG10 48/60	LED85	1 unit	BGP292	Yes
910925866722	BGP292 LED49-4S/740 II DM50 D9 48/60S	LED49	1 unit	BGP292	Yes
910925866724	BGP292 LED74-4S/740 II DM11 CLO S05Z1Z1-	LED74	1 unit	BGP292	Yes
910925866727	BGP292 LED34-4S/740 II DN10 SW302F CLO D	LED34	1 unit	BGP292	Yes
910925866730	BGP292 LED94-4S/740 II DM11 CLO D9 48/60	LED94	1 unit	BGP292	Yes
910925866731	BGP292 LED22-4S/740 II DN10 SW302F CLO D	LED22	1 unit	BGP292	Yes
910925866734	BGP292 LED109-4S/740 II DM10 7043 D9 48/	LED109	1 unit	BGP292	Yes
910925866748	BGP292 LED120-4S/740 II DM11 CLO S05Z1Z1	LED120	1 unit	BGP292	Yes
910925866749	BGP292 LED22-4S/740 II DM12 SW302F CLO D	LED22	1 unit	BGP292	Yes
910925866753	BGP292 LED51-4S/740 I DX10 P148/60S	LED51	1 unit	BGP292	Yes
910925866761	BGP292 LED39-4S/740 II DM12 SW302F CLO D	LED39	1 unit	BGP292	Yes
910925866766	BGP292 LED99-4S/740 I DX10 7024 D9 76S	LED99	1 unit	BGP292	Yes
910925866771	BGP292 LED75-4S/740 I DX10 48/60S	LED75	1 unit	BGP292	Yes
910925866772	BGP292 LED39-4S/740 II DN10 SW302F CLO D	LED39	1 unit	BGP292	Yes
910925866773	BGP292 LED51-4S/740 I DX10 48/60S	LED51	1 unit	BGP292	Yes
910925866796	BGP292 LED18-4S/740 II DN10 SW302F CLO D	LED18	1 unit	BGP292	Yes

Order Code	Full Product Name	Lamp family code	Number of gear units	Product family code	Service tag
910925866804	BGP292 LED39-4S/740 II DW10 SW302F CLO D	LED39	1 unit	BGP292	Yes
910925866805	BGP292 LED75-4S/740 I DX10 ALU D9 76S	LED75	1 unit	BGP292	Yes
910925866809	BGP292 LED65-4S/740 II DM50 D9 48/60S	LED65	1 unit	BGP292	Yes
910925866853	BGP292 LED119-4S/740 II DM11 CLO 48/60S	LED119	1 unit	BGP292	Yes
910925866892	BGP292 LED39-4S/740 II DM10 MSP CLO SRTH	LED39	1 unit	BGP292	Yes
910925866895	BGP292 LED74-4S/740 II DM11 CLO SRT 48/6	LED74	1 unit	BGP292	Yes
910925866896	BGP292 LED94-4S/740 II DM11 CLO SRT 48/6	LED94	1 unit	BGP292	Yes
910925866899	BGP292 LED54-4S/740 II DM11 CLO S05Z1Z1-	LED54	1 unit	BGP292	Yes
910925866901	BGP292 LED64-4S/740 II DM11 CLO S05Z1Z1-	LED64	1 unit	BGP292	Yes
910925866912	BGP292 LED45-4S/830 II DM11 CLO S05Z1Z1-	LED45	1 unit	BGP292	Yes
910925866915	BGP292 LED49-4S/740 II DM32 MSP CLO SRTS	LED49	1 unit	BGP292	Yes
910925866918	BGP292 LED39-4S/830 II DM10 MSP CLO SRTH	LED39	1 unit	BGP292	Yes
910925866919	BGP292 LED49-4S/740 II DM10 MSP CLO SRTH	LED49	1 unit	BGP292	Yes
910925866930	BGP292 LED45-4S/740 II DM11 CLO S05Z1Z1-	LED45	1 unit	BGP292	Yes
910925866934	BGP292 LED35-4S/830 II DM11 CLO S05Z1Z1-	LED35	1 unit	BGP292	Yes
910925866938	BGP292 LED49-4S/830 II DM10 MSP CLO SRTH	LED49	1 unit	BGP292	Yes
910925866941	BGP292 LED35-4S/740 II DM11 CLO S05Z1Z1-	LED35	1 unit	BGP292	Yes
910925867777	BGP292 LED70-4S/740 II DX10 D11 H07RN-F-	LED70	1 unit	BGP292	Yes
910925867778	BGP292 LED80-4S/740 II DX10 BL1 D11 H07R	LED80	1 unit	BGP292	Yes
910925867781	BGP292 LED70-4S/740 II DM11 48/76S POLE	LED70	1 unit	BGP292	Yes
910925867782	BGP292 LED120-4S/740 II DM11 48/76S POLE	LED120	1 unit	BGP292	Yes
910925868082	BGP292 LED35-4S/740 II DM11 CLO-DDF1 D18	LED35	1 unit	BGP292	Yes
910925868083	BGP292 LED35-4S/830 II DM11 CLO-DDF1 D18	LED35	1 unit	BGP292	Yes
910925868084	BGP292 LED45-4S/740 II DM11 CLO-DDF1 D18	LED45	1 unit	BGP292	Yes
910925868085	BGP292 LED45-4S/830 II DM11 CLO-DDF1 D18	LED45	1 unit	BGP292	Yes

Order Code	Full Product Name	Lamp family code	Number of gear units	Product family code	Service tag
910925868086	BGP292 LED54-4S/740 II DM11 CLO-DDF1 D18	LED54	1 unit	BGP292	Yes
910925868087	BGP292 LED64-4S/740 II DM11 CLO-DDF1 D18	LED64	1 unit	BGP292	Yes
910925868107	BGP292 LED100-4S/730 II DM50 MSP 48/60S	LED100	1 unit	BGP292	Yes
910925868108	BGP292 LED100-4S/730 II DM50 48/60S	LED100	1 unit	BGP292	Yes
910925865671	BGP293 LED149-4S/740 I DM12 D9 SRG10 48/	LED149	1 unit	BGP293	Yes
910925865680	BGP293 LED120-4S/740 I DX10 7024 D9 48/6	LED120	1 unit	BGP293	Yes
910925866444	BGP293 LED240-4S/740 I DM11 48/60S	LED240	1 unit	BGP293	Yes
910925866456	BGP293 LED240-4S/740 I DM11 SRT SRB SRG1	LED240	1 unit	BGP293	Yes
910925866630	BGP293 LED100-4S/740 II DM50 D9 48/60S	LED100	1 unit	BGP293	Yes
910925866631	BGP293 LED139-4S/740 II DM50 D9 48/60S	LED139	1 unit	BGP293	Yes
910925866632	BGP293 LED180-4S/740 II DM50 D9 48/60S	LED180	1 unit	BGP293	Yes
910925866633	BGP293 LED240-4S/740 II DM50 D9 48/60S	LED240	1 unit	BGP293	Yes
910925866643	BGP293 LED170-4S/740 II DM11 48/60S	LED170	1 unit	BGP293	Yes
910925866662	BGP393 LED240-4S/740 II DM11 D9 48/60S	LED240	1 unit	BGP393	Yes
910925866723	BGP293 LED149-4S/740 II DM50 D9 48/60S	LED149	1 unit	BGP293	Yes
910925866755	BGP293 LED149-4S/740 I DX10 76S	LED149	1 unit	BGP293	Yes
910925866757	BGP293 LED139-4S/740 II DW10 SW302F CLO7	LED139	1 unit	BGP293	Yes
910925866759	BGP293 LED139-4S/740 I DX10 48/60S	LED139	1 unit	BGP293	Yes
910925866762	BGP293 LED149-4S/740 II DM50 D9 48/60S	LED149	1 unit	BGP293	Yes
910925866767	BGP293 LED149-4S/740 I DX10 48/60S	LED149	1 unit	BGP293	Yes
910925866777	BGP293 LED149-4S/740 II DW10 H07RN-F-2X1	LED149	1 unit	BGP293	Yes
910925866786	BGP293 LED84-4S/740 I DM50 D948/60S	LED84	1 unit	BGP293	Yes
910925866789	BGP293 LED139-4S/740 II DM10 48/60S	LED139	1 unit	BGP293	Yes
910925866793	BGP293 LED84-4S/740 II DM50 D9 48/60S	LED84	1 unit	BGP293	Yes
910925866795	BGP293 LED149-4S/740 I DM50 D9 48/60S	LED149	1 unit	BGP293	Yes

Order Code	Full Product Name	Lamp family code	Number of gear units	Product family code	Service tag
910925866810	BGP293 LED109-4S/740 I DM50 D9 48/60S	LED109	1 unit	BGP293	Yes
910925866894	BGP293 LED64-4S/830 II DM31 MSP CLO SRTH	LED64	1 unit	BGP293	Yes
910925866902	BGP293 LED80-4S/740 II DM11 CLO S05Z1Z1-	LED80	1 unit	BGP293	Yes
910925866903	BGP293 LED100-4S/740 II DM11 CLO S05Z1Z1	LED100	1 unit	BGP293	Yes
910925866904	BGP293 LED120-4S/740 II DM11 CLO S05Z1Z1	LED120	1 unit	BGP293	Yes
910925866905	BGP293 LED149-4S/740 II DM11 CLO S05Z1Z1	LED149	1 unit	BGP293	Yes
910925866920	BGP293 LED80-4S/740 II DM31 MSP CLO SRTH	LED80	1 unit	BGP293	Yes
910925866921	BGP293 LED80-4S/830 II DM31 MSP CLO SRTH	LED80	1 unit	BGP293	Yes
910925866926	BGP293 LED100-4S/740 II DM11 CLO SRT 48/	LED100	1 unit	BGP293	Yes
910925866936	BGP293 LED120-4S/740 II DM32 MSP CLO SRT	LED120	1 unit	BGP293	Yes
910925867860	BGP293 LED84-4S/740 II DM32 MSP CLO-LS-6	LED84	1 unit	BGP293	Yes
910925868089	BGP293 LED80-4S/740 II DM11 CLO-DDF1 D18	LED80	1 unit	BGP293	Yes
910925868090	BGP293 LED100-4S/740 II DM11 CLO-DDF1 D1	LED100	1 unit	BGP293	Yes
910925868091	BGP293 LED120-4S/740 II DM11 CLO-DDF1 D1	LED120	1 unit	BGP293	Yes
910925868727	BGP290 LED50-1F/740 I DM10 SRG10 SRT SRB	LED50	1 unit	BGP290	-
910925868728	BGP390 LED50-1F/740 I DM10 SRG10 SRT SRB	LED50	1 unit	BGP390	-
910925869157	BGP290 LED50-1F/730 II DM32 MSP SRTB48/6	LED50	1 unit	BGP290	-
910925866445	BGP294 LED340-4S/740 I DM11 48/60S PLS	LED340	2 units	BGP294	Yes
910925866635	BGP294 LED180-4S/740 II DM50 D9 48/60S P	LED180	2 units	BGP294	Yes
910925866636	BGP294 LED240-4S/740 II DM50 D9 48/60S P	LED240	2 units	BGP294	Yes
910925866647	BGP294 LED240-4S/740 II DM11 48/60S PLS	LED240	2 units	BGP294	Yes
910925866667	BGP394 LED340-4S/740 II DM11 D9 48/60S P	LED340	2 units	BGP394	Yes
910925866897	BGP294 LED240-4S/740 II DM11 CLO SRT 48/	LED240	2 units	BGP294	Yes
910925866908	BGP294 LED140-4S/830 II DM31 MSP CLO SRT	LED140	2 units	BGP294	Yes
910925866909	BGP294 LED240-4S/830 II DM31 MSP CLO SRT	LED240	2 units	BGP294	Yes

Order Code	Full Product Name	Lamp family code	Number of gear units	Product family code	Service tag
910925866914	BGP294 LED400-4S/740 II DM11 CLO S05Z1Z1	LED400	2 units	BGP294	Yes
910925866922	BGP294 LED140-4S/740 II DM31 MSP CLO SRT	LED140	2 units	BGP294	Yes
910925866923	BGP294 LED240-4S/740 II DM31 MSP CLO SRT	LED240	2 units	BGP294	Yes
910925866937	BGP294 LED150-4S/740 II DM32 MSP CLO SRT	LED150	2 units	BGP294	Yes
910925866940	BGP294 LED340-4S/740 II DM11 CLO SRT 48/	LED340	2 units	BGP294	Yes
910925866942	BGP294 LED300-4S/740 II DM11 CLO S05Z1Z1	LED300	2 units	BGP294	Yes
910925868071	BGP294 LED150-4S/740 II DM11 CLO S05Z1Z1	LED150	2 units	BGP294	Yes
910925868072	BGP294 LED300-4S/740 II DM11 CLO S05Z1Z1	LED300	2 units	BGP294	Yes
910925868073	BGP294 LED400-4S/740 II DM11 CLO S05Z1Z1	LED400	2 units	BGP294	Yes
910925868092	BGP294 LED150-4S/740 II DM11 CLO-DDF1 D1	LED150	2 units	BGP294	Yes
910925868093	BGP294 LED300-4S/740 II DM11 CLO-DDF1 D1	LED300	2 units	BGP294	Yes
910925868094	BGP294 LED400-4S/740 II DM11 CLO-DDF1 D1	LED400	2 units	BGP294	Yes
910925865679	BGP291 LED39-4S/740 II DM50 48/60S	LED39	1 unit	BGP291	Yes
910925866442	BGP291 LED50-4S/740 I DM11 48/60S	LED50	1 unit	BGP291	Yes
910925866454	BGP291 LED50-4S/740 I DM11 SRT SRB SRG10	LED50	1 unit	BGP291	Yes
910925866610	BGP291 LED8-4S/740 II DM50 D948/60S	LED8	1 unit	BGP291	Yes
910925866611	BGP291 LED20-4S/740 II DM50 D9 48/60S	LED20	1 unit	BGP291	Yes
910925866612	BGP291 LED40-4S/740 II DM50 D9 48/60S	LED40	1 unit	BGP291	Yes
910925866613	BGP291 LED50-4S/740 II DM50 D9 48/60S	LED50	1 unit	BGP291	Yes
910925866614	BGP291 LED64-4S/740 II DM50 D9 48/60S	LED64	1 unit	BGP291	Yes
910925866646	BGP291 LED45-4S/740 II DM11 48/60S	LED45	1 unit	BGP291	Yes
910925866652	BGP391 LED64-4S/740 II DM11 D9 48/60S	LED64	1 unit	BGP391	Yes
910925866780	BGP291 LED44-4S/740 I DW50 CLO D9 P1 32/	LED44	1 unit	BGP291	Yes
910925866856	BGP291 LED34-4S/740 II DM11 CLO 48/60S	LED34	1 unit	BGP291	Yes
910925866857	BGP291 LED34-4S/740 II DM11 CLO-DDF1 D18	LED34	1 unit	BGP291	Yes

Order Code	Full Product Name	Lamp family code	Number of gear units	Product family code	Service tag
910925866858	BGP291 LED34-4S/830 II DM11 CLO 48/60S	LED34	1 unit	BGP291	Yes
910925866859	BGP291 LED34-4S/830 II DM11 CLO-DDF1 D18	LED34	1 unit	BGP291	Yes
910925866860	BGP291 LED44-4S/740 II DM11 CLO 48/60S	LED44	1 unit	BGP291	Yes
910925866861	BGP291 LED44-4S/740 II DM11 CLO-DDF1 D18	LED44	1 unit	BGP291	Yes
910925866862	BGP291 LED44-4S/830 II DM11 CLO 48/60S	LED44	1 unit	BGP291	Yes
910925866863	BGP291 LED44-4S/830 II DM11 CLO-DDF1 D18	LED44	1 unit	BGP291	Yes
910925866864	BGP291 LED51-4S/740 II DM11 CLO 48/60S	LED51	1 unit	BGP291	Yes
910925866865	BGP291 LED51-4S/740 II DM11 CLO-DDF1 D18	LED51	1 unit	BGP291	Yes
910925866891	BGP291 LED34-4S/740 II DM10 MSP CLO SRTH	LED34	1 unit	BGP291	Yes
910925866898	BGP291 LED20-4S/740 II DM11 CLO S05Z1Z1-	LED20	1 unit	BGP291	Yes
910925866907	BGP291 LED30-4S/740 II DM32 MSP CLO SRTH	LED30	1 unit	BGP291	Yes
910925866910	BGP291 LED25-4S/830 II DM11 CLO S05Z1Z1-	LED25	1 unit	BGP291	Yes
910925866911	BGP291 LED35-4S/740 II DM11 CLO S05Z1Z1-	LED35	1 unit	BGP291	Yes
910925866913	BGP291 LED45-4S/740 II DM11 CLO S05Z1Z1-	LED45	1 unit	BGP291	Yes
910925866917	BGP291 LED22-4S/830 II DM10 MSP CLO SRTH	LED22	1 unit	BGP291	Yes
910925866924	BGP291 LED45-4S/740 II DM11 CLO SRT 48/6	LED45	1 unit	BGP291	Yes
910925866925	BGP291 LED54-4S/740 II DM11 CLO SRT 48/6	LED54	1 unit	BGP291	Yes
910925866928	BGP291 LED20-4S/830 II DM11 CLO S05Z1Z1-	LED20	1 unit	BGP291	Yes
910925866929	BGP291 LED25-4S/740 II DM11 CLO S05Z1Z1-	LED25	1 unit	BGP291	Yes
910925866932	BGP291 LED35-4S/830 II DM11 CLO S05Z1Z1-	LED35	1 unit	BGP291	Yes
910925866933	BGP291 LED45-4S/830 II DM11 CLO S05Z1Z1-	LED45	1 unit	BGP291	Yes
910925866935	BGP291 LED22-4S/740 II DM32 MSP CLO SRTH	LED22	1 unit	BGP291	Yes
910925866939	BGP291 LED34-4S/830 II DM10 MSP CLO SRTH	LED34	1 unit	BGP291	Yes
910925867775	BGP291 LED45-4S/740 II DX10 D11 H07RN-F-	LED45	1 unit	BGP291	Yes
910925867776	BGP291 LED60-4S/740 II DX10 BL1 D11 H07R	LED60	1 unit	BGP291	Yes

Order Code	Full Product Name	Lamp family code	Number of gear units	Product family code	Service tag
910925867779	BGP291 LED25-4S/740 II DM11 48/76S POLE	LED25	1 unit	BGP291	Yes
910925867780	BGP291 LED35-4S/740 II DM11 48/76S POLE	LED35	1 unit	BGP291	Yes
910925868074	BGP291 LED20-4S/740 II DM11 CLO-DDF1 D18	LED20	1 unit	BGP291	Yes
910925868075	BGP291 LED20-4S/830 II DM11 CLO-DDF1 D18	LED20	1 unit	BGP291	Yes
910925868076	BGP291 LED25-4S/740 II DM11 CLO-DDF1 D18	LED25	1 unit	BGP291	Yes
910925868077	BGP291 LED25-4S/830 II DM11 CLO-DDF1 D18	LED25	1 unit	BGP291	Yes
910925868078	BGP291 LED35-4S/740 II DM11 CLO-DDF1 D18	LED35	1 unit	BGP291	Yes
910925868079	BGP291 LED35-4S/830 II DM11 CLO-DDF1 D18	LED35	1 unit	BGP291	Yes
910925868080	BGP291 LED45-4S/740 II DM11 CLO-DDF1 D18	LED45	1 unit	BGP291	Yes
910925868081	BGP291 LED45-4S/830 II DM11 CLO-DDF1 D18	LED45	1 unit	BGP291	Yes
910925868105	BGP291 LED51-4S/730 II DM50 MSP 48/60S	LED51	1 unit	BGP291	Yes
910925868106	BGP291 LED51-4S/730 II DM50 48/60S	LED51	1 unit	BGP291	Yes

Light Technical (1/2)

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color Temperature (Nom)	Color rendering index (CRI)
910925868721	BGP290 LED50-1F/740 I DM10 48/60S	157° - 33° x 55°	740 neutral white	4000 K	>70
910925868722	BGP390 LED50-1F/740 I DM10 48/60S	157° - 33° x 55°	740 neutral white	4000 K	>70
910925868724	BGP290 LED50-1F/740 II DM10 48/60S	157° - 33° x 55°	740 neutral white	4000 K	>70
910925868725	BGP390 LED50-1F/740 II DM10 48/60S	157° - 33° x 55°	740 neutral white	4000 K	>70
910925869152	BGP290 LED20-1F/730 II DM50 D9 48/60S	154° - 31° x 54°	730 warm white	3000 K	>70
910925869153	BGP290 LED40-1F/730 II DM50 D9 48/60S	154° - 31° x 54°	730 warm white	3000 K	>70
910925869154	BGP290 LED50-1F/730 II DM50 D9 48/60S	154° - 31° x 54°	730 warm white	3000 K	>70
910925869155	BGP290 LED60-1F/730 II DM50 D9 48/60S	154° - 31° x 54°	730 warm white	3000 K	>70
910925869156	BGP290 LED50-1F/730 II DM12 SRTB 48/60S	53° x 71°	730 warm white	3000 K	>70
910925865670	BGP292 LED49-4S/740 I DX10 7024 D9 76S	150° - 43° x 67°	740 neutral white	4000 K	70

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color Temperature (Nom)	Color rendering index (CRI)
910925865673	BGP292 LED39-4S/740 II DN10 SW302F CLO D	68° x 158°	740 neutral white	4000 K	70
910925865677	BGP292 LED99-4S/740 I DX10 7024 D9 48/60	150° - 43° x 67°	740 neutral white	4000 K	70
910925865683	BGP292 LED14-4S/740 II DM12 SW302F CLO D	53° x 71°	740 neutral white	4000 K	70
910925866443	BGP292 LED120-4S/740 I DM11 48/60S	160° - 42° x 54°	740 neutral white	4000 K	70
910925866607	BGP292 LED18-4S/740 I DM50 D948/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866608	BGP292 LED22-4S/740 I DM50 D948/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866615	BGP292 LED34-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866616	BGP292 LED60-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866617	BGP292 LED80-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866618	BGP292 LED100-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866628	BGP292 LED120-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866639	BGP292 LED120-4S/740 II DM11 48/60S	160° - 42° x 54°	740 neutral white	4000 K	70
910925866640	BGP292 LED85-4S/740 II DM11 48/60S	160° - 42° x 54°	740 neutral white	4000 K	70
910925866642	BGP292 LED85-4S/740 II DM11 48/60S	160° - 42° x 54°	740 neutral white	4000 K	70
910925866657	BGP392 LED120-4S/740 II DM11 D9 48/60S	160° - 42° x 54°	740 neutral white	4000 K	70
910925866697	BGP292 LED75-4S/740 I DX10 7024 D9 48/60	150° - 43° x 67°	740 neutral white	4000 K	70
910925866698	BGP292 LED49-4S/740 I DX10 7024 D9 48/60	150° - 43° x 67°	740 neutral white	4000 K	70
910925866699	BGP292 LED27-4S/740 II DN10 SW302F CLO D	68° x 158°	740 neutral white	4000 K	70
910925866702	BGP292 LED99-4S/740 II DX10 7024 D9 48/6	150° - 43° x 67°	740 neutral white	4000 K	70
910925866703	BGP292 LED34-4S/740 II DN10 SW302F CLO D	68° x 158°	740 neutral white	4000 K	70
910925866704	BGP292 LED22-4S/740 II DM12 SW302F CLO D	53° x 71°	740 neutral white	4000 K	70
910925866705	BGP292 LED75-4S/740 I DX10 7024 D9 76S	150° - 43° x 67°	740 neutral white	4000 K	70
910925866712	BGP292 LED18-4S/740 II DM12 SW302F CLO D	53° x 71°	740 neutral white	4000 K	70
910925866716	BGP292 LED27-4S/740 II DN10 SW302F CLO D	68° x 158°	740 neutral white	4000 K	70
910925866721	BGP292 LED85-4S/740 I DM10 D9SRG10 48/60	157° - 33° x 55°	740 neutral white	4000 K	70
910925866722	BGP292 LED49-4S/740 II	154° - 31° x 54°	740 neutral white	4000 K	70

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color Temperature (Nom)	Color rendering index (CRI)
	DM50 D9 48/60S				
910925866724	BGP292 LED74-4S/740 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	740 neutral white	4000 K	70
910925866727	BGP292 LED34-4S/740 II DN10 SW302F CLO D	68° x 158°	740 neutral white	4000 K	70
910925866730	BGP292 LED94-4S/740 II DM11 CLO D9 48/60	160° - 42° x 54°	740 neutral white	4000 K	70
910925866731	BGP292 LED22-4S/740 II DN10 SW302F CLO D	68° x 158°	740 neutral white	4000 K	70
910925866734	BGP292 LED109-4S/740 II DM10 7043 D9 48/	157° - 33° x 55°	740 neutral white	4000 K	70
910925866748	BGP292 LED120-4S/740 II DM11 CLO S05Z1Z1	160° - 42° x 54°	740 neutral white	4000 K	70
910925866749	BGP292 LED22-4S/740 II DM12 SW302F CLO D	53° x 71°	740 neutral white	4000 K	70
910925866753	BGP292 LED51-4S/740 I DX10 P148/60S	150° - 43° x 67°	740 neutral white	4000 K	70
910925866761	BGP292 LED39-4S/740 II DM12 SW302F CLO D	53° x 71°	740 neutral white	4000 K	70
910925866766	BGP292 LED99-4S/740 I DX10 7024 D9 76S	150° - 43° x 67°	740 neutral white	4000 K	70
910925866771	BGP292 LED75-4S/740 I DX10 48/60S	150° - 43° x 67°	740 neutral white	4000 K	70
910925866772	BGP292 LED39-4S/740 II DN10 SW302F CLO D	68° x 158°	740 neutral white	4000 K	70
910925866773	BGP292 LED51-4S/740 I DX10 48/60S	150° - 43° x 67°	740 neutral white	4000 K	70
910925866796	BGP292 LED18-4S/740 II DN10 SW302F CLO D	68° x 158°	740 neutral white	4000 K	70
910925866804	BGP292 LED39-4S/740 II DW10 SW302F CLO D	61° x 150°	740 neutral white	4000 K	70
910925866805	BGP292 LED75-4S/740 I DX10 ALU D9 76S	150° - 43° x 67°	740 neutral white	4000 K	70
910925866809	BGP292 LED65-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866853	BGP292 LED119-4S/740 II DM11 CLO 48/60S	160° - 42° x 54°	740 neutral white	4000 K	70
910925866892	BGP292 LED39-4S/740 II DM10 MSP CLO SRTH	157° - 33° x 55°	740 neutral white	4000 K	70
910925866895	BGP292 LED74-4S/740 II DM11 CLO SRT 48/6	160° - 42° x 54°	740 neutral white	4000 K	70
910925866896	BGP292 LED94-4S/740 II DM11 CLO SRT 48/6	160° - 42° x 54°	740 neutral white	4000 K	70
910925866899	BGP292 LED54-4S/740 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	740 neutral white	4000 K	70
910925866901	BGP292 LED64-4S/740 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	740 neutral white	4000 K	70
910925866912	BGP292 LED45-4S/830 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	830 warm white	3000 K	80
910925866915	BGP292 LED49-4S/740 II	-	740 neutral white	4000 K	70

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color Temperature (Nom)	Color rendering index (CRI)
	DM32 MSP CLO SRTS				
910925866918	BGP292 LED39-4S/830 II DM10 MSP CLO SRTH	157° - 33° x 55°	830 warm white	3000 K	80
910925866919	BGP292 LED49-4S/740 II DM10 MSP CLO SRTH	157° - 33° x 55°	740 neutral white	4000 K	70
910925866930	BGP292 LED45-4S/740 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	740 neutral white	4000 K	70
910925866934	BGP292 LED35-4S/830 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	830 warm white	3000 K	80
910925866938	BGP292 LED49-4S/830 II DM10 MSP CLO SRTH	157° - 33° x 55°	830 warm white	3000 K	80
910925866941	BGP292 LED35-4S/740 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	740 neutral white	4000 K	70
910925867777	BGP292 LED70-4S/740 II DX10 D11 H07RN-F-	150° - 43° x 67°	740 neutral white	4000 K	70
910925867778	BGP292 LED80-4S/740 II DX10 BL1 D11 H07R	150° - 43° x 67°	740 neutral white	4000 K	70
910925867781	BGP292 LED70-4S/740 II DM11 48/76S POLE	160° - 42° x 54°	740 neutral white	4000 K	70
910925867782	BGP292 LED120-4S/740 II DM11 48/76S POLE	160° - 42° x 54°	740 neutral white	4000 K	70
910925868082	BGP292 LED35-4S/740 II DM11 CLO-DDF1 D18	160° - 42° x 54°	740 neutral white	4000 K	70
910925868083	BGP292 LED35-4S/830 II	160° - 42° x 54°	830 warm white	3000 K	80

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color Temperature (Nom)	Color rendering index (CRI)
	DM11 CLO-DDF1 D18				
910925868084	BGP292 LED45-4S/740 II DM11 CLO-DDF1 D18	160° - 42° x 54°	740 neutral white	4000 K	70
910925868085	BGP292 LED45-4S/830 II DM11 CLO-DDF1 D18	160° - 42° x 54°	830 warm white	3000 K	80
910925868086	BGP292 LED54-4S/740 II DM11 CLO-DDF1 D18	160° - 42° x 54°	740 neutral white	4000 K	70
910925868087	BGP292 LED64-4S/740 II DM11 CLO-DDF1 D18	160° - 42° x 54°	740 neutral white	4000 K	70
910925868107	BGP292 LED100-4S/730 II DM50 MSP 48/60S	154° - 31° x 54°	730 warm white	3000 K	70
910925868108	BGP292 LED100-4S/730 II DM50 48/60S	154° - 31° x 54°	730 warm white	3000 K	70
910925865671	BGP293 LED149-4S/740 I DM12 D9 SRG10 48/	53° x 71°	740 neutral white	4000 K	70
910925865680	BGP293 LED120-4S/740 I DX10 7024 D9 48/6	150° - 43° x 67°	740 neutral white	4000 K	70
910925866444	BGP293 LED240-4S/740 I DM11 48/60S	160° - 42° x 54°	740 neutral white	4000 K	70
910925866456	BGP293 LED240-4S/740 I DM11 SRT SRB SRG1	160° - 42° x 54°	740 neutral white	4000 K	70
910925866630	BGP293 LED100-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866631	BGP293 LED139-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	4000 K	70

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color Temperature (Nom)	Color rendering index (CRI)
910925866632	BGP293 LED180-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866633	BGP293 LED240-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866643	BGP293 LED170-4S/740 II DM11 48/60S	160° - 42° x 54°	740 neutral white	4000 K	70
910925866662	BGP393 LED240-4S/740 II DM11 D9 48/60S	160° - 42° x 54°	740 neutral white	4000 K	70
910925866723	BGP293 LED149-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866755	BGP293 LED149-4S/740 I DX10 76S	150° - 43° x 67°	740 neutral white	4000 K	70
910925866757	BGP293 LED139-4S/740 II DW10 SW302F CLO7	61° x 150°	740 neutral white	4000 K	70
910925866759	BGP293 LED139-4S/740 I DX10 48/60S	150° - 43° x 67°	740 neutral white	4000 K	70
910925866762	BGP293 LED149-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866767	BGP293 LED149-4S/740 I DX10 48/60S	150° - 43° x 67°	740 neutral white	4000 K	70
910925866777	BGP293 LED149-4S/740 II DW10 H07RN-F-2X1	61° x 150°	740 neutral white	4000 K	70
910925866786	BGP293 LED84-4S/740 I DM50 D948/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866789	BGP293 LED139-4S/740 II DM10 48/60S	157° - 33° x 55°	740 neutral white	4000 K	70
910925866793	BGP293 LED84-4S/740 II	154° - 31° x 54°	740 neutral white	4000 K	70
	DM50 D9 48/60S				
910925866795	BGP293 LED149-4S/740 I DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866810	BGP293 LED109-4S/740 I DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866894	BGP293 LED64-4S/830 II DM31 MSP CLO SRTH	-	830 warm white	3000 K	80
910925866902	BGP293 LED80-4S/740 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	740 neutral white	4000 K	70
910925866903	BGP293 LED100-4S/740 II DM11 CLO S05Z1Z1	160° - 42° x 54°	740 neutral white	4000 K	70
910925866904	BGP293 LED120-4S/740 II DM11 CLO S05Z1Z1	160° - 42° x 54°	740 neutral white	4000 K	70
910925866905	BGP293 LED149-4S/740 II DM11 CLO S05Z1Z1	160° - 42° x 54°	740 neutral white	4000 K	70
910925866920	BGP293 LED80-4S/740 II DM31 MSP CLO SRTH	-	740 neutral white	4000 K	70
910925866921	BGP293 LED80-4S/830 II DM31 MSP CLO SRTH	-	830 warm white	3000 K	80
910925866926	BGP293 LED100-4S/740 II DM11 CLO SRT 48/	160° - 42° x 54°	740 neutral white	4000 K	70
910925866936	BGP293 LED120-4S/740 II DM32 MSP CLO SRT	-	740 neutral white	4000 K	70
910925867860	BGP293 LED84-4S/740 II	-	740 neutral white	4000 K	70

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color Temperature (Nom)	Color rendering index (CRI)
	DM32 MSP CLO-LS-6				
910925868089	BGP293 LED80-4S/740 II DM11 CLO-DDF1 D18	160° - 42° x 54°	740 neutral white	4000 K	70
910925868090	BGP293 LED100-4S/740 II DM11 CLO-DDF1 D1	160° - 42° x 54°	740 neutral white	4000 K	70
910925868091	BGP293 LED120-4S/740 II DM11 CLO-DDF1 D1	160° - 42° x 54°	740 neutral white	4000 K	70
910925868727	BGP290 LED50-1F/740 I DM10 SRG10 SRT SRB	157° - 33° x 55°	740 neutral white	4000 K	>70
910925868728	BGP390 LED50-1F/740 I DM10 SRG10 SRT SRB	157° - 33° x 55°	740 neutral white	4000 K	>70
910925869157	BGP290 LED50-1F/730 II DM32 MSP SRTB48/6	149° - 10° x 57°	730 warm white	3000 K	>70
910925866445	BGP294 LED340-4S/740 I DM11 48/60S PLS	160° - 42° x 54°	740 neutral white	4000 K	70
910925866635	BGP294 LED180-4S/740 II DM50 D9 48/60S P	154° - 31° x 54°	740 neutral white	4000 K	70
910925866636	BGP294 LED240-4S/740 II DM50 D9 48/60S P	154° - 31° x 54°	740 neutral white	4000 K	70
910925866647	BGP294 LED240-4S/740 II DM11 48/60S PLS	160° - 42° x 54°	740 neutral white	4000 K	70
910925866667	BGP394 LED340-4S/740 II DM11 D9 48/60S P	160° - 42° x 54°	740 neutral white	4000 K	70
910925866897	BGP294 LED240-4S/740 II DM11 CLO SRT 48/	160° - 42° x 54°	740 neutral white	4000 K	70
910925866908	BGP294 LED140-4S/830 II DM31 MSP CLO SRT	-	830 warm white	3000 K	80
910925866909	BGP294 LED240-4S/830 II DM31 MSP CLO SRT	-	830 warm white	3000 K	80
910925866914	BGP294 LED400-4S/740 II DM11 CLO S05Z1Z1	160° - 42° x 54°	740 neutral white	4000 K	70
910925866922	BGP294 LED140-4S/740 II DM31 MSP CLO SRT	-	740 neutral white	4000 K	70
910925866923	BGP294 LED240-4S/740 II DM31 MSP CLO SRT	-	740 neutral white	4000 K	70
910925866937	BGP294 LED150-4S/740 II DM32 MSP CLO SRT	-	740 neutral white	4000 K	70
910925866940	BGP294 LED340-4S/740 II DM11 CLO SRT 48/	160° - 42° x 54°	740 neutral white	4000 K	70
910925866942	BGP294 LED300-4S/740 II DM11 CLO S05Z1Z1	160° - 42° x 54°	740 neutral white	4000 K	70
910925868071	BGP294 LED150-4S/740 II DM11 CLO S05Z1Z1	160° - 42° x 54°	740 neutral white	4000 K	70
910925868072	BGP294 LED300-4S/740 II DM11 CLO S05Z1Z1	160° - 42° x 54°	740 neutral white	4000 K	70
910925868073	BGP294 LED400-4S/740 II DM11 CLO S05Z1Z1	160° - 42° x 54°	740 neutral white	4000 K	70
910925868092	BGP294 LED150-4S/740 II DM11 CLO-DDF1 D1	160° - 42° x 54°	740 neutral white	4000 K	70

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color Temperature (Nom)	Color rendering index (CRI)
910925868093	BGP294 LED300-4S/740 II DM11 CLO-DDF1 D1	160° - 42° x 54°	740 neutral white	4000 K	70
910925868094	BGP294 LED400-4S/740 II DM11 CLO-DDF1 D1	160° - 42° x 54°	740 neutral white	4000 K	70
910925865679	BGP291 LED39-4S/740 II DM50 48/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866442	BGP291 LED50-4S/740 I DM11 48/60S	160° - 42° x 54°	740 neutral white	4000 K	70
910925866454	BGP291 LED50-4S/740 I DM11 SRT SRB SRG10	160° - 42° x 54°	740 neutral white	4000 K	70
910925866610	BGP291 LED8-4S/740 II DM50 D948/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866611	BGP291 LED20-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866612	BGP291 LED40-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866613	BGP291 LED50-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866614	BGP291 LED64-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866646	BGP291 LED45-4S/740 II DM11 48/60S	160° - 42° x 54°	740 neutral white	4000 K	70
910925866652	BGP391 LED64-4S/740 II DM11 D9 48/60S	160° - 42° x 54°	740 neutral white	4000 K	70
910925866780	BGP291 LED44-4S/740 I DW50 CLO D9 P1 32/	152° - 24° x 66°	740 neutral white	4000 K	70
910925866856	BGP291 LED34-4S/740 II DM11 CLO 48/60S	160° - 42° x 54°	740 neutral white	4000 K	70
910925866857	BGP291 LED34-4S/740 II DM11 CLO-DDF1 D18	160° - 42° x 54°	740 neutral white	4000 K	70
910925866858	BGP291 LED34-4S/830 II DM11 CLO 48/60S	160° - 42° x 54°	830 warm white	3000 K	80
910925866859	BGP291 LED34-4S/830 II DM11 CLO-DDF1 D18	160° - 42° x 54°	830 warm white	3000 K	80
910925866860	BGP291 LED44-4S/740 II DM11 CLO 48/60S	160° - 42° x 54°	740 neutral white	4000 K	70
910925866861	BGP291 LED44-4S/740 II DM11 CLO-DDF1 D18	160° - 42° x 54°	740 neutral white	4000 K	70
910925866862	BGP291 LED44-4S/830 II DM11 CLO 48/60S	160° - 42° x 54°	830 warm white	3000 K	80
910925866863	BGP291 LED44-4S/830 II DM11 CLO-DDF1 D18	160° - 42° x 54°	830 warm white	3000 K	80
910925866864	BGP291 LED51-4S/740 II DM11 CLO 48/60S	160° - 42° x 54°	740 neutral white	4000 K	70
910925866865	BGP291 LED51-4S/740 II DM11 CLO-DDF1 D18	160° - 42° x 54°	740 neutral white	4000 K	70
910925866891	BGP291 LED34-4S/740 II DM10 MSP CLO SRTH	157° - 33° x 55°	740 neutral white	4000 K	70
910925866898	BGP291 LED20-4S/740 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	740 neutral white	4000 K	70

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color Temperature (Nom)	Color rendering index (CRI)
910925866907	BGP291 LED30-4S/740 II DM32 MSP CLO SRTH	-	740 neutral white	4000 K	70
910925866910	BGP291 LED25-4S/830 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	830 warm white	3000 K	80
910925866911	BGP291 LED35-4S/740 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	740 neutral white	4000 K	70
910925866913	BGP291 LED45-4S/740 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	740 neutral white	4000 K	70
910925866917	BGP291 LED22-4S/830 II DM10 MSP CLO SRTH	157° - 33° x 55°	830 warm white	3000 K	80
910925866924	BGP291 LED45-4S/740 II DM11 CLO SRT 48/6	160° - 42° x 54°	740 neutral white	4000 K	70
910925866925	BGP291 LED54-4S/740 II DM11 CLO SRT 48/6	160° - 42° x 54°	740 neutral white	4000 K	70
910925866928	BGP291 LED20-4S/830 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	830 warm white	3000 K	80
910925866929	BGP291 LED25-4S/740 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	740 neutral white	4000 K	70
910925866932	BGP291 LED35-4S/830 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	830 warm white	3000 K	80
910925866933	BGP291 LED45-4S/830 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	830 warm white	3000 K	80
910925866935	BGP291 LED22-4S/740 II DM32 MSP CLO SRTH	-	740 neutral white	4000 K	70
910925866939	BGP291 LED34-4S/830 II DM10 MSP CLO SRTH	157° - 33° x 55°	830 warm white	3000 K	80
910925867775	BGP291 LED45-4S/740 II DX10 D11 H07RN-F-	150° - 43° x 67°	740 neutral white	4000 K	70
910925867776	BGP291 LED60-4S/740 II DX10 BL1 D11 H07R	150° - 43° x 67°	740 neutral white	4000 K	70
910925867779	BGP291 LED25-4S/740 II DM11 48/76S POLE	160° - 42° x 54°	740 neutral white	4000 K	70
910925867780	BGP291 LED35-4S/740 II DM11 48/76S POLE	160° - 42° x 54°	740 neutral white	4000 K	70
910925868074	BGP291 LED20-4S/740 II DM11 CLO-DDF1 D18	160° - 42° x 54°	740 neutral white	4000 K	70
910925868075	BGP291 LED20-4S/830 II DM11 CLO-DDF1 D18	160° - 42° x 54°	830 warm white	3000 K	80
910925868076	BGP291 LED25-4S/740 II DM11 CLO-DDF1 D18	160° - 42° x 54°	740 neutral white	4000 K	70
910925868077	BGP291 LED25-4S/830 II DM11 CLO-DDF1 D18	160° - 42° x 54°	830 warm white	3000 K	80
910925868078	BGP291 LED35-4S/740 II DM11 CLO-DDF1 D18	160° - 42° x 54°	740 neutral white	4000 K	70
910925868079	BGP291 LED35-4S/830 II DM11 CLO-DDF1 D18	160° - 42° x 54°	830 warm white	3000 K	80
910925868080	BGP291 LED45-4S/740 II DM11 CLO-DDF1 D18	160° - 42° x 54°	740 neutral white	4000 K	70

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color Temperature (Nom)	Color rendering index (CRI)
910925868081	BGP291 LED45-4S/830 II DM11 CLO-DDF1 D18	160° - 42° x 54°	830 warm white	3000 K	80
910925868105	BGP291 LED51-4S/730 II DM50 MSP 48/60S	154° - 31° x 54°	730 warm white	3000 K	70
910925868106	BGP291 LED51-4S/730 II DM50 48/60S	154° - 31° x 54°	730 warm white	3000 K	70

Light Technical (2/2)

Order Code	Full Product Name	Luminous Flux	Optic type outdoor
910925868721	BGP290 LED50-1F/740 I DM10 48/60S	4,250 lm	Distribution medium 10
910925868722	BGP390 LED50-1F/740 I DM10 48/60S	4,250 lm	Distribution medium 10
910925868724	BGP290 LED50-1F/740 II DM10 48/60S	4,250 lm	Distribution medium 10
910925868725	BGP390 LED50-1F/740 II DM10 48/60S	4,250 lm	Distribution medium 10
910925869152	BGP290 LED20-1F/730 II DM50 D9 48/60S	1,660 lm	Distribution medium 50
910925869153	BGP290 LED40-1F/730 II DM50 D9 48/60S	3,280 lm	Distribution medium 50
910925869154	BGP290 LED50-1F/730 II DM50 D9 48/60S	4,100 lm	Distribution medium 50
910925869155	BGP290 LED60-1F/730 II DM50 D9 48/60S	4,920 lm	Distribution medium 50
910925869156	BGP290 LED50-1F/730 II DM12 SRTB 48/60S	4,300 lm	Distribution medium 12
910925865670	BGP292 LED49-4S/740 I DX10 7024 D9 76S	4,165 lm	Distribution extra wide 10
910925865673	BGP292 LED39-4S/740 II DN10 SW302F CLO D	3,420 lm	Distribution narrow 10
910925865677	BGP292 LED99-4S/740 I DX10 7024 D9 48/60	8,300 lm	Distribution extra wide 10
910925865683	BGP292 LED14-4S/740 II DM12 SW302F CLO D	1,215 lm	Distribution medium 12
910925866443	BGP292 LED120-4S/740 I DM11 48/60S	10,440 lm	Distribution medium 11
910925866607	BGP292 LED18-4S/740 I DM50 D948/60S	1,584 lm	Distribution medium 50
910925866608	BGP292 LED22-4S/740 I DM50 D948/60S	1,936 lm	Distribution medium 50
910925866615	BGP292 LED34-4S/740 II DM50 D9 48/60S	2,992 lm	Distribution medium 50
910925866616	BGP292 LED60-4S/740 II DM50 D9 48/60S	5,220 lm	Distribution medium 50
910925866617	BGP292 LED80-4S/740 II DM50 D9 48/60S	6,880 lm	Distribution medium 50
910925866618	BGP292 LED100-4S/740 II DM50 D9 48/60S	8,500 lm	Distribution medium 50
910925866628	BGP292 LED120-4S/740 II DM50 D9 48/60S	10,200 lm	Distribution medium 50
910925866639	BGP292 LED120-4S/740 II DM11 48/60S	10,440 lm	Distribution medium 11
910925866640	BGP292 LED85-4S/740 II DM11 48/60S	7,568 lm	Distribution medium 11
910925866642	BGP292 LED85-4S/740 II DM11 48/60S	7,568 lm	Distribution medium 11
910925866657	BGP392 LED120-4S/740 II DM11 D9 48/60S	10,440 lm	Distribution medium 11
910925866697	BGP292 LED75-4S/740 I DX10 7024 D9 48/60	6,460 lm	Distribution extra wide 10
910925866698	BGP292 LED49-4S/740 I DX10 7024 D9 48/60	4,165 lm	Distribution extra wide 10
910925866699	BGP292 LED27-4S/740 II DN10 SW302F CLO D	2,430 lm	Distribution narrow 10
910925866702	BGP292 LED99-4S/740 II DX10 7024 D9 48/6	8,300 lm	Distribution extra wide 10
910925866703	BGP292 LED34-4S/740 II DN10 SW302F CLO D	2,970 lm	Distribution narrow 10
910925866704	BGP292 LED22-4S/740 II DM12 SW302F CLO D	1,890 lm	Distribution medium 12
910925866705	BGP292 LED75-4S/740 I DX10 7024 D9 76S	6,460 lm	Distribution extra wide 10
910925866712	BGP292 LED18-4S/740 II DM12 SW302F CLO D	1,575 lm	Distribution medium 12
910925866716	BGP292 LED27-4S/740 II DN10 SW302F CLO D	2,430 lm	Distribution narrow 10
910925866721	BGP292 LED85-4S/740 I DM10 D9SRG10 48/60	7,482 lm	Distribution medium 10
910925866722	BGP292 LED49-4S/740 II DM50 D9 48/60S	4,263 lm	Distribution medium 50

Order Code	Full Product Name	Luminous Flux	Optic type outdoor
910925866724	BGP292 LED74-4S/740 II DM11 CLO S05Z1Z1-	6,408 lm	Distribution medium 11
910925866727	BGP292 LED34-4S/740 II DN10 SW302F CLO D	2,970 lm	Distribution narrow 10
910925866730	BGP292 LED94-4S/740 II DM11 CLO D9 48/60	7,920 lm	Distribution medium 11
910925866731	BGP292 LED22-4S/740 II DN10 SW302F CLO D	1,890 lm	Distribution narrow 10
910925866734	BGP292 LED109-4S/740 II DM10 7043 D9 48/	9,570 lm	Distribution medium 10
910925866748	BGP292 LED120-4S/740 II DM11 CLO S05Z1Z1	10,005 lm	Distribution medium 11
910925866749	BGP292 LED22-4S/740 II DM12 SW302F CLO D	1,890 lm	Distribution medium 12
910925866753	BGP292 LED51-4S/740 I DX10 P148/60S	4,420 lm	Distribution extra wide 10
910925866761	BGP292 LED39-4S/740 II DM12 SW302F CLO D	3,420 lm	Distribution medium 12
910925866766	BGP292 LED99-4S/740 I DX10 7024 D9 76S	8,300 lm	Distribution extra wide 10
910925866771	BGP292 LED75-4S/740 I DX10 48/60S	6,460 lm	Distribution extra wide 10
910925866772	BGP292 LED39-4S/740 II DN10 SW302F CLO D	3,420 lm	Distribution narrow 10
910925866773	BGP292 LED51-4S/740 I DX10 48/60S	4,420 lm	Distribution extra wide 10
910925866796	BGP292 LED18-4S/740 II DN10 SW302F CLO D	1,575 lm	Distribution narrow 10
910925866804	BGP292 LED39-4S/740 II DW10 SW302F CLO D	3,382 lm	Distribution wide 10
910925866805	BGP292 LED75-4S/740 I DX10 ALU D9 76S	6,460 lm	Distribution extra wide 10
910925866809	BGP292 LED65-4S/740 II DM50 D9 48/60S	5,742 lm	Distribution medium 50
910925866853	BGP292 LED119-4S/740 II DM11 CLO 48/60S	10,005 lm	Distribution medium 11
910925866892	BGP292 LED39-4S/740 II DM10 MSP CLO SRTH	3,382 lm	Distribution medium 10
910925866895	BGP292 LED74-4S/740 II DM11 CLO SRT 48/6	6,408 lm	Distribution medium 11
910925866896	BGP292 LED94-4S/740 II DM11 CLO SRT 48/6	7,920 lm	Distribution medium 11
910925866899	BGP292 LED54-4S/740 II DM11 CLO S05Z1Z1-	4,628 lm	Distribution medium 11
910925866901	BGP292 LED64-4S/740 II DM11 CLO S05Z1Z1-	5,518 lm	Distribution medium 11
910925866912	BGP292 LED45-4S/830 II DM11 CLO S05Z1Z1-	3,827 lm	Distribution medium 11
910925866915	BGP292 LED49-4S/740 II DM32 MSP CLO SRTS	4,320 lm	Distribution medium 32
910925866918	BGP292 LED39-4S/830 II DM10 MSP CLO SRTH	3,344 lm	Distribution medium 10
910925866919	BGP292 LED49-4S/740 II DM10 MSP CLO SRTH	4,224 lm	Distribution medium 10
910925866930	BGP292 LED45-4S/740 II DM11 CLO S05Z1Z1-	3,916 lm	Distribution medium 11
910925866934	BGP292 LED35-4S/830 II DM11 CLO S05Z1Z1-	3,026 lm	Distribution medium 11
910925866938	BGP292 LED49-4S/830 II DM10 MSP CLO SRTH	4,089 lm	Distribution medium 10
910925866941	BGP292 LED35-4S/740 II DM11 CLO S05Z1Z1-	3,026 lm	Distribution medium 11
910925867777	BGP292 LED70-4S/740 II DX10 D11 H07RN-F-	5,950 lm	Distribution extra wide 10
910925867778	BGP292 LED80-4S/740 II DX10 BL1 D11 H07R	6,720 lm	Distribution extra wide 10
910925867781	BGP292 LED70-4S/740 II DM11 48/76S POLE	6,230 lm	Distribution medium 11
910925867782	BGP292 LED120-4S/740 II DM11 48/76S POLE	10,440 lm	Distribution medium 11
910925868082	BGP292 LED35-4S/740 II DM11 CLO-DDF1 D18	3,026 lm	Distribution medium 11
910925868083	BGP292 LED35-4S/830 II DM11 CLO-DDF1 D18	3,026 lm	Distribution medium 11
910925868084	BGP292 LED45-4S/740 II DM11 CLO-DDF1 D18	3,916 lm	Distribution medium 11
910925868085	BGP292 LED45-4S/830 II DM11 CLO-DDF1 D18	3,827 lm	Distribution medium 11
910925868086	BGP292 LED54-4S/740 II DM11 CLO-DDF1 D18	4,628 lm	Distribution medium 11
910925868087	BGP292 LED64-4S/740 II DM11 CLO-DDF1 D18	5,518 lm	Distribution medium 11
910925868107	BGP292 LED100-4S/730 II DM50 MSP 48/60S	8,600 lm	Distribution medium 50
910925868108	BGP292 LED100-4S/730 II DM50 48/60S	8,600 lm	Distribution medium 50
910925865671	BGP293 LED149-4S/740 I DM12 D9 SRG10 48/	13,200 lm	Distribution medium 12
910925865680	BGP293 LED120-4S/740 I DX10 7024 D9 48/6	10,200 lm	Distribution extra wide 10
910925866444	BGP293 LED240-4S/740 I DM11 48/60S	20,640 lm	Distribution medium 11
910925866456	BGP293 LED240-4S/740 I DM11 SRT SRB SRG1	20,640 lm	Distribution medium 11
910925866630	BGP293 LED100-4S/740 II DM50 D9 48/60S	8,700 lm	Distribution medium 50
910925866631	BGP293 LED139-4S/740 II DM50 D9 48/60S	12,040 lm	Distribution medium 50
910925866632	BGP293 LED180-4S/740 II DM50 D9 48/60S	15,300 lm	Distribution medium 50
910925866633	BGP293 LED240-4S/740 II DM50 D9 48/60S	20,160 lm	Distribution medium 50
910925866643	BGP293 LED170-4S/740 II DM11 48/60S	14,790 lm	Distribution medium 11

Order Code	Full Product Name	Luminous Flux	Optic type outdoor
910925866662	BGP393 LED240-4S/740 II DM11 D9 48/60S	20,640 lm	Distribution medium 11
910925866723	BGP293 LED149-4S/740 II DM50 D9 48/60S	12,900 lm	Distribution medium 50
910925866755	BGP293 LED149-4S/740 I DX10 76S	12,600 lm	Distribution extra wide 10
910925866757	BGP293 LED139-4S/740 II DW10 SW302F CLO7	11,880 lm	Distribution wide 10
910925866759	BGP293 LED139-4S/740 I DX10 48/60S	11,760 lm	Distribution extra wide 10
910925866762	BGP293 LED149-4S/740 II DM50 D9 48/60S	12,900 lm	Distribution medium 50
910925866767	BGP293 LED149-4S/740 I DX10 48/60S	12,600 lm	Distribution extra wide 10
910925866777	BGP293 LED149-4S/740 II DW10 H07RN-F-2X1	13,200 lm	Distribution wide 10
910925866786	BGP293 LED84-4S/740 I DM50 D948/60S	7,392 lm	Distribution medium 50
910925866789	BGP293 LED139-4S/740 II DM10 48/60S	12,180 lm	Distribution medium 10
910925866793	BGP293 LED84-4S/740 II DM50 D9 48/60S	7,392 lm	Distribution medium 50
910925866795	BGP293 LED149-4S/740 I DM50 D9 48/60S	12,900 lm	Distribution medium 50
910925866810	BGP293 LED109-4S/740 I DM50 D9 48/60S	9,570 lm	Distribution medium 50
910925866894	BGP293 LED64-4S/830 II DM31 MSP CLO SRTH	5,456 lm	Distribution medium 31
910925866902	BGP293 LED80-4S/740 II DM11 CLO S05Z1Z1-	6,942 lm	Distribution medium 11
910925866903	BGP293 LED100-4S/740 II DM11 CLO S05Z1Z1	8,722 lm	Distribution medium 11
910925866904	BGP293 LED120-4S/740 II DM11 CLO S05Z1Z1	10,235 lm	Distribution medium 11
910925866905	BGP293 LED149-4S/740 II DM11 CLO S05Z1Z1	12,760 lm	Distribution medium 11
910925866920	BGP293 LED80-4S/740 II DM31 MSP CLO SRTH	6,942 lm	Distribution medium 31
910925866921	BGP293 LED80-4S/830 II DM31 MSP CLO SRTH	6,942 lm	Distribution medium 31
910925866926	BGP293 LED100-4S/740 II DM11 CLO SRT 48/	8,722 lm	Distribution medium 11
910925866936	BGP293 LED120-4S/740 II DM32 MSP CLO SRT	10,350 lm	Distribution medium 32
910925867860	BGP293 LED84-4S/740 II DM32 MSP CLO-LS-6	7,380 lm	Distribution medium 32
910925868089	BGP293 LED80-4S/740 II DM11 CLO-DDF1 D18	6,942 lm	Distribution medium 11
910925868090	BGP293 LED100-4S/740 II DM11 CLO-DDF1 D1	8,722 lm	Distribution medium 11
910925868091	BGP293 LED120-4S/740 II DM11 CLO-DDF1 D1	10,235 lm	Distribution medium 11
910925868727	BGP290 LED50-1F/740 I DM10 SRG10 SRT SRB	4,250 lm	Distribution medium 10
910925868728	BGP390 LED50-1F/740 I DM10 SRG10 SRT SRB	4,250 lm	Distribution medium 10
910925869157	BGP290 LED50-1F/730 II DM32 MSP SRTB48/6	4,200 lm	Distribution medium 32
910925866445	BGP294 LED340-4S/740 I DM11 48/60S PLS	29,240 lm	Distribution medium 11
910925866635	BGP294 LED180-4S/740 II DM50 D9 48/60S P	15,660 lm	Distribution medium 50
910925866636	BGP294 LED240-4S/740 II DM50 D9 48/60S P	20,640 lm	Distribution medium 50
910925866647	BGP294 LED240-4S/740 II DM11 48/60S PLS	21,120 lm	Distribution medium 11
910925866667	BGP394 LED340-4S/740 II DM11 D9 48/60S P	29,240 lm	Distribution medium 11
910925866897	BGP294 LED240-4S/740 II DM11 CLO SRT 48/	20,240 lm	Distribution medium 11
910925866908	BGP294 LED140-4S/830 II DM31 MSP CLO SRT	12,015 lm	Distribution medium 31
910925866909	BGP294 LED240-4S/830 II DM31 MSP CLO SRT	20,010 lm	Distribution medium 31
910925866914	BGP294 LED400-4S/740 II DM11 CLO S05Z1Z1	32,300 lm	Distribution medium 11
910925866922	BGP294 LED140-4S/740 II DM31 MSP CLO SRT	12,460 lm	Distribution medium 31
910925866923	BGP294 LED240-4S/740 II DM31 MSP CLO SRT	20,240 lm	Distribution medium 31
910925866937	BGP294 LED150-4S/740 II DM32 MSP CLO SRT	13,500 lm	Distribution medium 32
910925866940	BGP294 LED340-4S/740 II DM11 CLO SRT 48/	28,380 lm	Distribution medium 11
910925866942	BGP294 LED300-4S/740 II DM11 CLO S05Z1Z1	25,230 lm	Distribution medium 11
910925868071	BGP294 LED150-4S/740 II DM11 CLO S05Z1Z1	13,350 lm	Distribution medium 11
910925868072	BGP294 LED300-4S/740 II DM11 CLO S05Z1Z1	25,230 lm	Distribution medium 11
910925868073	BGP294 LED400-4S/740 II DM11 CLO S05Z1Z1	32,300 lm	Distribution medium 11
910925868092	BGP294 LED150-4S/740 II DM11 CLO-DDF1 D1	13,350 lm	Distribution medium 11
910925868093	BGP294 LED300-4S/740 II DM11 CLO-DDF1 D1	25,230 lm	Distribution medium 11
910925868094	BGP294 LED400-4S/740 II DM11 CLO-DDF1 D1	32,300 lm	Distribution medium 11
910925865679	BGP291 LED39-4S/740 II DM50 48/60S	3,432 lm	Distribution medium 50
910925866442	BGP291 LED50-4S/740 I DM11 48/60S	4,450 lm	Distribution medium 11
910925866454	BGP291 LED50-4S/740 I DM11 SRT SRB SRG10	4,450 lm	Distribution medium 11

Order Code	Full Product Name	Luminous Flux	Optic type outdoor
910925866610	BGP291 LED8-4S/740 II DM50 D948/60S	704 lm	Distribution medium 50
910925866611	BGP291 LED20-4S/740 II DM50 D9 48/60S	1,740 lm	Distribution medium 50
910925866612	BGP291 LED40-4S/740 II DM50 D9 48/60S	3,520 lm	Distribution medium 50
910925866613	BGP291 LED50-4S/740 II DM50 D9 48/60S	4,350 lm	Distribution medium 50
910925866614	BGP291 LED64-4S/740 II DM50 D9 48/60S	5,504 lm	Distribution medium 50
910925866646	BGP291 LED45-4S/740 II DM11 48/60S	4,005 lm	Distribution medium 11
910925866652	BGP391 LED64-4S/740 II DM11 D9 48/60S	5,632 lm	Distribution medium 11
910925866780	BGP291 LED44-4S/740 I DW50 CLO D9 P1 32/	3,655 lm	Distribution wide 50
910925866856	BGP291 LED34-4S/740 II DM11 CLO 48/60S	2,937 lm	Distribution medium 11
910925866857	BGP291 LED34-4S/740 II DM11 CLO-DDF1 D18	2,937 lm	Distribution medium 11
910925866858	BGP291 LED34-4S/830 II DM11 CLO 48/60S	2,937 lm	Distribution medium 11
910925866859	BGP291 LED34-4S/830 II DM11 CLO-DDF1 D18	2,937 lm	Distribution medium 11
910925866860	BGP291 LED44-4S/740 II DM11 CLO 48/60S	3,827 lm	Distribution medium 11
910925866861	BGP291 LED44-4S/740 II DM11 CLO-DDF1 D18	3,827 lm	Distribution medium 11
910925866862	BGP291 LED44-4S/830 II DM11 CLO 48/60S	3,738 lm	Distribution medium 11
910925866863	BGP291 LED44-4S/830 II DM11 CLO-DDF1 D18	3,738 lm	Distribution medium 11
910925866864	BGP291 LED51-4S/740 II DM11 CLO 48/60S	4,361 lm	Distribution medium 11
910925866865	BGP291 LED51-4S/740 II DM11 CLO-DDF1 D18	4,361 lm	Distribution medium 11
910925866891	BGP291 LED34-4S/740 II DM10 MSP CLO SRTH	2,970 lm	Distribution medium 32
910925866898	BGP291 LED20-4S/740 II DM11 CLO S05Z1Z1-	1,691 lm	Distribution medium 11
910925866907	BGP291 LED30-4S/740 II DM32 MSP CLO SRTH	2,552 lm	Distribution medium 10
910925866910	BGP291 LED25-4S/830 II DM11 CLO S05Z1Z1-	2,136 lm	Distribution medium 11
910925866911	BGP291 LED35-4S/740 II DM11 CLO S05Z1Z1-	3,026 lm	Distribution medium 11
910925866913	BGP291 LED45-4S/740 II DM11 CLO S05Z1Z1-	3,916 lm	Distribution medium 11

Order Code	Full Product Name	Luminous Flux	Optic type outdoor
910925866917	BGP291 LED22-4S/830 II DM10 MSP CLO SRTH	1,848 lm	Distribution medium 10
910925866924	BGP291 LED45-4S/740 II DM11 CLO SRT 48/6	3,916 lm	Distribution medium 11
910925866925	BGP291 LED54-4S/740 II DM11 CLO SRT 48/6	4,628 lm	Distribution medium 11
910925866928	BGP291 LED20-4S/830 II DM11 CLO S05Z1Z1-	1,735.5 lm	Distribution medium 11
910925866929	BGP291 LED25-4S/740 II DM11 CLO S05Z1Z1-	2,136 lm	Distribution medium 11
910925866932	BGP291 LED35-4S/830 II DM11 CLO S05Z1Z1-	3,026 lm	Distribution medium 11
910925866933	BGP291 LED45-4S/830 II DM11 CLO S05Z1Z1-	3,827 lm	Distribution medium 11
910925866935	BGP291 LED22-4S/740 II DM32 MSP CLO SRTH	1,911 lm	Distribution medium 32
910925866939	BGP291 LED34-4S/830 II DM10 MSP CLO SRTH	2,904 lm	Distribution medium 10
910925867775	BGP291 LED45-4S/740 II DX10 D11 H07RN-F-	3,825 lm	Distribution extra wide 10
910925867776	BGP291 LED60-4S/740 II DX10 BL1 D11 H07R	5,040 lm	Distribution extra wide 10
910925867779	BGP291 LED25-4S/740 II DM11 48/76S POLE	2,275 lm	Distribution medium 32
910925867780	BGP291 LED35-4S/740 II DM11 48/76S POLE	3,115 lm	Distribution medium 11
910925868074	BGP291 LED20-4S/740 II DM11 CLO-DDF1 D18	1,691 lm	Distribution medium 11
910925868075	BGP291 LED20-4S/830 II DM11 CLO-DDF1 D18	1,735.5 lm	Distribution medium 11
910925868076	BGP291 LED25-4S/740 II DM11 CLO-DDF1 D18	2,136 lm	Distribution medium 11
910925868077	BGP291 LED25-4S/830 II DM11 CLO-DDF1 D18	2,136 lm	Distribution medium 11
910925868078	BGP291 LED35-4S/740 II DM11 CLO-DDF1 D18	3,026 lm	Distribution medium 11
910925868079	BGP291 LED35-4S/830 II DM11 CLO-DDF1 D18	3,026 lm	Distribution medium 11
910925868080	BGP291 LED45-4S/740 II DM11 CLO-DDF1 D18	3,916 lm	Distribution medium 11
910925868081	BGP291 LED45-4S/830 II DM11 CLO-DDF1 D18	3,827 lm	Distribution medium 11
910925868105	BGP291 LED51-4S/730 II DM50 MSP 48/60S	4,524 lm	Distribution medium 50
910925868106	BGP291 LED51-4S/730 II DM50 48/60S	4,524 lm	Distribution medium 50

Operating and Electrical

Order Code	Full Product Name	Power Consumption
910925868721	BGP290 LED50-1F/740 I DM10 48/60S	31 W
910925868722	BGP390 LED50-1F/740 I DM10 48/60S	31 W
910925868724	BGP290 LED50-1F/740 II DM10 48/60S	31 W
910925868725	BGP390 LED50-1F/740 II DM10 48/60S	31 W
910925869152	BGP290 LED20-1F/730 II DM50 D9 48/60S	13 W
910925869153	BGP290 LED40-1F/730 II DM50 D9 48/60S	25.5 W
910925869154	BGP290 LED50-1F/730 II DM50 D9 48/60S	33 W
910925869155	BGP290 LED60-1F/730 II DM50 D9 48/60S	41 W
910925869156	BGP290 LED50-1F/730 II DM12 SRTB 48/60S	33 W
910925865670	BGP292 LED49-4S/740 I DX10 7024 D9 76S	30.5 W
910925865673	BGP292 LED39-4S/740 II DN10 SW302F CLO D	23.5 W
910925865677	BGP292 LED99-4S/740 I DX10 7024 D9 48/60	62 W
910925865683	BGP292 LED14-4S/740 II DM12 SW302F CLO D	9.2 W
910925866443	BGP292 LED120-4S/740 I DM11 48/60S	73 W
910925866607	BGP292 LED18-4S/740 I DM50 D948/60S	11.8 W
910925866608	BGP292 LED22-4S/740 I DM50 D948/60S	14.2 W
910925866615	BGP292 LED34-4S/740 II DM50 D9 48/60S	21 W
910925866616	BGP292 LED60-4S/740 II DM50 D9 48/60S	36 W
910925866617	BGP292 LED80-4S/740 II DM50 D9 48/60S	49 W
910925866618	BGP292 LED100-4S/740 II DM50 D9 48/60S	63 W
910925866628	BGP292 LED120-4S/740 II DM50 D9 48/60S	73 W
910925866639	BGP292 LED120-4S/740 II DM11 48/60S	73 W
910925866640	BGP292 LED85-4S/740 II DM11 48/60S	52 W
910925866642	BGP292 LED85-4S/740 II DM11 48/60S	52 W
910925866657	BGP392 LED120-4S/740 II DM11 D9 48/60S	73 W
910925866697	BGP292 LED75-4S/740 I DX10 7024 D9 48/60	45.5 W
910925866698	BGP292 LED49-4S/740 I DX10 7024 D9 48/60	30.5 W
910925866699	BGP292 LED27-4S/740 II DN10 SW302F CLO D	16.6 W
910925866702	BGP292 LED99-4S/740 II DX10 7024 D9 48/6	62 W
910925866703	BGP292 LED34-4S/740 II DN10 SW302F CLO D	21 W
910925866704	BGP292 LED22-4S/740 II DM12 SW302F CLO D	13.8 W
910925866705	BGP292 LED75-4S/740 I DX10 7024 D9 76S	45.5 W
910925866712	BGP292 LED18-4S/740 II DM12 SW302F CLO D	11.6 W
910925866716	BGP292 LED27-4S/740 II DN10 SW302F CLO D	16.6 W
910925866721	BGP292 LED85-4S/740 I DM10 D9SRG10 48/60	52 W
910925866722	BGP292 LED49-4S/740 II DM50 D9 48/60S	30.5 W
910925866724	BGP292 LED74-4S/740 II DM11 CLO S05Z1Z1-	43.5 W
910925866727	BGP292 LED34-4S/740 II DN10 SW302F CLO D	21 W
910925866730	BGP292 LED94-4S/740 II DM11 CLO D9 48/60	56 W
910925866731	BGP292 LED22-4S/740 II DN10 SW302F CLO D	13.8 W
910925866734	BGP292 LED109-4S/740 II DM10 7043 D9 48/	65 W
910925866748	BGP292 LED120-4S/740 II DM11 CLO S05Z1Z1	70 W
910925866749	BGP292 LED22-4S/740 II DM12 SW302F CLO D	13.8 W
910925866753	BGP292 LED51-4S/740 I DX10 P148/60S	31.5 W
910925866761	BGP292 LED39-4S/740 II DM12 SW302F CLO D	23.5 W
910925866766	BGP292 LED99-4S/740 I DX10 7024 D9 76S	62 W
910925866771	BGP292 LED75-4S/740 I DX10 48/60S	45.5 W
910925866772	BGP292 LED39-4S/740 II DN10 SW302F CLO D	23.5 W
910925866773	BGP292 LED51-4S/740 I DX10 48/60S	31.5 W
910925866796	BGP292 LED18-4S/740 II DN10 SW302F CLO D	11.6 W
910925866804	BGP292 LED39-4S/740 II DW10 SW302F CLO D	23.5 W
910925866805	BGP292 LED75-4S/740 I DX10 ALU D9 76S	45.5 W

Order Code	Full Product Name	Power Consumption
910925866809	BGP292 LED65-4S/740 II DM50 D9 48/60S	39 W
910925866853	BGP292 LED119-4S/740 II DM11 CLO 48/60S	69 W
910925866892	BGP292 LED39-4S/740 II DM10 MSP CLO SRTH	23.5 W
910925866895	BGP292 LED74-4S/740 II DM11 CLO SRT 48/6	43.5 W
910925866896	BGP292 LED94-4S/740 II DM11 CLO SRT 48/6	56 W
910925866899	BGP292 LED54-4S/740 II DM11 CLO S05Z1Z1-	32.5 W
910925866901	BGP292 LED64-4S/740 II DM11 CLO S05Z1Z1-	37.5 W
910925866912	BGP292 LED45-4S/830 II DM11 CLO S05Z1Z1-	34.5 W
910925866915	BGP292 LED49-4S/740 II DM32 MSP CLO SRTS	29.5 W
910925866918	BGP292 LED39-4S/830 II DM10 MSP CLO SRTH	30 W
910925866919	BGP292 LED49-4S/740 II DM10 MSP CLO SRTH	29.5 W
910925866930	BGP292 LED45-4S/740 II DM11 CLO S05Z1Z1-	27 W
910925866934	BGP292 LED35-4S/830 II DM11 CLO S05Z1Z1-	27 W
910925866938	BGP292 LED49-4S/830 II DM10 MSP CLO SRTH	38 W
910925866941	BGP292 LED35-4S/740 II DM11 CLO S05Z1Z1-	21.5 W
910925867777	BGP292 LED70-4S/740 II DX10 D11 H07RN-F-	42.5 W
910925867778	BGP292 LED80-4S/740 II DX10 BL1 D11 H07R	49 W
910925867781	BGP292 LED70-4S/740 II DM11 48/76S POLE	42.5 W
910925867782	BGP292 LED120-4S/740 II DM11 48/76S POLE	73 W
910925868082	BGP292 LED35-4S/740 II DM11 CLO-DDF1 D18	21.5 W
910925868083	BGP292 LED35-4S/830 II DM11 CLO-DDF1 D18	27 W
910925868084	BGP292 LED45-4S/740 II DM11 CLO-DDF1 D18	27 W
910925868085	BGP292 LED45-4S/830 II DM11 CLO-DDF1 D18	34.5 W
910925868086	BGP292 LED54-4S/740 II DM11 CLO-DDF1 D18	32.5 W
910925868087	BGP292 LED64-4S/740 II DM11 CLO-DDF1 D18	37.5 W
910925868107	BGP292 LED100-4S/730 II DM50 MSP 48/60S	64 W
910925868108	BGP292 LED100-4S/730 II DM50 48/60S	64 W
910925865671	BGP293 LED149-4S/740 I DM12 D9 SRG10 48/	88 W
910925865680	BGP293 LED120-4S/740 I DX10 7024 D9 48/6	70 W
910925866444	BGP293 LED240-4S/740 I DM11 48/60S	142 W
910925866456	BGP293 LED240-4S/740 I DM11 SRT SRB SRG1	142 W
910925866630	BGP293 LED100-4S/740 II DM50 D9 48/60S	58 W
910925866631	BGP293 LED139-4S/740 II DM50 D9 48/60S	82 W
910925866632	BGP293 LED180-4S/740 II DM50 D9 48/60S	108 W
910925866633	BGP293 LED240-4S/740 II DM50 D9 48/60S	142 W
910925866643	BGP293 LED170-4S/740 II DM11 48/60S	102 W
910925866662	BGP393 LED240-4S/740 II DM11 D9 48/60S	142 W
910925866723	BGP293 LED149-4S/740 II DM50 D9 48/60S	88 W
910925866755	BGP293 LED149-4S/740 I DX10 76S	88 W
910925866757	BGP293 LED139-4S/740 II DW10 SW302F CLO7	79 W
910925866759	BGP293 LED139-4S/740 I DX10 48/60S	82 W
910925866762	BGP293 LED149-4S/740 II DM50 D9 48/60S	88 W
910925866767	BGP293 LED149-4S/740 I DX10 48/60S	88 W
910925866777	BGP293 LED149-4S/740 II DW10 H07RN-F-2X1	88 W
910925866786	BGP293 LED84-4S/740 I DM50 D948/60S	48.5 W
910925866789	BGP293 LED139-4S/740 II DM10 48/60S	82 W
910925866793	BGP293 LED84-4S/740 II DM50 D9 48/60S	48.5 W
910925866795	BGP293 LED149-4S/740 I DM50 D9 48/60S	88 W
910925866810	BGP293 LED109-4S/740 I DM50 D9 48/60S	63 W
910925866894	BGP293 LED64-4S/830 II DM31 MSP CLO SRTH	46.5 W
910925866902	BGP293 LED80-4S/740 II DM11 CLO S05Z1Z1-	45.5 W
910925866903	BGP293 LED100-4S/740 II DM11 CLO S05Z1Z1	56 W

Order Code	Full Product Name	Power Consumption
910925866904	BGP293 LED120-4S/740 II DM11 CLO S05Z1Z1	68 W
910925866905	BGP293 LED149-4S/740 II DM11 CLO S05Z1Z1	84 W
910925866920	BGP293 LED80-4S/740 II DM31 MSP CLO SRTH	45.5 W
910925866921	BGP293 LED80-4S/830 II DM31 MSP CLO SRTH	57 W
910925866926	BGP293 LED100-4S/740 II DM11 CLO SRT 48/	57 W
910925866936	BGP293 LED120-4S/740 II DM32 MSP CLO SRT	68 W
910925867860	BGP293 LED84-4S/740 II DM32 MSP CLO-LS-6	47.5 W
910925868089	BGP293 LED80-4S/740 II DM11 CLO-DDF1 D18	45.5 W
910925868090	BGP293 LED100-4S/740 II DM11 CLO-DDF1 D1	56 W
910925868091	BGP293 LED120-4S/740 II DM11 CLO-DDF1 D1	68 W
910925868727	BGP290 LED50-1F/740 I DM10 SRG10 SRT SRB	31 W
910925868728	BGP390 LED50-1F/740 I DM10 SRG10 SRT SRB	31 W
910925869157	BGP290 LED50-1F/730 II DM32 MSP SRTB48/6	33 W
910925866445	BGP294 LED340-4S/740 I DM11 48/60S PLS	194 W
910925866635	BGP294 LED180-4S/740 II DM50 D9 48/60S P	104 W
910925866636	BGP294 LED240-4S/740 II DM50 D9 48/60S P	138 W
910925866647	BGP294 LED240-4S/740 II DM11 48/60S PLS	138 W
910925866667	BGP394 LED340-4S/740 II DM11 D9 48/60S P	194 W
910925866897	BGP294 LED240-4S/740 II DM11 CLO SRT 48/	134 W
910925866908	BGP294 LED140-4S/830 II DM31 MSP CLO SRT	100 W
910925866909	BGP294 LED240-4S/830 II DM31 MSP CLO SRT	172 W
910925866914	BGP294 LED400-4S/740 II DM11 CLO S05Z1Z1	220 W
910925866922	BGP294 LED140-4S/740 II DM31 MSP CLO SRT	79 W
910925866923	BGP294 LED240-4S/740 II DM31 MSP CLO SRT	134 W
910925866937	BGP294 LED150-4S/740 II DM32 MSP CLO SRT	85 W
910925866940	BGP294 LED340-4S/740 II DM11 CLO SRT 48/	186 W
910925866942	BGP294 LED300-4S/740 II DM11 CLO S05Z1Z1	168 W
910925868071	BGP294 LED150-4S/740 II DM11 CLO S05Z1Z1	85 W
910925868072	BGP294 LED300-4S/740 II DM11 CLO S05Z1Z1	168 W
910925868073	BGP294 LED400-4S/740 II DM11 CLO S05Z1Z1	220 W
910925868092	BGP294 LED150-4S/740 II DM11 CLO-DDF1 D1	85 W
910925868093	BGP294 LED300-4S/740 II DM11 CLO-DDF1 D1	168 W
910925868094	BGP294 LED400-4S/740 II DM11 CLO-DDF1 D1	220 W
910925865679	BGP291 LED39-4S/740 II DM50 48/60S	24 W
910925866442	BGP291 LED50-4S/740 I DM11 48/60S	31 W
910925866454	BGP291 LED50-4S/740 I DM11 SRT SRB SRG10	31 W
910925866610	BGP291 LED8-4S/740 II DM50 D948/60S	5.8 W
910925866611	BGP291 LED20-4S/740 II DM50 D9 48/60S	13.8 W
910925866612	BGP291 LED40-4S/740 II DM50 D9 48/60S	24.5 W
910925866613	BGP291 LED50-4S/740 II DM50 D9 48/60S	31 W
910925866614	BGP291 LED64-4S/740 II DM50 D9 48/60S	40.5 W
910925866646	BGP291 LED45-4S/740 II DM11 48/60S	28 W

Order Code	Full Product Name	Power Consumption
910925866652	BGP391 LED64-4S/740 II DM11 D9 48/60S	40.5 W
910925866780	BGP291 LED44-4S/740 I DW50 CLO D9 P1 32/	26.5 W
910925866856	BGP291 LED34-4S/740 II DM11 CLO 48/60S	21.5 W
910925866857	BGP291 LED34-4S/740 II DM11 CLO-DDF1 D18	21.5 W
910925866858	BGP291 LED34-4S/830 II DM11 CLO 48/60S	26 W
910925866859	BGP291 LED34-4S/830 II DM11 CLO-DDF1 D18	26 W
910925866860	BGP291 LED44-4S/740 II DM11 CLO 48/60S	26.5 W
910925866861	BGP291 LED44-4S/740 II DM11 CLO-DDF1 D18	26.5 W
910925866862	BGP291 LED44-4S/830 II DM11 CLO 48/60S	33.5 W
910925866863	BGP291 LED44-4S/830 II DM11 CLO-DDF1 D18	33.5 W
910925866864	BGP291 LED51-4S/740 II DM11 CLO 48/60S	31 W
910925866865	BGP291 LED51-4S/740 II DM11 CLO-DDF1 D18	31 W
910925866891	BGP291 LED34-4S/740 II DM10 MSP CLO SRTH	21.5 W
910925866898	BGP291 LED20-4S/740 II DM11 CLO S05Z1Z1-	13.2 W
910925866907	BGP291 LED30-4S/740 II DM32 MSP CLO SRTH	19 W
910925866910	BGP291 LED25-4S/830 II DM11 CLO S05Z1Z1-	20 W
910925866911	BGP291 LED35-4S/740 II DM11 CLO S05Z1Z1-	22 W
910925866913	BGP291 LED45-4S/740 II DM11 CLO S05Z1Z1-	27 W
910925866917	BGP291 LED22-4S/830 II DM10 MSP CLO SRTH	17.8 W
910925866924	BGP291 LED45-4S/740 II DM11 CLO SRT 48/6	27 W
910925866925	BGP291 LED54-4S/740 II DM11 CLO SRT 48/6	33 W
910925866928	BGP291 LED20-4S/830 II DM11 CLO S05Z1Z1-	16 W
910925866929	BGP291 LED25-4S/740 II DM11 CLO S05Z1Z1-	15.8 W
910925866932	BGP291 LED35-4S/830 II DM11 CLO S05Z1Z1-	27 W
910925866933	BGP291 LED45-4S/830 II DM11 CLO S05Z1Z1-	34.5 W
910925866935	BGP291 LED22-4S/740 II DM32 MSP CLO SRTH	13.8 W
910925866939	BGP291 LED34-4S/830 II DM10 MSP CLO SRTH	26 W
910925867775	BGP291 LED45-4S/740 II DX10 D11 H07RN-F-	28 W
910925867776	BGP291 LED60-4S/740 II DX10 BL1 D11 H07R	38 W
910925867779	BGP291 LED25-4S/740 II DM11 48/76S POLE	16.2 W
910925867780	BGP291 LED35-4S/740 II DM11 48/76S POLE	23 W
910925868074	BGP291 LED20-4S/740 II DM11 CLO-DDF1 D18	13.2 W
910925868075	BGP291 LED20-4S/830 II DM11 CLO-DDF1 D18	16 W
910925868076	BGP291 LED25-4S/740 II DM11 CLO-DDF1 D18	15.8 W
910925868077	BGP291 LED25-4S/830 II DM11 CLO-DDF1 D18	20 W
910925868078	BGP291 LED35-4S/740 II DM11 CLO-DDF1 D18	22 W
910925868079	BGP291 LED35-4S/830 II DM11 CLO-DDF1 D18	27 W
910925868080	BGP291 LED45-4S/740 II DM11 CLO-DDF1 D18	27 W
910925868081	BGP291 LED45-4S/830 II DM11 CLO-DDF1 D18	34.5 W
910925868105	BGP291 LED51-4S/730 II DM50 MSP 48/60S	34 W
910925868106	BGP291 LED51-4S/730 II DM50 48/60S	34 W

Controls and Dimming

Order Code	Full Product Name	Dimmable
910925868721	BGP290 LED50-1F/740 I DM10 48/60S	Yes
910925868722	BGP390 LED50-1F/740 I DM10 48/60S	Yes
910925868724	BGP290 LED50-1F/740 II DM10 48/60S	Yes
910925868725	BGP390 LED50-1F/740 II DM10 48/60S	Yes
910925869152	BGP290 LED20-1F/730 II DM50 D9 48/60S	Yes
910925869153	BGP290 LED40-1F/730 II DM50 D9 48/60S	Yes

Order Code	Full Product Name	Dimmable
910925869154	BGP290 LED50-1F/730 II DM50 D9 48/60S	Yes
910925869155	BGP290 LED60-1F/730 II DM50 D9 48/60S	Yes
910925869156	BGP290 LED50-1F/730 II DM12 SRTB 48/60S	No
910925865670	BGP292 LED49-4S/740 I DX10 7024 D9 76S	Yes
910925865673	BGP292 LED39-4S/740 II DN10 SW302F CLO D	Yes
910925865677	BGP292 LED99-4S/740 I DX10 7024 D9 48/60	Yes

Order Code	Full Product Name	Dimmable
910925865683	BGP292 LED14-4S/740 II DM12 SW302F CLO D	Yes
910925866443	BGP292 LED120-4S/740 I DM11 48/60S	No
910925866607	BGP292 LED18-4S/740 I DM50 D948/60S	Yes
910925866608	BGP292 LED22-4S/740 I DM50 D948/60S	Yes
910925866615	BGP292 LED34-4S/740 II DM50 D9 48/60S	Yes
910925866616	BGP292 LED60-4S/740 II DM50 D9 48/60S	Yes
910925866617	BGP292 LED80-4S/740 II DM50 D9 48/60S	Yes
910925866618	BGP292 LED100-4S/740 II DM50 D9 48/60S	Yes
910925866628	BGP292 LED120-4S/740 II DM50 D9 48/60S	Yes
910925866639	BGP292 LED120-4S/740 II DM11 48/60S	No
910925866640	BGP292 LED85-4S/740 II DM11 48/60S	No
910925866642	BGP292 LED85-4S/740 II DM11 48/60S	No
910925866657	BGP392 LED120-4S/740 II DM11 D9 48/60S	Yes
910925866697	BGP292 LED75-4S/740 I DX10 7024 D9 48/60	Yes
910925866698	BGP292 LED49-4S/740 I DX10 7024 D9 48/60	Yes
910925866699	BGP292 LED27-4S/740 II DN10 SW302F CLO D	Yes
910925866702	BGP292 LED99-4S/740 II DX10 7024 D9 48/6	Yes
910925866703	BGP292 LED34-4S/740 II DN10 SW302F CLO D	Yes
910925866704	BGP292 LED22-4S/740 II DM12 SW302F CLO D	Yes
910925866705	BGP292 LED75-4S/740 I DX10 7024 D9 76S	Yes
910925866712	BGP292 LED18-4S/740 II DM12 SW302F CLO D	Yes
910925866716	BGP292 LED27-4S/740 II DN10 SW302F CLO D	Yes
910925866721	BGP292 LED85-4S/740 I DM10 D9SRG10 48/60	Yes
910925866722	BGP292 LED49-4S/740 II DM50 D9 48/60S	Yes
910925866724	BGP292 LED74-4S/740 II DM11 CLO S05Z1Z1-	No
910925866727	BGP292 LED34-4S/740 II DN10 SW302F CLO D	Yes
910925866730	BGP292 LED94-4S/740 II DM11 CLO D9 48/60	Yes
910925866731	BGP292 LED22-4S/740 II DN10 SW302F CLO D	Yes
910925866734	BGP292 LED109-4S/740 II DM10 7043 D9 48/	Yes
910925866748	BGP292 LED120-4S/740 II DM11 CLO S05Z1Z1	No
910925866749	BGP292 LED22-4S/740 II DM12 SW302F CLO D	Yes
910925866753	BGP292 LED51-4S/740 I DX10 P148/60S	No
910925866761	BGP292 LED39-4S/740 II DM12 SW302F CLO D	Yes
910925866766	BGP292 LED99-4S/740 I DX10 7024 D9 76S	Yes
910925866771	BGP292 LED75-4S/740 I DX10 48/60S	No
910925866772	BGP292 LED39-4S/740 II DN10 SW302F CLO D	Yes
910925866773	BGP292 LED51-4S/740 I DX10 48/60S	No
910925866796	BGP292 LED18-4S/740 II DN10 SW302F CLO D	Yes
910925866804	BGP292 LED39-4S/740 II DW10 SW302F CLO D	Yes
910925866805	BGP292 LED75-4S/740 I DX10 ALU D9 76S	Yes
910925866809	BGP292 LED65-4S/740 II DM50 D9 48/60S	Yes
910925866853	BGP292 LED119-4S/740 II DM11 CLO 48/60S	No
910925866892	BGP292 LED39-4S/740 II DM10 MSP CLO SRTH	No
910925866895	BGP292 LED74-4S/740 II DM11 CLO SRT 48/6	No
910925866896	BGP292 LED94-4S/740 II DM11 CLO SRT 48/6	No
910925866899	BGP292 LED54-4S/740 II DM11 CLO S05Z1Z1-	No
910925866901	BGP292 LED64-4S/740 II DM11 CLO S05Z1Z1-	No
910925866912	BGP292 LED45-4S/830 II DM11 CLO S05Z1Z1-	No
910925866915	BGP292 LED49-4S/740 II DM32 MSP CLO SRTS	No
910925866918	BGP292 LED39-4S/830 II DM10 MSP CLO SRTH	No
910925866919	BGP292 LED49-4S/740 II DM10 MSP CLO SRTH	No
910925866930	BGP292 LED45-4S/740 II DM11 CLO S05Z1Z1-	No

Order Code	Full Product Name	Dimmable
910925866934	BGP292 LED35-4S/830 II DM11 CLO S05Z1Z1-	No
910925866938	BGP292 LED49-4S/830 II DM10 MSP CLO SRTH	No
910925866941	BGP292 LED35-4S/740 II DM11 CLO S05Z1Z1-	No
910925867777	BGP292 LED70-4S/740 II DX10 D11 H07RN-F-	Yes
910925867778	BGP292 LED80-4S/740 II DX10 BL1 D11 H07R	Yes
910925867781	BGP292 LED70-4S/740 II DM11 48/76S POLE	No
910925867782	BGP292 LED120-4S/740 II DM11 48/76S POLE	No
910925868082	BGP292 LED35-4S/740 II DM11 CLO-DDF1 D18	Yes
910925868083	BGP292 LED35-4S/830 II DM11 CLO-DDF1 D18	Yes
910925868084	BGP292 LED45-4S/740 II DM11 CLO-DDF1 D18	Yes
910925868085	BGP292 LED45-4S/830 II DM11 CLO-DDF1 D18	Yes
910925868086	BGP292 LED54-4S/740 II DM11 CLO-DDF1 D18	Yes
910925868087	BGP292 LED64-4S/740 II DM11 CLO-DDF1 D18	Yes
910925868107	BGP292 LED100-4S/730 II DM50 MSP 48/60S	No
910925868108	BGP292 LED100-4S/730 II DM50 48/60S	No
910925865671	BGP293 LED149-4S/740 I DM12 D9 SRG10 48/	Yes
910925865680	BGP293 LED120-4S/740 I DX10 7024 D9 48/6	Yes
910925866444	BGP293 LED240-4S/740 I DM11 48/60S	No
910925866456	BGP293 LED240-4S/740 I DM11 SRT SRB SRG1	No
910925866630	BGP293 LED100-4S/740 II DM50 D9 48/60S	Yes
910925866631	BGP293 LED139-4S/740 II DM50 D9 48/60S	Yes
910925866632	BGP293 LED180-4S/740 II DM50 D9 48/60S	Yes
910925866633	BGP293 LED240-4S/740 II DM50 D9 48/60S	Yes
910925866643	BGP293 LED170-4S/740 II DM11 48/60S	No
910925866662	BGP393 LED240-4S/740 II DM11 D9 48/60S	Yes
910925866723	BGP293 LED149-4S/740 II DM50 D9 48/60S	Yes
910925866755	BGP293 LED149-4S/740 I DX10 76S	No
910925866757	BGP293 LED139-4S/740 II DW10 SW302F CLO7	No
910925866759	BGP293 LED139-4S/740 I DX10 48/60S	No
910925866762	BGP293 LED149-4S/740 II DM50 D9 48/60S	Yes
910925866767	BGP293 LED149-4S/740 I DX10 48/60S	No
910925866777	BGP293 LED149-4S/740 II DW10 H07RN-F-2X1	No
910925866786	BGP293 LED84-4S/740 I DM50 D948/60S	Yes
910925866789	BGP293 LED139-4S/740 II DM10 48/60S	No
910925866793	BGP293 LED84-4S/740 II DM50 D9 48/60S	Yes
910925866795	BGP293 LED149-4S/740 I DM50 D9 48/60S	Yes
910925866810	BGP293 LED109-4S/740 I DM50 D9 48/60S	Yes
910925866894	BGP293 LED64-4S/830 II DM31 MSP CLO SRTH	No
910925866902	BGP293 LED80-4S/740 II DM11 CLO S05Z1Z1-	No
910925866903	BGP293 LED100-4S/740 II DM11 CLO S05Z1Z1	No
910925866904	BGP293 LED120-4S/740 II DM11 CLO S05Z1Z1	No
910925866905	BGP293 LED149-4S/740 II DM11 CLO S05Z1Z1	No
910925866920	BGP293 LED80-4S/740 II DM31 MSP CLO SRTH	No
910925866921	BGP293 LED80-4S/830 II DM31 MSP CLO SRTH	No
910925866926	BGP293 LED100-4S/740 II DM11 CLO SRT 48/	No
910925866936	BGP293 LED120-4S/740 II DM32 MSP CLO SRT	No
910925867860	BGP293 LED84-4S/740 II DM32 MSP CLO-LS-6	Yes
910925868089	BGP293 LED80-4S/740 II DM11 CLO-DDF1 D18	Yes
910925868090	BGP293 LED100-4S/740 II DM11 CLO-DDF1 D1	Yes
910925868091	BGP293 LED120-4S/740 II DM11 CLO-DDF1 D1	Yes
910925868727	BGP290 LED50-1F/740 I DM10 SRG10 SRT SRB	No
910925868728	BGP390 LED50-1F/740 I DM10 SRG10 SRT SRB	No

Order Code	Full Product Name	Dimmable
910925869157	BGP290 LED50-1F/730 II DM32 MSP SRTB48/6	No
910925866445	BGP294 LED340-4S/740 I DM11 48/60S PLS	No
910925866635	BGP294 LED180-4S/740 II DM50 D9 48/60S P	Yes
910925866636	BGP294 LED240-4S/740 II DM50 D9 48/60S P	Yes
910925866647	BGP294 LED240-4S/740 II DM11 48/60S PLS	No
910925866667	BGP394 LED340-4S/740 II DM11 D9 48/60S P	Yes
910925866897	BGP294 LED240-4S/740 II DM11 CLO SRT 48/	No
910925866908	BGP294 LED140-4S/830 II DM31 MSP CLO SRT	No
910925866909	BGP294 LED240-4S/830 II DM31 MSP CLO SRT	No
910925866914	BGP294 LED400-4S/740 II DM11 CLO S05Z1Z1	No
910925866922	BGP294 LED140-4S/740 II DM31 MSP CLO SRT	No
910925866923	BGP294 LED240-4S/740 II DM31 MSP CLO SRT	No
910925866937	BGP294 LED150-4S/740 II DM32 MSP CLO SRT	No
910925866940	BGP294 LED340-4S/740 II DM11 CLO SRT 48/	No
910925866942	BGP294 LED300-4S/740 II DM11 CLO S05Z1Z1	No
910925868071	BGP294 LED150-4S/740 II DM11 CLO S05Z1Z1	No
910925868072	BGP294 LED300-4S/740 II DM11 CLO S05Z1Z1	Yes
910925868073	BGP294 LED400-4S/740 II DM11 CLO S05Z1Z1	Yes
910925868092	BGP294 LED150-4S/740 II DM11 CLO-DDF1 D1	Yes
910925868093	BGP294 LED300-4S/740 II DM11 CLO-DDF1 D1	Yes
910925868094	BGP294 LED400-4S/740 II DM11 CLO-DDF1 D1	Yes
910925865679	BGP291 LED39-4S/740 II DM50 48/60S	No
910925866442	BGP291 LED50-4S/740 I DM11 48/60S	No
910925866454	BGP291 LED50-4S/740 I DM11 SRT SRB SRG10	No
910925866610	BGP291 LED8-4S/740 II DM50 D948/60S	Yes
910925866611	BGP291 LED20-4S/740 II DM50 D9 48/60S	Yes
910925866612	BGP291 LED40-4S/740 II DM50 D9 48/60S	Yes
910925866613	BGP291 LED50-4S/740 II DM50 D9 48/60S	Yes
910925866614	BGP291 LED64-4S/740 II DM50 D9 48/60S	Yes
910925866646	BGP291 LED45-4S/740 II DM11 48/60S	No
910925866652	BGP391 LED64-4S/740 II DM11 D9 48/60S	Yes
910925866780	BGP291 LED44-4S/740 I DW50 CLO D9 P1 32/	Yes
910925866856	BGP291 LED34-4S/740 II DM11 CLO 48/60S	No
910925866857	BGP291 LED34-4S/740 II DM11 CLO-DDF1 D18	Yes
910925866858	BGP291 LED34-4S/830 II DM11 CLO 48/60S	No
910925866859	BGP291 LED34-4S/830 II DM11 CLO-DDF1 D18	Yes

Order Code	Full Product Name	Dimmable
910925866860	BGP291 LED44-4S/740 II DM11 CLO 48/60S	No
910925866861	BGP291 LED44-4S/740 II DM11 CLO-DDF1 D18	Yes
910925866862	BGP291 LED44-4S/830 II DM11 CLO 48/60S	No
910925866863	BGP291 LED44-4S/830 II DM11 CLO-DDF1 D18	Yes
910925866864	BGP291 LED51-4S/740 II DM11 CLO 48/60S	No
910925866865	BGP291 LED51-4S/740 II DM11 CLO-DDF1 D18	Yes
910925866891	BGP291 LED34-4S/740 II DM10 MSP CLO SRTH	No
910925866898	BGP291 LED20-4S/740 II DM11 CLO S05Z1Z1-	No
910925866907	BGP291 LED30-4S/740 II DM32 MSP CLO SRTH	No
910925866910	BGP291 LED25-4S/830 II DM11 CLO S05Z1Z1-	No
910925866911	BGP291 LED35-4S/740 II DM11 CLO S05Z1Z1-	No
910925866913	BGP291 LED45-4S/740 II DM11 CLO S05Z1Z1-	No
910925866917	BGP291 LED22-4S/830 II DM10 MSP CLO SRTH	No
910925866924	BGP291 LED45-4S/740 II DM11 CLO SRT 48/6	No
910925866925	BGP291 LED54-4S/740 II DM11 CLO SRT 48/6	No
910925866928	BGP291 LED20-4S/830 II DM11 CLO S05Z1Z1-	No
910925866929	BGP291 LED25-4S/740 II DM11 CLO S05Z1Z1-	No
910925866932	BGP291 LED35-4S/830 II DM11 CLO S05Z1Z1-	No
910925866933	BGP291 LED45-4S/830 II DM11 CLO S05Z1Z1-	No
910925866935	BGP291 LED22-4S/740 II DM32 MSP CLO SRTH	No
910925866939	BGP291 LED34-4S/830 II DM10 MSP CLO SRTH	No
910925867775	BGP291 LED45-4S/740 II DX10 D11 H07RN-F-	Yes
910925867776	BGP291 LED60-4S/740 II DX10 BL1 D11 H07R	Yes
910925867779	BGP291 LED25-4S/740 II DM11 48/76S POLE	No
910925867780	BGP291 LED35-4S/740 II DM11 48/76S POLE	No
910925868074	BGP291 LED20-4S/740 II DM11 CLO-DDF1 D18	Yes
910925868075	BGP291 LED20-4S/830 II DM11 CLO-DDF1 D18	Yes
910925868076	BGP291 LED25-4S/740 II DM11 CLO-DDF1 D18	Yes
910925868077	BGP291 LED25-4S/830 II DM11 CLO-DDF1 D18	Yes
910925868078	BGP291 LED35-4S/740 II DM11 CLO-DDF1 D18	Yes
910925868079	BGP291 LED35-4S/830 II DM11 CLO-DDF1 D18	Yes
910925868080	BGP291 LED45-4S/740 II DM11 CLO-DDF1 D18	Yes
910925868081	BGP291 LED45-4S/830 II DM11 CLO-DDF1 D18	Yes
910925868105	BGP291 LED51-4S/730 II DM50 MSP 48/60S	No
910925868106	BGP291 LED51-4S/730 II DM50 48/60S	No

Approval and Application

Order Code	Full Product Name	Surge Protection (Common/Differential)
910925868721	BGP290 LED50-1F/740 I DM10 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925868722	BGP390 LED50-1F/740 I DM10 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925868724	BGP290 LED50-1F/740 II DM10 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925868725	BGP390 LED50-1F/740 II DM10 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode

Order Code	Full Product Name	Surge Protection (Common/Differential)
910925869152	BGP290 LED20-1F/730 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925869153	BGP290 LED40-1F/730 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925869154	BGP290 LED50-1F/730 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925869155	BGP290 LED60-1F/730 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode

Order Code	Full Product Name	Surge Protection (Common/Differential)
910925869156	BGP290 LED50-1F/730 II DM12 SRTB 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925865670	BGP292 LED49-4S/740 I DX10 7024 D9 76S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925865673	BGP292 LED39-4S/740 II DN10 SW302F CLO D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925865677	BGP292 LED99-4S/740 I DX10 7024 D9 48/60	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925865683	BGP292 LED14-4S/740 II DM12 SW302F CLO D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866443	BGP292 LED120-4S/740 I DM11 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866607	BGP292 LED18-4S/740 I DM50 D948/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866608	BGP292 LED22-4S/740 I DM50 D948/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866615	BGP292 LED34-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866616	BGP292 LED60-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866617	BGP292 LED80-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866618	BGP292 LED100-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866628	BGP292 LED120-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866639	BGP292 LED120-4S/740 II DM11 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866640	BGP292 LED85-4S/740 II DM11 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866642	BGP292 LED85-4S/740 II DM11 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866657	BGP392 LED120-4S/740 II DM11 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode

Order Code	Full Product Name	Surge Protection (Common/Differential)
910925866697	BGP292 LED75-4S/740 I DX10 7024 D9 48/60	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866698	BGP292 LED49-4S/740 I DX10 7024 D9 48/60	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866699	BGP292 LED27-4S/740 II DN10 SW302F CLO D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866702	BGP292 LED99-4S/740 II DX10 7024 D9 48/6	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866703	BGP292 LED34-4S/740 II DN10 SW302F CLO D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866704	BGP292 LED22-4S/740 II DM12 SW302F CLO D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866705	BGP292 LED75-4S/740 I DX10 7024 D9 76S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866712	BGP292 LED18-4S/740 II DM12 SW302F CLO D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866716	BGP292 LED27-4S/740 II DN10 SW302F CLO D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866721	BGP292 LED85-4S/740 I DM10 D9SRG10 48/60	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925866722	BGP292 LED49-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866724	BGP292 LED74-4S/740 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866727	BGP292 LED34-4S/740 II DN10 SW302F CLO D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866730	BGP292 LED94-4S/740 II DM11 CLO D9 48/60	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866731	BGP292 LED22-4S/740 II DN10 SW302F CLO D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866734	BGP292 LED109-4S/740 II DM10 7043 D9 48/	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866748	BGP292 LED120-4S/740 II DM11 CLO S05Z1Z1	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode

Order Code	Full Product Name	Surge Protection (Common/Differential)
910925866749	BGP292 LED22-4S/740 II DM12 SW302F CLO D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866753	BGP292 LED51-4S/740 I DX10 P148/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866761	BGP292 LED39-4S/740 II DM12 SW302F CLO D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866766	BGP292 LED99-4S/740 I DX10 7024 D9 76S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866771	BGP292 LED75-4S/740 I DX10 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866772	BGP292 LED39-4S/740 II DN10 SW302F CLO D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866773	BGP292 LED51-4S/740 I DX10 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866796	BGP292 LED18-4S/740 II DN10 SW302F CLO D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866804	BGP292 LED39-4S/740 II DW10 SW302F CLO D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866805	BGP292 LED75-4S/740 I DX10 ALU D9 76S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866809	BGP292 LED65-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866853	BGP292 LED119-4S/740 II DM11 CLO 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866892	BGP292 LED39-4S/740 II DM10 MSP CLO SRTH	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866895	BGP292 LED74-4S/740 II DM11 CLO SRT 48/6	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866896	BGP292 LED94-4S/740 II DM11 CLO SRT 48/6	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866899	BGP292 LED54-4S/740 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866901	BGP292 LED64-4S/740 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866912	BGP292 LED45-4S/830 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866915	BGP292 LED49-4S/740 II DM32 MSP CLO SRTS	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866918	BGP292 LED39-4S/830 II DM10 MSP CLO SRTH	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866919	BGP292 LED49-4S/740 II DM10 MSP CLO SRTH	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866930	BGP292 LED45-4S/740 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866934	BGP292 LED35-4S/830 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866938	BGP292 LED49-4S/830 II DM10 MSP CLO SRTH	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866941	BGP292 LED35-4S/740 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925867777	BGP292 LED70-4S/740 II DX10 D11 H07RN-F-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925867778	BGP292 LED80-4S/740 II DX10 BL1 D11 H07R	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925867781	BGP292 LED70-4S/740 II DM11 48/76S POLE	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925867782	BGP292 LED120-4S/740 II DM11 48/76S POLE	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925868082	BGP292 LED35-4S/740 II DM11 CLO-DDF1 D18	Philips standard surge protection level
910925868083	BGP292 LED35-4S/830 II DM11 CLO-DDF1 D18	Philips standard surge protection level
910925868084	BGP292 LED45-4S/740 II DM11 CLO-DDF1 D18	Philips standard surge protection level
910925868085	BGP292 LED45-4S/830 II DM11 CLO-DDF1 D18	Philips standard surge protection level
910925868086	BGP292 LED54-4S/740 II DM11 CLO-DDF1 D18	Philips standard surge protection level
910925868087	BGP292 LED64-4S/740 II DM11 CLO-DDF1 D18	Philips standard surge protection level
910925868107	BGP292 LED100-4S/730 II DM50 MSP 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode

Order Code	Full Product Name	Surge Protection (Common/Differential)
910925868108	BGP292 LED100-4S/730 II DM50 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925865671	BGP293 LED149-4S/740 I DM12 D9 SRG10 48/	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925865680	BGP293 LED120-4S/740 I DX10 7024 D9 48/6	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866444	BGP293 LED240-4S/740 I DM11 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866456	BGP293 LED240-4S/740 I DM11 SRT SRB SRG1	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925866630	BGP293 LED100-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866631	BGP293 LED139-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866632	BGP293 LED180-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866633	BGP293 LED240-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866643	BGP293 LED170-4S/740 II DM11 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866662	BGP393 LED240-4S/740 II DM11 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866723	BGP293 LED149-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866755	BGP293 LED149-4S/740 I DX10 76S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866757	BGP293 LED139-4S/740 II DW10 SW302F CLO7	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866759	BGP293 LED139-4S/740 I DX10 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866762	BGP293 LED149-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866767	BGP293 LED149-4S/740 I DX10 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode

Order Code	Full Product Name	Surge Protection (Common/Differential)
910925866777	BGP293 LED149-4S/740 II DW10 H07RN-F-2X1	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866786	BGP293 LED84-4S/740 I DM50 D948/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866789	BGP293 LED139-4S/740 II DM10 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866793	BGP293 LED84-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866795	BGP293 LED149-4S/740 I DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866810	BGP293 LED109-4S/740 I DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866894	BGP293 LED64-4S/830 II DM31 MSP CLO SRTH	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866902	BGP293 LED80-4S/740 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866903	BGP293 LED100-4S/740 II DM11 CLO S05Z1Z1	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866904	BGP293 LED120-4S/740 II DM11 CLO S05Z1Z1	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866905	BGP293 LED149-4S/740 II DM11 CLO S05Z1Z1	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866920	BGP293 LED80-4S/740 II DM31 MSP CLO SRTH	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866921	BGP293 LED80-4S/830 II DM31 MSP CLO SRTH	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866926	BGP293 LED100-4S/740 II DM11 CLO SRT 48/	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866936	BGP293 LED120-4S/740 II DM32 MSP CLO SRT	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925867860	BGP293 LED84-4S/740 II DM32 MSP CLO-LS-6	Philips standard surge protection level
910925868089	BGP293 LED80-4S/740 II DM11 CLO-DDF1 D18	Philips standard surge protection level
910925868090	BGP293 LED100-4S/740 II DM11 CLO-DDF1 D1	Philips standard surge protection level

Order Code	Full Product Name	Surge Protection (Common/Differential)
910925868091	BGP293 LED120-4S/740 II DM11 CLO-DDF1 D1	Philips standard surge protection level
910925868727	BGP290 LED50-1F/740 I DM10 SRG10 SRT SRB	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925868728	BGP390 LED50-1F/740 I DM10 SRG10 SRT SRB	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925869157	BGP290 LED50-1F/730 II DM32 MSP SRTB48/6	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866445	BGP294 LED340-4S/740 I DM11 48/60S PLS	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866635	BGP294 LED180-4S/740 II DM50 D9 48/60S P	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866636	BGP294 LED240-4S/740 II DM50 D9 48/60S P	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866647	BGP294 LED240-4S/740 II DM11 48/60S PLS	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866667	BGP394 LED340-4S/740 II DM11 D9 48/60S P	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866897	BGP294 LED240-4S/740 II DM11 CLO SRT 48/	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866908	BGP294 LED140-4S/830 II DM31 MSP CLO SRT	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866909	BGP294 LED240-4S/830 II DM31 MSP CLO SRT	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866914	BGP294 LED400-4S/740 II DM11 CLO S05Z1Z1	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866922	BGP294 LED140-4S/740 II DM31 MSP CLO SRT	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866923	BGP294 LED240-4S/740 II DM31 MSP CLO SRT	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866937	BGP294 LED150-4S/740 II DM32 MSP CLO SRT	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866940	BGP294 LED340-4S/740 II DM11 CLO SRT 48/	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode

Order Code	Full Product Name	Surge Protection (Common/Differential)
910925866942	BGP294 LED300-4S/740 II DM11 CLO S05Z1Z1	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925868071	BGP294 LED150-4S/740 II DM11 CLO S05Z1Z1	Philips standard surge protection level
910925868072	BGP294 LED300-4S/740 II DM11 CLO S05Z1Z1	Philips standard surge protection level
910925868073	BGP294 LED400-4S/740 II DM11 CLO S05Z1Z1	Philips standard surge protection level
910925868092	BGP294 LED150-4S/740 II DM11 CLO-DDF1 D1	Philips standard surge protection level
910925868093	BGP294 LED300-4S/740 II DM11 CLO-DDF1 D1	Philips standard surge protection level
910925868094	BGP294 LED400-4S/740 II DM11 CLO-DDF1 D1	Philips standard surge protection level
910925865679	BGP291 LED39-4S/740 II DM50 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866442	BGP291 LED50-4S/740 I DM11 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866454	BGP291 LED50-4S/740 I DM11 SRT SRB SRG10	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925866610	BGP291 LED8-4S/740 II DM50 D948/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866611	BGP291 LED20-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866612	BGP291 LED40-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866613	BGP291 LED50-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866614	BGP291 LED64-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866646	BGP291 LED45-4S/740 II DM11 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866652	BGP391 LED64-4S/740 II DM11 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866780	BGP291 LED44-4S/740 I DW50 CLO D9 P1 32/	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866856	BGP291 LED34-4S/740 II DM11 CLO 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode

Order Code	Full Product Name	Surge Protection (Common/Differential)
910925866857	BGP291 LED34-4S/740 II DM11 CLO-DDF1 D18	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866858	BGP291 LED34-4S/830 II DM11 CLO 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866859	BGP291 LED34-4S/830 II DM11 CLO-DDF1 D18	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866860	BGP291 LED44-4S/740 II DM11 CLO 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866861	BGP291 LED44-4S/740 II DM11 CLO-DDF1 D18	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866862	BGP291 LED44-4S/830 II DM11 CLO 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866863	BGP291 LED44-4S/830 II DM11 CLO-DDF1 D18	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866864	BGP291 LED51-4S/740 II DM11 CLO 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866865	BGP291 LED51-4S/740 II DM11 CLO-DDF1 D18	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866891	BGP291 LED34-4S/740 II DM10 MSP CLO SRTH	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866898	BGP291 LED20-4S/740 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866907	BGP291 LED30-4S/740 II DM32 MSP CLO SRTH	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866910	BGP291 LED25-4S/830 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866911	BGP291 LED35-4S/740 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866913	BGP291 LED45-4S/740 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866917	BGP291 LED22-4S/830 II DM10 MSP CLO SRTH	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866924	BGP291 LED45-4S/740 II DM11 CLO SRT 48/6	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866925	BGP291 LED54-4S/740 II DM11 CLO SRT 48/6	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866928	BGP291 LED20-4S/830 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866929	BGP291 LED25-4S/740 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866932	BGP291 LED35-4S/830 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866933	BGP291 LED45-4S/830 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866935	BGP291 LED22-4S/740 II DM32 MSP CLO SRTH	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866939	BGP291 LED34-4S/830 II DM10 MSP CLO SRTH	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925867775	BGP291 LED45-4S/740 II DX10 D11 H07RN-F-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925867776	BGP291 LED60-4S/740 II DX10 BL1 D11 H07R	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925867779	BGP291 LED25-4S/740 II DM11 48/76S POLE	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925867780	BGP291 LED35-4S/740 II DM11 48/76S POLE	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925868074	BGP291 LED20-4S/740 II DM11 CLO-DDF1 D18	Philips standard surge protection level
910925868075	BGP291 LED20-4S/830 II DM11 CLO-DDF1 D18	Philips standard surge protection level
910925868076	BGP291 LED25-4S/740 II DM11 CLO-DDF1 D18	Philips standard surge protection level
910925868077	BGP291 LED25-4S/830 II DM11 CLO-DDF1 D18	Philips standard surge protection level
910925868078	BGP291 LED35-4S/740 II DM11 CLO-DDF1 D18	Philips standard surge protection level
910925868079	BGP291 LED35-4S/830 II DM11 CLO-DDF1 D18	Philips standard surge protection level
910925868080	BGP291 LED45-4S/740 II DM11 CLO-DDF1 D18	Philips standard surge protection level
910925868081	BGP291 LED45-4S/830 II DM11 CLO-DDF1 D18	Philips standard surge protection level
910925868105	BGP291 LED51-4S/730 II DM50 MSP 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode

Order Code	Full Product Name	Surge Protection (Common/Differential)
910925868106	BGP291 LED51-4S/730 II DM50 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode

Over Time Performance (IEC Compliant)

Order Code	Full Product Name	Driver failure rate at 5000 h
910925868721	BGP290 LED50-1F/740 I DM10 48/60S	-
910925868722	BGP390 LED50-1F/740 I DM10 48/60S	-
910925868724	BGP290 LED50-1F/740 II DM10 48/60S	-
910925868725	BGP390 LED50-1F/740 II DM10 48/60S	-
910925869152	BGP290 LED20-1F/730 II DM50 D9 48/60S	-
910925869153	BGP290 LED40-1F/730 II DM50 D9 48/60S	-
910925869154	BGP290 LED50-1F/730 II DM50 D9 48/60S	-
910925869155	BGP290 LED60-1F/730 II DM50 D9 48/60S	-
910925869156	BGP290 LED50-1F/730 II DM12 SRTB 48/60S	-
910925865670	BGP292 LED49-4S/740 I DX10 7024 D9 76S	0.5 %
910925865673	BGP292 LED39-4S/740 II DN10 SW302F CLO D	0.5 %
910925865677	BGP292 LED99-4S/740 I DX10 7024 D9 48/60	0.5 %
910925865683	BGP292 LED14-4S/740 II DM12 SW302F CLO D	0.5 %
910925866443	BGP292 LED120-4S/740 I DM11 48/60S	0.5 %
910925866607	BGP292 LED18-4S/740 I DM50 D948/60S	0.5 %
910925866608	BGP292 LED22-4S/740 I DM50 D948/60S	0.5 %
910925866615	BGP292 LED34-4S/740 II DM50 D9 48/60S	0.5 %
910925866616	BGP292 LED60-4S/740 II DM50 D9 48/60S	0.5 %
910925866617	BGP292 LED80-4S/740 II DM50 D9 48/60S	0.5 %
910925866618	BGP292 LED100-4S/740 II DM50 D9 48/60S	0.5 %
910925866628	BGP292 LED120-4S/740 II DM50 D9 48/60S	0.5 %
910925866639	BGP292 LED120-4S/740 II DM11 48/60S	0.5 %
910925866640	BGP292 LED85-4S/740 II DM11 48/60S	0.5 %
910925866642	BGP292 LED85-4S/740 II DM11 48/60S	0.5 %
910925866657	BGP392 LED120-4S/740 II DM11 D9 48/60S	0.5 %
910925866697	BGP292 LED75-4S/740 I DX10 7024 D9 48/60	0.5 %
910925866698	BGP292 LED49-4S/740 I DX10 7024 D9 48/60	0.5 %
910925866699	BGP292 LED27-4S/740 II DN10 SW302F CLO D	0.5 %
910925866702	BGP292 LED99-4S/740 II DX10 7024 D9 48/6	0.5 %
910925866703	BGP292 LED34-4S/740 II DN10 SW302F CLO D	0.5 %
910925866704	BGP292 LED22-4S/740 II DM12 SW302F CLO D	0.5 %
910925866705	BGP292 LED75-4S/740 I DX10 7024 D9 76S	0.5 %
910925866712	BGP292 LED18-4S/740 II DM12 SW302F CLO D	0.5 %
910925866716	BGP292 LED27-4S/740 II DN10 SW302F CLO D	0.5 %
910925866721	BGP292 LED85-4S/740 I DM10 D9SRG10 48/60	0.5 %
910925866722	BGP292 LED49-4S/740 II DM50 D9 48/60S	0.5 %
910925866724	BGP292 LED74-4S/740 II DM11 CLO S05Z1Z1-	0.5 %
910925866727	BGP292 LED34-4S/740 II DN10 SW302F CLO D	0.5 %
910925866730	BGP292 LED94-4S/740 II DM11 CLO D9 48/60	0.5 %
910925866731	BGP292 LED22-4S/740 II DN10 SW302F CLO D	0.5 %
910925866734	BGP292 LED109-4S/740 II DM10 7043 D9 48/	0.5 %
910925866748	BGP292 LED120-4S/740 II DM11 CLO S05Z1Z1	0.5 %
910925866749	BGP292 LED22-4S/740 II DM12 SW302F CLO D	0.5 %
910925866753	BGP292 LED51-4S/740 I DX10 P148/60S	0.5 %

Order Code	Full Product Name	Driver failure rate at 5000 h
910925866761	BGP292 LED39-4S/740 II DM12 SW302F CLO D	0.5 %
910925866766	BGP292 LED99-4S/740 I DX10 7024 D9 76S	0.5 %
910925866771	BGP292 LED75-4S/740 I DX10 48/60S	0.5 %
910925866772	BGP292 LED39-4S/740 II DN10 SW302F CLO D	0.5 %
910925866773	BGP292 LED51-4S/740 I DX10 48/60S	0.5 %
910925866796	BGP292 LED18-4S/740 II DN10 SW302F CLO D	0.5 %
910925866804	BGP292 LED39-4S/740 II DW10 SW302F CLO D	0.5 %
910925866805	BGP292 LED75-4S/740 I DX10 ALU D9 76S	0.5 %
910925866809	BGP292 LED65-4S/740 II DM50 D9 48/60S	0.5 %
910925866853	BGP292 LED119-4S/740 II DM11 CLO 48/60S	0.5 %
910925866892	BGP292 LED39-4S/740 II DM10 MSP CLO SRTH	-
910925866895	BGP292 LED74-4S/740 II DM11 CLO SRT 48/6	-
910925866896	BGP292 LED94-4S/740 II DM11 CLO SRT 48/6	-
910925866899	BGP292 LED54-4S/740 II DM11 CLO S05Z1Z1-	0.5 %
910925866901	BGP292 LED64-4S/740 II DM11 CLO S05Z1Z1-	0.5 %
910925866912	BGP292 LED45-4S/830 II DM11 CLO S05Z1Z1-	0.5 %
910925866915	BGP292 LED49-4S/740 II DM32 MSP CLO SRTS	-
910925866918	BGP292 LED39-4S/830 II DM10 MSP CLO SRTH	-
910925866919	BGP292 LED49-4S/740 II DM10 MSP CLO SRTH	-
910925866930	BGP292 LED45-4S/740 II DM11 CLO S05Z1Z1-	0.5 %
910925866934	BGP292 LED35-4S/830 II DM11 CLO S05Z1Z1-	0.5 %
910925866938	BGP292 LED49-4S/830 II DM10 MSP CLO SRTH	-
910925866941	BGP292 LED35-4S/740 II DM11 CLO S05Z1Z1-	0.5 %
910925867777	BGP292 LED70-4S/740 II DX10 D11 H07RN-F-	0.5 %
910925867778	BGP292 LED80-4S/740 II DX10 BL1 D11 H07R	0.5 %
910925867781	BGP292 LED70-4S/740 II DM11 48/76S POLE	0.5 %
910925867782	BGP292 LED120-4S/740 II DM11 48/76S POLE	0.5 %
910925868082	BGP292 LED35-4S/740 II DM11 CLO-DDF1 D18	-
910925868083	BGP292 LED35-4S/830 II DM11 CLO-DDF1 D18	-
910925868084	BGP292 LED45-4S/740 II DM11 CLO-DDF1 D18	-
910925868085	BGP292 LED45-4S/830 II DM11 CLO-DDF1 D18	-
910925868086	BGP292 LED54-4S/740 II DM11 CLO-DDF1 D18	-
910925868087	BGP292 LED64-4S/740 II DM11 CLO-DDF1 D18	-
910925868107	BGP292 LED100-4S/730 II DM50 MSP 48/60S	-
910925868108	BGP292 LED100-4S/730 II DM50 48/60S	-
910925865671	BGP293 LED149-4S/740 I DM12 D9 SRG10 48/	0.5 %
910925865680	BGP293 LED120-4S/740 I DX10 7024 D9 48/6	0.5 %
910925866444	BGP293 LED240-4S/740 I DM11 48/60S	0.5 %
910925866456	BGP293 LED240-4S/740 I DM11 SRT SRB SRG1	0.5 %
910925866630	BGP293 LED100-4S/740 II DM50 D9 48/60S	0.5 %
910925866631	BGP293 LED139-4S/740 II DM50 D9 48/60S	0.5 %
910925866632	BGP293 LED180-4S/740 II DM50 D9 48/60S	0.5 %
910925866633	BGP293 LED240-4S/740 II DM50 D9 48/60S	0.5 %
910925866643	BGP293 LED170-4S/740 II DM11 48/60S	0.5 %

Order Code	Full Product Name	Driver failure rate at 5000 h
910925866662	BGP393 LED240-4S/740 II DM11 D9 48/60S	0.5 %
910925866723	BGP293 LED149-4S/740 II DM50 D9 48/60S	0.5 %
910925866755	BGP293 LED149-4S/740 I DX10 76S	0.5 %
910925866757	BGP293 LED139-4S/740 II DW10 SW302F CLO7	0.5 %
910925866759	BGP293 LED139-4S/740 I DX10 48/60S	0.5 %
910925866762	BGP293 LED149-4S/740 II DM50 D9 48/60S	0.5 %
910925866767	BGP293 LED149-4S/740 I DX10 48/60S	0.5 %
910925866777	BGP293 LED149-4S/740 II DW10 H07RN-F-2X1	0.5 %
910925866786	BGP293 LED84-4S/740 I DM50 D948/60S	-
910925866789	BGP293 LED139-4S/740 II DM10 48/60S	0.5 %
910925866793	BGP293 LED84-4S/740 II DM50 D9 48/60S	0.5 %
910925866795	BGP293 LED149-4S/740 I DM50 D9 48/60S	0.5 %
910925866810	BGP293 LED109-4S/740 I DM50 D9 48/60S	0.5 %
910925866894	BGP293 LED64-4S/830 II DM31 MSP CLO SRTH	-
910925866902	BGP293 LED80-4S/740 II DM11 CLO S05Z1Z1-	0.5 %
910925866903	BGP293 LED100-4S/740 II DM11 CLO S05Z1Z1	0.5 %
910925866904	BGP293 LED120-4S/740 II DM11 CLO S05Z1Z1	0.5 %
910925866905	BGP293 LED149-4S/740 II DM11 CLO S05Z1Z1	0.5 %
910925866920	BGP293 LED80-4S/740 II DM31 MSP CLO SRTH	-
910925866921	BGP293 LED80-4S/830 II DM31 MSP CLO SRTH	-
910925866926	BGP293 LED100-4S/740 II DM11 CLO SRT 48/	0.5 %
910925866936	BGP293 LED120-4S/740 II DM32 MSP CLO SRT	-
910925867860	BGP293 LED84-4S/740 II DM32 MSP CLO-LS-6	-
910925868089	BGP293 LED80-4S/740 II DM11 CLO-DDF1 D18	-
910925868090	BGP293 LED100-4S/740 II DM11 CLO-DDF1 D1	-
910925868091	BGP293 LED120-4S/740 II DM11 CLO-DDF1 D1	-
910925868727	BGP290 LED50-1F/740 I DM10 SRG10 SRT SRB	-
910925868728	BGP390 LED50-1F/740 I DM10 SRG10 SRT SRB	-
910925869157	BGP290 LED50-1F/730 II DM32 MSP SRTB48/6	-
910925866445	BGP294 LED340-4S/740 I DM11 48/60S PLS	0.5 %
910925866635	BGP294 LED180-4S/740 II DM50 D9 48/60S P	-
910925866636	BGP294 LED240-4S/740 II DM50 D9 48/60S P	-
910925866647	BGP294 LED240-4S/740 II DM11 48/60S PLS	-
910925866667	BGP394 LED340-4S/740 II DM11 D9 48/60S P	-
910925866897	BGP294 LED240-4S/740 II DM11 CLO SRT 48/	-
910925866908	BGP294 LED140-4S/830 II DM31 MSP CLO SRT	-
910925866909	BGP294 LED240-4S/830 II DM31 MSP CLO SRT	-
910925866914	BGP294 LED400-4S/740 II DM11 CLO S05Z1Z1	-
910925866922	BGP294 LED140-4S/740 II DM31 MSP CLO SRT	-
910925866923	BGP294 LED240-4S/740 II DM31 MSP CLO SRT	-
910925866937	BGP294 LED150-4S/740 II DM32 MSP CLO SRT	-
910925866940	BGP294 LED340-4S/740 II DM11 CLO SRT 48/	-
910925866942	BGP294 LED300-4S/740 II DM11 CLO S05Z1Z1	-
910925868071	BGP294 LED150-4S/740 II DM11 CLO S05Z1Z1	-
910925868072	BGP294 LED300-4S/740 II DM11 CLO S05Z1Z1	-
910925868073	BGP294 LED400-4S/740 II DM11 CLO S05Z1Z1	-
910925868092	BGP294 LED150-4S/740 II DM11 CLO-DDF1 D1	-
910925868093	BGP294 LED300-4S/740 II DM11 CLO-DDF1 D1	-
910925868094	BGP294 LED400-4S/740 II DM11 CLO-DDF1 D1	-

Order Code	Full Product Name	Driver failure rate at 5000 h
910925865679	BGP291 LED39-4S/740 II DM50 48/60S	0.5 %
910925866442	BGP291 LED50-4S/740 I DM11 48/60S	0.5 %
910925866454	BGP291 LED50-4S/740 I DM11 SRT SRB SRG10	0.5 %
910925866610	BGP291 LED8-4S/740 II DM50 D948/60S	0.5 %
910925866611	BGP291 LED20-4S/740 II DM50 D9 48/60S	0.5 %
910925866612	BGP291 LED40-4S/740 II DM50 D9 48/60S	0.5 %
910925866613	BGP291 LED50-4S/740 II DM50 D9 48/60S	0.5 %
910925866614	BGP291 LED64-4S/740 II DM50 D9 48/60S	0.5 %
910925866646	BGP291 LED45-4S/740 II DM11 48/60S	0.5 %
910925866652	BGP391 LED64-4S/740 II DM11 D9 48/60S	0.5 %
910925866780	BGP291 LED44-4S/740 I DW50 CLO D9 P1 32/	0.5 %
910925866856	BGP291 LED34-4S/740 II DM11 CLO 48/60S	0.5 %
910925866857	BGP291 LED34-4S/740 II DM11 CLO-DDF1 D18	0.5 %
910925866858	BGP291 LED34-4S/830 II DM11 CLO 48/60S	0.5 %
910925866859	BGP291 LED34-4S/830 II DM11 CLO-DDF1 D18	0.5 %
910925866860	BGP291 LED44-4S/740 II DM11 CLO 48/60S	0.5 %
910925866861	BGP291 LED44-4S/740 II DM11 CLO-DDF1 D18	0.5 %
910925866862	BGP291 LED44-4S/830 II DM11 CLO 48/60S	0.5 %
910925866863	BGP291 LED44-4S/830 II DM11 CLO-DDF1 D18	0.5 %
910925866864	BGP291 LED51-4S/740 II DM11 CLO 48/60S	0.5 %
910925866865	BGP291 LED51-4S/740 II DM11 CLO-DDF1 D18	0.5 %
910925866891	BGP291 LED34-4S/740 II DM10 MSP CLO SRTH	-
910925866898	BGP291 LED20-4S/740 II DM11 CLO S05Z1Z1-	0.5 %
910925866907	BGP291 LED30-4S/740 II DM32 MSP CLO SRTH	-
910925866910	BGP291 LED25-4S/830 II DM11 CLO S05Z1Z1-	0.5 %
910925866911	BGP291 LED35-4S/740 II DM11 CLO S05Z1Z1-	0.5 %
910925866913	BGP291 LED45-4S/740 II DM11 CLO S05Z1Z1-	0.5 %
910925866917	BGP291 LED22-4S/830 II DM10 MSP CLO SRTH	-
910925866924	BGP291 LED45-4S/740 II DM11 CLO SRT 48/6	0.5 %
910925866925	BGP291 LED54-4S/740 II DM11 CLO SRT 48/6	0.5 %
910925866928	BGP291 LED20-4S/830 II DM11 CLO S05Z1Z1-	0.5 %
910925866929	BGP291 LED25-4S/740 II DM11 CLO S05Z1Z1-	0.5 %
910925866932	BGP291 LED35-4S/830 II DM11 CLO S05Z1Z1-	0.5 %
910925866933	BGP291 LED45-4S/830 II DM11 CLO S05Z1Z1-	0.5 %
910925866935	BGP291 LED22-4S/740 II DM32 MSP CLO SRTH	-
910925866939	BGP291 LED34-4S/830 II DM10 MSP CLO SRTH	-
910925867775	BGP291 LED45-4S/740 II DX10 D11 H07RN-F-	0.5 %
910925867776	BGP291 LED60-4S/740 II DX10 BL1 D11 H07R	0.5 %
910925867779	BGP291 LED25-4S/740 II DM11 48/76S POLE	0.5 %
910925867780	BGP291 LED35-4S/740 II DM11 48/76S POLE	0.5 %
910925868074	BGP291 LED20-4S/740 II DM11 CLO-DDF1 D18	-
910925868075	BGP291 LED20-4S/830 II DM11 CLO-DDF1 D18	-
910925868076	BGP291 LED25-4S/740 II DM11 CLO-DDF1 D18	-
910925868077	BGP291 LED25-4S/830 II DM11 CLO-DDF1 D18	-
910925868078	BGP291 LED35-4S/740 II DM11 CLO-DDF1 D18	-
910925868079	BGP291 LED35-4S/830 II DM11 CLO-DDF1 D18	-
910925868080	BGP291 LED45-4S/740 II DM11 CLO-DDF1 D18	-
910925868081	BGP291 LED45-4S/830 II DM11 CLO-DDF1 D18	-
910925868105	BGP291 LED51-4S/730 II DM50 MSP 48/60S	-
910925868106	BGP291 LED51-4S/730 II DM50 48/60S	-

Application Conditions

Order Code	Full Product Name	Maximum dim level
910925868721	BGP290 LED50-1F/740 I DM10 48/60S	0% (digital)
910925868722	BGP390 LED50-1F/740 I DM10 48/60S	0% (digital)
910925868724	BGP290 LED50-1F/740 II DM10 48/60S	0% (digital)
910925868725	BGP390 LED50-1F/740 II DM10 48/60S	0% (digital)
910925869152	BGP290 LED20-1F/730 II DM50 D9 48/60S	0% (digital)
910925869153	BGP290 LED40-1F/730 II DM50 D9 48/60S	0% (digital)
910925869154	BGP290 LED50-1F/730 II DM50 D9 48/60S	0% (digital)
910925869155	BGP290 LED60-1F/730 II DM50 D9 48/60S	0% (digital)
910925869156	BGP290 LED50-1F/730 II DM12 SRTB 48/60S	0% (digital)
910925865670	BGP292 LED49-4S/740 I DX10 7024 D9 76S	0% (digital)
910925865673	BGP292 LED39-4S/740 II DN10 SW302F CLO D	0% (digital)
910925865677	BGP292 LED99-4S/740 I DX10 7024 D9 48/60	0% (digital)
910925865683	BGP292 LED14-4S/740 II DM12 SW302F CLO D	0% (digital)
910925866443	BGP292 LED120-4S/740 I DM11 48/60S	0% (digital)
910925866607	BGP292 LED18-4S/740 I DM50 D948/60S	0% (digital)
910925866608	BGP292 LED22-4S/740 I DM50 D948/60S	0% (digital)
910925866615	BGP292 LED34-4S/740 II DM50 D9 48/60S	0% (digital)
910925866616	BGP292 LED60-4S/740 II DM50 D9 48/60S	0% (digital)
910925866617	BGP292 LED80-4S/740 II DM50 D9 48/60S	0% (digital)
910925866618	BGP292 LED100-4S/740 II DM50 D9 48/60S	0% (digital)
910925866628	BGP292 LED120-4S/740 II DM50 D9 48/60S	0% (digital)
910925866639	BGP292 LED120-4S/740 II DM11 48/60S	0% (digital)
910925866640	BGP292 LED85-4S/740 II DM11 48/60S	0% (digital)
910925866642	BGP292 LED85-4S/740 II DM11 48/60S	0% (digital)
910925866657	BGP392 LED120-4S/740 II DM11 D9 48/60S	0% (digital)
910925866697	BGP292 LED75-4S/740 I DX10 7024 D9 48/60	0% (digital)
910925866698	BGP292 LED49-4S/740 I DX10 7024 D9 48/60	0% (digital)
910925866699	BGP292 LED27-4S/740 II DN10 SW302F CLO D	0% (digital)
910925866702	BGP292 LED99-4S/740 II DX10 7024 D9 48/6	0% (digital)
910925866703	BGP292 LED34-4S/740 II DN10 SW302F CLO D	0% (digital)
910925866704	BGP292 LED22-4S/740 II DM12 SW302F CLO D	0% (digital)
910925866705	BGP292 LED75-4S/740 I DX10 7024 D9 76S	0% (digital)
910925866712	BGP292 LED18-4S/740 II DM12 SW302F CLO D	0% (digital)
910925866716	BGP292 LED27-4S/740 II DN10 SW302F CLO D	0% (digital)
910925866721	BGP292 LED85-4S/740 I DM10 D9SRG10 48/60	0% (digital)
910925866722	BGP292 LED49-4S/740 II DM50 D9 48/60S	0% (digital)
910925866724	BGP292 LED74-4S/740 II DM11 CLO S05Z1Z1-	0% (digital)
910925866727	BGP292 LED34-4S/740 II DN10 SW302F CLO D	0% (digital)
910925866730	BGP292 LED94-4S/740 II DM11 CLO D9 48/60	0% (digital)
910925866731	BGP292 LED22-4S/740 II DN10 SW302F CLO D	0% (digital)
910925866734	BGP292 LED109-4S/740 II DM10 7043 D9 48/	0% (digital)
910925866748	BGP292 LED120-4S/740 II DM11 CLO S05Z1Z1	0% (digital)
910925866749	BGP292 LED22-4S/740 II DM12 SW302F CLO D	0% (digital)
910925866753	BGP292 LED51-4S/740 I DX10 P148/60S	0% (digital)
910925866761	BGP292 LED39-4S/740 II DM12 SW302F CLO D	0% (digital)
910925866766	BGP292 LED99-4S/740 I DX10 7024 D9 76S	0% (digital)
910925866771	BGP292 LED75-4S/740 I DX10 48/60S	0% (digital)
910925866772	BGP292 LED39-4S/740 II DN10 SW302F CLO D	0% (digital)
910925866773	BGP292 LED51-4S/740 I DX10 48/60S	0% (digital)
910925866796	BGP292 LED18-4S/740 II DN10 SW302F CLO D	0% (digital)
910925866804	BGP292 LED39-4S/740 II DW10 SW302F CLO D	0% (digital)

Order Code	Full Product Name	Maximum dim level
910925866805	BGP292 LED75-4S/740 I DX10 ALU D9 76S	0% (digital)
910925866809	BGP292 LED65-4S/740 II DM50 D9 48/60S	0% (digital)
910925866853	BGP292 LED119-4S/740 II DM11 CLO 48/60S	0% (digital)
910925866892	BGP292 LED39-4S/740 II DM10 MSP CLO SRTH	0% (digital)
910925866895	BGP292 LED74-4S/740 II DM11 CLO SRT 48/6	0% (digital)
910925866896	BGP292 LED94-4S/740 II DM11 CLO SRT 48/6	0% (digital)
910925866899	BGP292 LED54-4S/740 II DM11 CLO S05Z1Z1-	0% (digital)
910925866901	BGP292 LED64-4S/740 II DM11 CLO S05Z1Z1-	0% (digital)
910925866912	BGP292 LED45-4S/830 II DM11 CLO S05Z1Z1-	0% (digital)
910925866915	BGP292 LED49-4S/740 II DM32 MSP CLO SRTS	0% (digital)
910925866918	BGP292 LED39-4S/830 II DM10 MSP CLO SRTH	0% (digital)
910925866919	BGP292 LED49-4S/740 II DM10 MSP CLO SRTH	0% (digital)
910925866930	BGP292 LED45-4S/740 II DM11 CLO S05Z1Z1-	0% (digital)
910925866934	BGP292 LED35-4S/830 II DM11 CLO S05Z1Z1-	0% (digital)
910925866938	BGP292 LED49-4S/830 II DM10 MSP CLO SRTH	0% (digital)
910925866941	BGP292 LED35-4S/740 II DM11 CLO S05Z1Z1-	0% (digital)
910925867777	BGP292 LED70-4S/740 II DX10 D11 H07RN-F-	0% (digital)
910925867778	BGP292 LED80-4S/740 II DX10 BL1 D11 H07R	0% (digital)
910925867781	BGP292 LED70-4S/740 II DM11 48/76S POLE	0% (digital)
910925867782	BGP292 LED120-4S/740 II DM11 48/76S POLE	0% (digital)
910925868082	BGP292 LED35-4S/740 II DM11 CLO-DDF1 D18	Programmable
910925868083	BGP292 LED35-4S/830 II DM11 CLO-DDF1 D18	Programmable
910925868084	BGP292 LED45-4S/740 II DM11 CLO-DDF1 D18	Programmable
910925868085	BGP292 LED45-4S/830 II DM11 CLO-DDF1 D18	Programmable
910925868086	BGP292 LED54-4S/740 II DM11 CLO-DDF1 D18	Programmable
910925868087	BGP292 LED64-4S/740 II DM11 CLO-DDF1 D18	Programmable
910925868107	BGP292 LED100-4S/730 II DM50 MSP 48/60S	Programmable
910925868108	BGP292 LED100-4S/730 II DM50 48/60S	Programmable
910925865671	BGP293 LED149-4S/740 I DM12 D9 SRG10 48/	0% (digital)
910925865680	BGP293 LED120-4S/740 I DX10 7024 D9 48/6	0% (digital)
910925866444	BGP293 LED240-4S/740 I DM11 48/60S	0% (digital)
910925866456	BGP293 LED240-4S/740 I DM11 SRT SRB SRG1	0% (digital)
910925866630	BGP293 LED100-4S/740 II DM50 D9 48/60S	0% (digital)
910925866631	BGP293 LED139-4S/740 II DM50 D9 48/60S	0% (digital)
910925866632	BGP293 LED180-4S/740 II DM50 D9 48/60S	0% (digital)
910925866633	BGP293 LED240-4S/740 II DM50 D9 48/60S	0% (digital)
910925866643	BGP293 LED170-4S/740 II DM11 48/60S	0% (digital)
910925866662	BGP393 LED240-4S/740 II DM11 D9 48/60S	0% (digital)
910925866723	BGP293 LED149-4S/740 II DM50 D9 48/60S	0% (digital)
910925866755	BGP293 LED149-4S/740 I DX10 76S	0% (digital)
910925866757	BGP293 LED139-4S/740 II DW10 SW302F CLO7	0% (digital)
910925866759	BGP293 LED139-4S/740 I DX10 48/60S	0% (digital)
910925866762	BGP293 LED149-4S/740 II DM50 D9 48/60S	0% (digital)
910925866767	BGP293 LED149-4S/740 I DX10 48/60S	0% (digital)
910925866777	BGP293 LED149-4S/740 II DW10 H07RN-F-2X1	0% (digital)
910925866786	BGP293 LED84-4S/740 I DM50 D948/60S	0% (digital)
910925866789	BGP293 LED139-4S/740 II DM10 48/60S	0% (digital)
910925866793	BGP293 LED84-4S/740 II DM50 D9 48/60S	0% (digital)
910925866795	BGP293 LED149-4S/740 I DM50 D9 48/60S	0% (digital)
910925866810	BGP293 LED109-4S/740 I DM50 D9 48/60S	0% (digital)
910925866894	BGP293 LED64-4S/830 II DM31 MSP CLO SRTH	0% (digital)

Order Code	Full Product Name	Maximum dim level
910925866902	BGP293 LED80-4S/740 II DM11 CLO S05Z1Z1-	0% (digital)
910925866903	BGP293 LED100-4S/740 II DM11 CLO S05Z1Z1	0% (digital)
910925866904	BGP293 LED120-4S/740 II DM11 CLO S05Z1Z1	0% (digital)
910925866905	BGP293 LED149-4S/740 II DM11 CLO S05Z1Z1	0% (digital)
910925866920	BGP293 LED80-4S/740 II DM31 MSP CLO SRTH	0% (digital)
910925866921	BGP293 LED80-4S/830 II DM31 MSP CLO SRTH	0% (digital)
910925866926	BGP293 LED100-4S/740 II DM11 CLO SRT 48/	0% (digital)
910925866936	BGP293 LED120-4S/740 II DM32 MSP CLO SRT	0% (digital)
910925867860	BGP293 LED84-4S/740 II DM32 MSP CLO-LS-6	Not applicable
910925868089	BGP293 LED80-4S/740 II DM11 CLO-DDF1 D18	Programmable
910925868090	BGP293 LED100-4S/740 II DM11 CLO-DDF1 D1	Programmable
910925868091	BGP293 LED120-4S/740 II DM11 CLO-DDF1 D1	Programmable
910925868727	BGP290 LED50-1F/740 I DM10 SRG10 SRT SRB	0% (digital)
910925868728	BGP390 LED50-1F/740 I DM10 SRG10 SRT SRB	0% (digital)
910925869157	BGP290 LED50-1F/730 II DM32 MSP SRTB48/6	0% (digital)
910925866445	BGP294 LED340-4S/740 I DM11 48/60S PLS	0% (digital)
910925866635	BGP294 LED180-4S/740 II DM50 D9 48/60S P	0% (digital)
910925866636	BGP294 LED240-4S/740 II DM50 D9 48/60S P	0% (digital)
910925866647	BGP294 LED240-4S/740 II DM11 48/60S PLS	0% (digital)
910925866667	BGP394 LED340-4S/740 II DM11 D9 48/60S P	0% (digital)
910925866897	BGP294 LED240-4S/740 II DM11 CLO SRT 48/	0% (digital)
910925866908	BGP294 LED140-4S/830 II DM31 MSP CLO SRT	0% (digital)
910925866909	BGP294 LED240-4S/830 II DM31 MSP CLO SRT	0% (digital)
910925866914	BGP294 LED400-4S/740 II DM11 CLO S05Z1Z1	0% (digital)
910925866922	BGP294 LED140-4S/740 II DM31 MSP CLO SRT	0% (digital)
910925866923	BGP294 LED240-4S/740 II DM31 MSP CLO SRT	0% (digital)
910925866937	BGP294 LED150-4S/740 II DM32 MSP CLO SRT	0% (digital)
910925866940	BGP294 LED340-4S/740 II DM11 CLO SRT 48/	0% (digital)
910925866942	BGP294 LED300-4S/740 II DM11 CLO S05Z1Z1	0% (digital)
910925868071	BGP294 LED150-4S/740 II DM11 CLO S05Z1Z1	Programmable
910925868072	BGP294 LED300-4S/740 II DM11 CLO S05Z1Z1	Programmable
910925868073	BGP294 LED400-4S/740 II DM11 CLO S05Z1Z1	Programmable
910925868092	BGP294 LED150-4S/740 II DM11 CLO-DDF1 D1	Programmable
910925868093	BGP294 LED300-4S/740 II DM11 CLO-DDF1 D1	Programmable
910925868094	BGP294 LED400-4S/740 II DM11 CLO-DDF1 D1	Programmable
910925865679	BGP291 LED39-4S/740 II DM50 48/60S	0% (digital)
910925866442	BGP291 LED50-4S/740 I DM11 48/60S	0% (digital)
910925866454	BGP291 LED50-4S/740 I DM11 SRT SRB SRG10	0% (digital)
910925866610	BGP291 LED8-4S/740 II DM50 D948/60S	0% (digital)
910925866611	BGP291 LED20-4S/740 II DM50 D9 48/60S	0% (digital)
910925866612	BGP291 LED40-4S/740 II DM50 D9 48/60S	0% (digital)
910925866613	BGP291 LED50-4S/740 II DM50 D9 48/60S	0% (digital)
910925866614	BGP291 LED64-4S/740 II DM50 D9 48/60S	0% (digital)

Order Code	Full Product Name	Maximum dim level
910925866646	BGP291 LED45-4S/740 II DM11 48/60S	0% (digital)
910925866652	BGP391 LED64-4S/740 II DM11 D9 48/60S	0% (digital)
910925866780	BGP291 LED44-4S/740 I DW50 CLO D9 P1 32/	0% (digital)
910925866856	BGP291 LED34-4S/740 II DM11 CLO 48/60S	0% (digital)
910925866857	BGP291 LED34-4S/740 II DM11 CLO-DDF1 D18	0% (digital)
910925866858	BGP291 LED34-4S/830 II DM11 CLO 48/60S	0% (digital)
910925866859	BGP291 LED34-4S/830 II DM11 CLO-DDF1 D18	0% (digital)
910925866860	BGP291 LED44-4S/740 II DM11 CLO 48/60S	0% (digital)
910925866861	BGP291 LED44-4S/740 II DM11 CLO-DDF1 D18	0% (digital)
910925866862	BGP291 LED44-4S/830 II DM11 CLO 48/60S	0% (digital)
910925866863	BGP291 LED44-4S/830 II DM11 CLO-DDF1 D18	0% (digital)
910925866864	BGP291 LED51-4S/740 II DM11 CLO 48/60S	0% (digital)
910925866865	BGP291 LED51-4S/740 II DM11 CLO-DDF1 D18	0% (digital)
910925866891	BGP291 LED34-4S/740 II DM10 MSP CLO SRTH	0% (digital)
910925866898	BGP291 LED20-4S/740 II DM11 CLO S05Z1Z1-	0% (digital)
910925866907	BGP291 LED30-4S/740 II DM32 MSP CLO SRTH	0% (digital)
910925866910	BGP291 LED25-4S/830 II DM11 CLO S05Z1Z1-	0% (digital)
910925866911	BGP291 LED35-4S/740 II DM11 CLO S05Z1Z1-	0% (digital)
910925866913	BGP291 LED45-4S/740 II DM11 CLO S05Z1Z1-	0% (digital)
910925866917	BGP291 LED22-4S/830 II DM10 MSP CLO SRTH	0% (digital)
910925866924	BGP291 LED45-4S/740 II DM11 CLO SRT 48/6	0% (digital)
910925866925	BGP291 LED54-4S/740 II DM11 CLO SRT 48/6	0% (digital)
910925866928	BGP291 LED20-4S/830 II DM11 CLO S05Z1Z1-	0% (digital)
910925866929	BGP291 LED25-4S/740 II DM11 CLO S05Z1Z1-	0% (digital)
910925866932	BGP291 LED35-4S/830 II DM11 CLO S05Z1Z1-	0% (digital)
910925866933	BGP291 LED45-4S/830 II DM11 CLO S05Z1Z1-	0% (digital)
910925866935	BGP291 LED22-4S/740 II DM32 MSP CLO SRTH	0% (digital)
910925866939	BGP291 LED34-4S/830 II DM10 MSP CLO SRTH	0% (digital)
910925867775	BGP291 LED45-4S/740 II DX10 D11 H07RN-F-	0% (digital)
910925867776	BGP291 LED60-4S/740 II DX10 BL1 D11 H07R	0% (digital)
910925867779	BGP291 LED25-4S/740 II DM11 48/76S POLE	0% (digital)
910925867780	BGP291 LED35-4S/740 II DM11 48/76S POLE	0% (digital)
910925868074	BGP291 LED20-4S/740 II DM11 CLO-DDF1 D18	Programmable
910925868075	BGP291 LED20-4S/830 II DM11 CLO-DDF1 D18	Programmable
910925868076	BGP291 LED25-4S/740 II DM11 CLO-DDF1 D18	Programmable
910925868077	BGP291 LED25-4S/830 II DM11 CLO-DDF1 D18	Programmable
910925868078	BGP291 LED35-4S/740 II DM11 CLO-DDF1 D18	Programmable
910925868079	BGP291 LED35-4S/830 II DM11 CLO-DDF1 D18	Programmable
910925868080	BGP291 LED45-4S/740 II DM11 CLO-DDF1 D18	Programmable
910925868081	BGP291 LED45-4S/830 II DM11 CLO-DDF1 D18	Programmable
910925868105	BGP291 LED51-4S/730 II DM50 MSP 48/60S	Programmable
910925868106	BGP291 LED51-4S/730 II DM50 48/60S	Programmable

Polar Wide Diagrams

Polar Normal (separate) - BGP282I - 910925865683

Polar Normal (separate) - BGP281I - 910925865679

Polar Normal (separate) - BGP283I - 910925866444

Polar Normal (separate) - BGP282I - 910925866628

Polar Normal (separate) - BGP282I - 910925866607

Polar Normal (separate) - BGP282I - 910925866697

Polar Normal (separate) - BGP282I - 910925866716

Polar Normal (separate) - BGP282I - 910925866615

Polar Normal (separate) - BGP282I - 910925866698

Polar Wide Diagrams

Polar Normal (separate) - BGP282I - 910925866727

Polar Normal (separate) - BGP281I - 910925866860

Polar Normal (separate) - BGP282I - 910925866753

Polar Normal (separate) - BGP283I - 910925866762

Polar Normal (separate) - BGP284I - 910925866908

Polar Normal (separate) - BGP284I - 910925866667

Polar Normal (separate) - BGP281I - 910925866652

Polar Normal (separate) - BGP282I - 910925866930

Polar Normal (separate) - BGP282I - 910925866772

Polar Wide Diagrams

Polar Normal (separate) - BGP283I - 910925866755

Polar Normal (separate) - BGP283I - 910925866789

Polar Normal (separate) - BGP282I - 910925866941

Polar Normal (separate) - BGP280I - 910925868722

Polar Normal (separate) - BGP280I - 910925868727

Polar Normal (separate) - BGP280I - 910925869152

Polar Normal (separate) - BGP280I - 910925869154

Polar Normal (separate) - BGP280I - 910925869156

Polar Normal (separate) - BGP280I - 910925869153

Polar Wide Diagrams

Polar Normal (separate) - BGP282I - 910925865677

Polar Normal (separate) - BGP283I - 910925865680

Polar Normal (separate) - BGP283I - 910925865671

Polar Normal (separate) - BGP284I - 910925866445

Polar Normal (separate) - BGP281I - 910925866610

Polar Normal (separate) - BGP282I - 910925866608

Polar Normal (separate) - BGP281I - 910925866613

Polar Normal (separate) - BGP282I - 910925866616

Polar Normal (separate) - BGP282I - 910925866443

Polar Wide Diagrams

Polar Normal (separate) - BGP281I - 910925866442

Polar Normal (separate) - BGP282I - 910925866617

Polar Normal (separate) - BGP282I - 910925866618

Polar Normal (separate) - BGP283I - 910925866630

Polar Normal (separate) - BGP281I - 910925866644

Polar Normal (separate) - BGP284I - 910925866636

Polar Normal (separate) - BGP282I - 910925866642

Polar Normal (separate) - BGP282I - 910925866657

Polar Normal (separate) - BGP281I - 910925866612

Polar Wide Diagrams

Polar Normal (separate) - BGP283I - 910925866662

Polar Normal (separate) - BGP282I - 910925866721

Polar Normal (separate) - BGP283I - 910925866759

Polar Normal (separate) - BGP283I - 910925866631

Polar Normal (separate) - BGP283I - 910925866633

Polar Normal (separate) - BGP281I - 910925866611

Polar Normal (separate) - BGP281I - 910925866614

Polar Normal (separate) - BGP283I - 910925866632

Polar Normal (separate) - BGP283I - 910925866643

Polar Wide Diagrams

Polar Normal (separate) - BGP282I - 910925866712

Polar Normal (separate) - BGP281I - 910925866780

Polar Normal (separate) - BGP282I - 910925866796

Polar Normal (separate) - BGP282I - 910925866704

Polar Normal (separate) - BGP282I - 910925866724

Polar Normal (separate) - BGP282I - 910925866734

Polar Normal (separate) - BGP282I - 910925866761

Polar Normal (separate) - BGP283I - 910925866777

Polar Normal (separate) - BGP283I - 910925866810

Polar Wide Diagrams

Polar Normal (separate) - BGP281I - 910925866862

Polar Normal (separate) - BGP281I - 910925866865

Polar Normal (separate) - BGP282I - 910925866899

Polar Normal (separate) - BGP282I - 910925866730

Polar Normal (separate) - BGP283I - 910925866757

Polar Normal (separate) - BGP283I - 910925866904

Polar Normal (separate) - BGP281I - 910925866911

Polar Normal (separate) - BGP281I - 910925866932

Polar Normal (separate) - BGP282I - 910925866722

Polar Wide Diagrams

Polar Normal (separate) - BGP282I - 910925866731

Polar Normal (separate) - BGP283I - 910925866793

Polar Normal (separate) - BGP282I - 910925866809

Polar Normal (separate) - BGP281I - 910925866859

Polar Normal (separate) - BGP282I - 910925866901

Polar Normal (separate) - BGP283I - 910925866905

Polar Normal (separate) - BGP281I - 910925866933

Polar Normal (separate) - BGP283I - 910925866902

Polar Normal (separate) - BGP283I - 910925866926

Polar Wide Diagrams

Polar Normal (separate) - BGP282I - 910925866853

Polar Normal (separate) - BGP281I - 910925866856

Polar Normal (separate) - BGP282I - 910925866912

Polar Normal (separate) - BGP281I - 910925866910

Polar Normal (separate) - BGP281I - 910925866925

Polar Normal (separate) - BGP281I - 910925866928

Polar Normal (separate) - BGP281I - 910925866929

Polar Normal (separate) - BGP281I - 910925867776

Polar Normal (separate) - BGP282I - 910925867777

Polar Wide Diagrams

Polar Normal (separate) - BGP281I - 910925867775

Polar Normal (separate) - BGP282I - 910925867778

Polar Normal (separate) - BGP284I - 910925868071

Polar Normal (separate) - BGP282I - 910925867781

Polar Normal (separate) - BGP284I - 910925868093

Polar Normal (separate) - BGP282I - 910925866804

Polar Normal (separate) - BGP281I - 910925866898

Polar Normal (separate) - BGP282I - 910925866934

Polar Normal (separate) - BGP280I - 910925869155

Polar Wide Diagrams

Polar Normal (separate) - BGP280I - 910925869157

Polar Normal (separate) - BGP284I - 910925866647

Polar Normal (separate) - BGP284I - 910925866635

Polar Normal (separate) - BGP281I - 910925866891

Polar Normal (separate) - BGP283I - 910925866894

Polar Normal (separate) - BGP282I - 910925866892

Polar Normal (separate) - BGP281I - 910925866907

Polar Normal (separate) - BGP284I - 910925866909

Polar Normal (separate) - BGP281I - 910925866917

Polar Wide Diagrams

Polar Normal (separate) - BGP282I - 910925866915

Polar Normal (separate) - BGP284I - 910925866914

Polar Normal (separate) - BGP282I - 910925866919

Polar Normal (separate) - BGP284I - 910925866922

Polar Normal (separate) - BGP282I - 910925866918

Polar Normal (separate) - BGP283I - 910925866920

Polar Normal (separate) - BGP284I - 910925866923

Polar Normal (separate) - BGP283I - 910925866921

Polar Normal (separate) - BGP281I - 910925866935

Polar Wide Diagrams

Polar Normal (separate) - BGP283I - 910925866936

Polar Normal (separate) - BGP282I - 910925866938

Polar Normal (separate) - BGP284I - 910925866937

Polar Normal (separate) - BGP281I - 910925866939

Polar Normal (separate) - BGP283I - 910925867860

Polar Normal (separate) - BGP281I - 910925868105

Polar Normal (separate) - BGP282I - 910925868107

© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. All trademarks are owned by Signify Holding or their respective owners.