

PHILIPS

Jargeau 400 LED

BGP641



BPP641

BSP641



220V
240V

50Hz
60Hz

IEC
EN60598

IP65
BOWL

IP66
GLASS

IP66
OPTICAL
SYSTEM

IK10
BOWL

IK09
GLASS



RG1



LINE

LEDs

W
+/- 10%

Inrush
Current

Current
width



740	LED18-4S	12	13	22 A	290 us	20
740	LED23-4S	12	17	22 A	290 us	20
740	LED31-4S	12	22	22 A	290 us	20
740	LED35-4S	12	26	22 A	290 us	20
740	LED43-4S	20	29	22 A	290 us	20
740	LED46-4S	20	32	22 A	290 us	20
740	LED56-4S	20	39	22 A	290 us	20
740	LED62-4S	20	43	22 A	290 us	20
740	LED70-4S	30	46	46 A	250 us	11
740	LED77-4S	30	50	46 A	250 us	11
740	LED91-4S	30	60	46 A	250 us	11
740	LED99-4S	40	65	80 A	150 us	9



LINE

LEDs

W
+/- 10%


Inrush
Current

Current
width



830	LED14-4S	12	13	22 A	290 us	20
830	LED20-4S	12	18	22 A	290 us	20
830	LED25-4S	20	21	22 A	290 us	20
830	LED29-4S	20	25	22 A	290 us	20
830	LED35-4S	20	31	22 A	290 us	20
830	LED38-4S	20	34	22 A	290 us	20
830	LED47-4S	30	39	46 A	250 us	11
830	LED50-4S	30	42	46 A	250 us	11
830	LED57-4S	30	49	46 A	250 us	11
830	LED61-4S	30	53	46 A	250 us	11
830	LED73-4S	40	61	80 A	150 us	9
830	LED80-4S	40	68	80 A	150 us	9

BSP641





BPP641

BPP641

BPP641 Adaptor 60

BPP641 Adaptor 76


BPP641 Adaptor 76






Column/bracket mounting

BPP641




Suspended mounting

BSP641




1a

1



2



2a



1




2



3




4



5



6




Disconnect the luminaire before mounting the wieland connector



3a

1



2









1a

1



2




2a

1


2

3

4



Disconnect the luminaire before mounting the wieland connector




3a


1




2






LUMISTEP



DYNADIMMER




SRG10



LWx

CityTouch
READY
City Touch only for Post Top
VersionTop





© 2016 Philips Lighting Holding B.V.

All rights reserved. Reproduction in whole or in part is prohibited without consent of the copyright owner.

The information presented in this document does not form part of any quotation or contract. It is believed to be accurate and reliable and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use. Publication thereof does not convey nor imply any license under patent or other industrial or intellectual property rights.

Philips Lighting Holding B.V.
The Netherlands