



# eColor Graze MX Powercore

## eColor Graze MX Powercore, Green, 60° x 30° Beam Angle, 305 mm (1 ft)

Green - 60° x 30° - 305 mm - Aluminium

Many architectural structures need a linear fixture capable of illuminating multiple storeys with minimal setback. Property owners/end users need a controllable product capable of dynamic illumination to draw attention to their establishments and emphasise their brands. Graze MX Powercore is capable of illuminating over 20 meters at very close setback distances. Powercore technology enables simple installation and long product run lengths.

#### **Product data**

General Information	
Lamp family code	LED-HB [ LED High Brightness]
Light source colour	Green
Light source replaceable	No
Driver included	Yes
Optical cover/lens type	PCC [ Polycarbonate bowl/cover clear]
Luminaire light beam spread	60° x 30°
Protection class IEC	Safety class I
CE mark	CE mark
UL mark	UL and cUL mark
Operating and Electrical	
Input Voltage	100 to 277 V
Input frequency	50 to 60 Hz

Controls and Dimming	
Dimmable	Yes
Mechanical and Housing	
Housing material	Extruded aluminium
Optic material	Polycarbonate
Optical cover/lens material	Polycarbonate
Length	305 mm
Colour	Aluminium
Approval and Application	
Ingress protection code	IP66 [ Dust penetration-protected, jet-proof]
Mech. impact protection code	IK10 [ 20 J vandal-resistant]
Vibration standard	Complies with ANSI C136.31, 3G


## eColor Graze MX Powercore

Complies with ANSI C136.31, 3G		
Initial Performance (IEC Compliant)		
15 W		
-40 to +50 ℃		
871829160534899		
BCS439 60x30 GN L305		
8718291605348		

Order code	223-000080-17
SAP numerator – quantity per pack 1	
Numerator – packs per outer box	4
SAP material	910503703407
Net Weight (Piece)	1.200 kg
Commercial Code	223-000080-17
Commercial Code	eColor Graze MX Powercore, Green, 60° x 30° Beam
	Angle, 305 mm (1 ft)



### Dimensional drawing



#### Graze



© 2020 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. All trademarks are owned by Signify Holding or their respective owners.

www.lighting.philips.com 2020, December 15 - data subject to change