



TCS165

TCS165 1xTL5-49W/840 HFS C6 PIP

1, TL5, 49 W, 840 neutral white, HF Standard, High-gloss optic double parabolic closed

Designed to meet the need for energy-efficient lighting, the TCS165 luminaire incorporates Philips TL5 technology, which means it saves on energy and is ideal for replacing outdated facilities. With its innovative design and dedicated optics, the TCS165 range can be applied as general lighting in a wide variety of applications including offices, corridors, schools, and shops (supermarkets, DIY). Used in combination with electronic ballasts and Philips TL5 lamps, it provides substantial energy savings.

Product data


TL5 [TL5] HFS [HF Standard] Yes	
HFS [HF Standard]	
Yes	
1	
For mounting on normally flammable surfaces	
-	
1	
840 neutral white	
High-gloss optic double parabolic closed	
220 to 240 V	
50 to 60 Hz	

Power Consumption	49 W	
Approval and Application		
Ingress protection code	IP20 [Finger-protected]	
Mech. impact protection code	IK02 [0.2 J standard]	
Protection class IEC	Safety class I	
Application Conditions		
Suitable for random switching	Not applicable	
Product Data		
Order product name	TCS165 1xTL5-49W/840 HFS C6 PIP	
Full product name	TCS165 1xTL5-49W/840 HFS C6 PIP	
Full product code	871869606936300	
Order code	910503910082	
Material Nr. (12NC)	910503910082	

TCS165

Numerator - Quantity Per Pack	1	EAN/UPC - Case	8718696069363
EAN/UPC - Product/Case	8718696069363		
Numerator - Packs per outer box	1		

Dimensional drawing





© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2023, September 4 - data subject to change