



ProLux TPS550 C

TPS550 6xTL5-54W HFP MB

6, TL5, 54 W, HF Performer, Medium beam

In industry, the bottom line is affected by a whole host of factors – worker productivity, running costs and maintenance, to name just a few. In today's economic environment, with margins under pressure, all businesses operating high-bay facilities are faced with the pressing need to save energy. Our ProLux high-bay solution is a direct replacement for current HID high-bay systems and enables significant energy savings. The combination of robust housing, high-reflectance material and specially designed reflector add up to a high-efficiency luminaire that can help drive profitability by improving energy efficiency.

Product data

| General Information | |
|--------------------------|--------------------|
| Lamp family code | TL5 [TL5] |
| Gear | HFP [HF Performer] |
| Light Technical | |
| Number of light sources | 6 |
| Optic type | Medium beam |
| Operating and Electrical | |
| Input Voltage | 220 to 240 V |
| Power Consumption | 54 W |
| Mechanical and Housing | |
| Housing Color | White |

| Product Data | |
|---------------------------------|-------------------------|
| Order product name | TPS550 6xTL5-54W HFP MB |
| Full product name | TPS550 6xTL5-54W HFP MB |
| Full product code | 911401099880 |
| Order code | 911401099880 |
| Material Nr. (12NC) | 911401099880 |
| Numerator - Quantity Per Pack | 1 |
| Numerator - Packs per outer box | 1 |

ProLux TPS550 C

Dimensional drawing

