



UNIstrip G2 RGB

BCP280 G2 9xLED-HP/RGB 24V L313 WB

UNIstrip G2 is a LED lighting fixture designed for wide range architecture wall washer lighting applications. UNIstrip G2 offers reliable quality and outstanding performance

Product data

General Information	
Light source color	Red, green and blue
Light source replaceable	No
Number of gear units	1 unit
Driver/power unit/transformer	Electronic transformer
Driver included	No
Optical cover/lens type	Polycarbonate small
Control interface	Dynamix DMX
Connection	Flying leads/wires
Cable	Cable 1.5 m without plug
Protection class IEC	Safety class III
Flammability mark	For mounting on normally flammable surfaces
CE mark	CE mark
ENEC mark	-
Warranty period	3 years
Optic type outdoor	Wide beam angle 50°
Constant light output	No
RoHS mark	RoHS mark
Light source engine type	LED
Light Technical	
Standard tilt angle posttop	-
Standard tilt angle side entry	-

Operating and Electrical	
Input Voltage	24 DC V
Power Factor (Min)	0.95
Controls and Dimming	
Dimmable	Yes
Mechanical and Housing	
Housing Material	Aluminum extruded
Optic material	Polycarbonate
Optical cover/lens material	Polycarbonate
Fixation material	Aluminum
Mounting device	Mounting bracket adjustable
Optical cover/lens shape	Flat
Optical cover/lens finish	Clear
Overall length	313 mm
Overall width	63 mm
Overall height	59 mm
Color	Aluminum and black
Approval and Application	
Ingress protection code	IP66 [Dust penetration-protected, jet-proof]
Mech. impact protection code	IK06 [1 J]

UNIStrip G2 RGB

Initial Performance (IEC Compliant)

Initial luminous flux (system flux)	570 lm
Luminous flux tolerance	+/-10%
Initial LED luminaire efficacy	44 lm/W
Init. Corr. Color Temperature	- K
Init. Color Rendering Index	-
Initial input power	13 W
Power consumption tolerance	+/-15%

Application Conditions


Ambient temperature range	-40 to +50 °C
Maximum dim level	0% (digital)

Product Data

Full product code	911401621103
Order product name	BCP280 G2 9xLED-HP/RGB 24V L313 WB
Order code	911401621103
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	8
Material Nr. (12NC)	911401621103
Net Weight (Piece)	0.899 kg



Dimensional drawing



UNIStrip G2 BCP280

