



GreenVision Xceed

BRP371 LED55/WW 55W 220-240V DM MP1

730 warm white - 55 W - 220-240 V

GreenVision Xceed offers an affordable LED road lighting solution to the customer for both pedestrian and vehicle road applications. It offers 3 housing sizes and a range of beam optics to fully cater to different road configurations and conditions. It is designed to achieve better light uniformity and maximum spacing between poles, while ensuring sufficient light on the road. Its die-cast aluminum housing and Philips LEDGINE LED platform ensures long lifetime and reliability. Best of all, GreenVision Xceed offers up to 50% of energy savings when compared to conventional lamp systems.

Product data

General Information	
Lamp colour code	730 warm white
Driver/power unit/transformer	PSU [Power supply unit]
Driver included	Yes
Protection class IEC	Safety class I (I)
CE mark	CE mark
ENEC mark	-
UL mark	No
Constant light output	No
Operating and Electrical	
Input voltage	220-240 V
Input frequency	50 to 60 Hz
Power factor (nom.)	0.95 (nominal power)

Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Housing material	Aluminium
Optic material	Polycarbonate
Fixation material	Aluminum
Approval and Application	
Ingress protection code	IP66 [Dust penetration-protected, jet-proof]
Mech. impact protection code	IK08 [5 J vandal-protected]
Initial Performance (IEC Compliant)	
Initial luminous flux	5500 lm
Initial LED luminaire efficacy	100 lm/W
Initial input power	55 W

GreenVision Xceed

Over Time Performance (IEC Compliant)

Median useful life L70B50 100000 h

Application Conditions

Ambient temperature range -40 to +50 °C

Product Data

Full product code 911401673602

Order product name BRP371 LED55/WW 55W 220-240V DM MP1

Order code 911401673602


Numerator – quantity per pack 1

Numerator – packs per outer box 1

Material no. (12NC) 911401673602

Net weight (piece) 7.000 kg

Dimensional drawing



GreenVision BRP371/372/373

