



Essential Smartbright LED

BVP161 LED23/WW 30W 220-240V WB GREY

Essential Smartbright LED, 2300 lm, 30 W, 730 warm white, Safety class I

Philips Essential SmartBright LED Floodlight not only ensures savings on initial capital, but also delivers reliable operational savings.

Product data

General Information		Cable	
Driver included	Yes	Cable 0.3 m without plug	
Lighting Technology	LED	Temperature	
CE mark	CE mark	Ambient temperature range	
Light Technical		Controls and Dimming	
Luminous Flux	2,300 lm	Dimmable	No
Correlated Color Temperature (Nom)	3000 K	Control interface	-
Luminous Efficacy (rated) (Nom)	76.67 lm/W	Mechanical and Housing	
Color rendering index (CRI)	>70	Housing Material	Aluminum die cast
Light source color	730 warm white	Optic material	Polycarbonate
Optical cover type	Micro-lens optic in polycarbonate cover, wide	Optical cover material	Polycarbonate
Operating and Electrical		Housing Color	Grey
Input Voltage	220-240 V	Overall length	193.2 mm
Line Frequency	50 to 60 Hz	Overall width	142.5 mm
Power Consumption	30 W	Overall height	33.8 mm
Power Factor (Fraction)	0.9	Dimensions (Height x Width x Depth)	34 x 143 x 193 mm
Connection	Flying leads/wires		

Essential Smartbright LED

Approval and Application	
Ingress protection code	IP65 [Dust penetration-protected, jet-proof]
Mech. impact protection code	IK07 [2 J reinforced]
Protection class IEC	Safety class I
Initial Performance (IEC Compliant)	
Luminous flux tolerance	+/-10%
Power consumption tolerance	+/-10%
Product Data	
Order product name	BVP161 LED23/WW 30W 220-240V WB GREY

Full product name	BVP161 LED23/WW 30W 220-240V WB GREY
Full product code	871016330426799
Order code	911401805698
Material Nr. (12NC)	911401805698
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8710163304267
Numerator - Packs per outer box	16
EAN/UPC - Case	8710163304328

Dimensional drawing

