



Vaya Flood HP

BCP419 48xLED/RD 100-277V 10 CE ON-OFF

48 pcs - MASTER LED - Narrow beam angle 10°

Vaya Flood HP is a reliable and cost-effective white/color-changing floodlight, designed for large-scale exterior installations. The light levels achieved by this compact fixture make it ideal for extensive wall-washing and floodlighting applications – in both static or dynamic colors. Integrated power and DMX512 control make this product easy to use with Philips or third-party DMX controllers.

Product data

General Information		Angle	
Number of light sources	48 [48 pcs]	10°	
Lamp family code	LED [MASTER LED]	Light Technical	
Light source colour	Red	Standard tilt angle post-top	0°
Light source replaceable	No	Standard tilt angle side entry	0°
Driver included	Yes	Operating and Electrical	
Optical cover/lens type	FG [Flat glass]	Input voltage	100 to 277 V
Luminaire light beam spread	10°	Input frequency	50 to 60 Hz
Protection class IEC	Safety class I (I)	Controls and Dimming	
Type description	ON-OFF [On-off]	Dimmable	No
CE mark	CE mark	Mechanical and Housing	
ENEC mark	ENEC mark	Housing material	Aluminum die-cast
UL mark	-	Optic material	Glass
CQC mark	-	Optical cover/lens material	Tempered glass
Lifetime to 70% luminous flux	50000 h	Optical cover/lens shape	Flat
Outdoor optic type	Narrow beam angle 10°	Colour	Dark gray
PSE mark	No		
RoHS mark	-		
WEEE mark	-		

Vaya Flood HP

Approval and Application	
Ingress protection code	IP66 [Dust penetration-protected, jet-proof]
Mech. impact protection code	IK06 [1 J]


Initial Performance (IEC Compliant)	
Initial luminous flux	9700 lm
Init. colour rendering index	80

Application Conditions	
Ambient temperature range	-40 to +40 °C

Product Data	
Full product code	871829163821699

Order product name	BCP419 48xLED/RD 100-277V 10 CE ON-OFF
EAN/UPC – product	8718291638216
Order code	63821699
Numerator – quantity per pack	1
Numerator – packs per outer box	2
Material no. (12NC)	912400130544
Net weight (piece)	7.500 kg

Dimensional drawing



Vaya

