



# PentaFlood Hazardous

**Square Distribution - Yoke Mount - PF4 Floodlight  
- IP65 - Class 1 Div. 2. Groups A, B, C, D, Enclosure  
Type 3 - Ambient Temperature: -29°C to 40°C -  
Temperature Code: T1**

Square Distribution - Yoke Mount - PF4 Floodlight - IP65 -  
Class 1 Div. 2. Groups A, B, C, D, Enclosure Type 3 - Ambient  
Temperature: -29°C to 40°C - Temperature Code: T1

PentaFlood Family - From a heritage of Engineering excellence and application  
know-how... New, versatile outdoor lighting on any scale.

## Product data

General Information		Mechanical and Housing	
Lamp Source Code	Metal Halide	Shape	Rectangular
Lamp Watts	400	Product Data	
Number of Lamps	1	Order product name	PF4,HAZ,YOKE,400HAL,LMP,TRI,BRZ
Photometric Distribution Type	Flood	EAN/UPC - Product	662057715612
Mounting	Pole Arm Pole Top Wall	Order code	HPF4Y400MAL-T
Operating and Electrical		Numerator - Quantity Per Pack	1
Voltages	120/208/240/277/347/480 V	Numerator - Packs per outer box	1
Maximum Lamp Watts	400	Material Nr. (12NC)	912400480837
		Net Weight (Piece)	0.001 kg
		Catalog Number	HPF4Y400MAL-T

PentaFlood Hazardous

Catalog Number	Description	3 - Ambient Temperature: -29°C to 40°C - Temperature Code: T1
	Square Distribution - Yoke Mount - PF4 Floodlight - IP65 - Class 1 Div. 2. Groups A, B, C, D, Enclosure Type	

