



# SofTrace Recessed LED

**1x4, 3800 Nominal Delivered Lumens, 80 CRI, 4000K, Diffuse-Smooth**

1x4, 3800 Nominal Delivered Lumens, 80 CRI, 4000K, Diffuse-Smooth - 113 lm/W

SofTrace LED brings new meaning to the concept of combining style with performance. Equipped with a fresh streamlined design and innovative technology, SofTrace provides a huge step forward for the lighting industry. The sleek profile design belies the true “horsepower under the hood”. With efficiency levels exceeding 95% and lumens per Watt as great as 87, an architectural product now delivers leading edge performance for the most environmentally conscious user.

## Product data

<b>General Information</b>		<b>Shape</b>	
Colour Temperature	4000K	Rectangular	
CRI	80	<b>Approval and Application</b>	
Photometric Distribution Type	Direct	DesignLights Consortium Qualified	DesignLights Consortium Qualified Product
Mounting	Recessed	Product List	List
<b>Operating and Electrical</b>		<b>Initial Performance (IEC Compliant)</b>	
Voltages	120/277/347 V	Luminaire Lumens	3800
Luminaire Input Watts	34	Efficacy	113 lm/W
<b>Mechanical and Housing</b>		<b>Product Data</b>	
Fixture Size	1 ft x 4 ft	Order product name	1STG38B840-4-D-UNV
		EAN/UPC - Product	784197610098

## SofTrace Recessed LED

Order code	1STG38B840-4-D-UNV-DIM
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	1
Material Nr. (12NC)	912401456759
Net Weight (Piece)	0.001 kg

Catalog Number	1STG38B840-4-D-UNV-DIM
Catalog Number Description	1x4, 3800 Nominal Delivered Lumens, 80 CRI, 4000K, Diffuse-Smooth

