



LED General Purpose Floods FL

LED, 20W, 4000K, Wide Flood Optics, Textured Dark Bronze

LED, 20W, 4000K, Wide Flood Optics, Textured Dark Bronze – 109 lm/W

The Keene LED Floodlights offer energy saving LED technology for long life and reduced maintenance. Versatile and stylish with five different sizes to choose from provides application flexibility for ground mount, wall mount, or pole mount installations. Ideal for sign lighting, building facades, security lighting, and general purpose floodlighting applications.

Product data

General Information	
Lamp Source Code	LED
Colour Temperature	4000K
CRI	80
Photometric Distribution Type	NEMA 7H x 6V
Mounting	NPT/NPS Ground / Floor Wall
Operating and Electrical	
Voltages	347 V
Luminaire Input Watts	20
Mechanical and Housing	
Shape	Rectangular

Material	Aluminum
Approval and Application	
Safety Listing	UL
Energy Certifications	DLC Standard
DesignLights Consortium Qualified	DesignLights Consortium Qualified Product
Product List	List
IP Rating	IP66
Vibration Rating	1.5G
Initial Performance (IEC Compliant)	
Luminaire Lumens	2122
Efficacy	109 lm/W

LED General Purpose Floods FL

Product Data	
Order product name	FL20-NW-G1-K-FL-6-BZ
EAN/UPC - Product	783352024206
Order code	FL20-NW-G1-K-FL-6-BZ
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	1
Material Nr. (12NC)	912401467976

Net Weight (Piece)	2.250 kg
Catalog Number	FL20-NW-G1-K-FL-6-BZ
Catalog Number Description	LED, 20W, 4000K, Wide Flood Optics, Textured Dark Bronze

