



Energy Advantage IR MR16

EnAdvIR Alu 35W 12V MR16 36D 1CT/4XF5

Philips Energy Advantage IRC MR16 lamps make it easy to optimize the look and feel of your merchandise, and the shoppers experience, with lower operating costs.

Product data


General Information	
Cap-Base	GU5.3 [GU5.3]
Operating Position	UNIVERSAL [Any or Universal (U)]
Rated Lifetime (Hours)	5,000 hour(s)
Lighting Technology	Halogen
Light Technical	
Beam Angle (Nom)	36 degree(s)
Correlated Color Temperature (Nom)	3000 K
Color rendering index (CRI)	100
Operating and Electrical	
Power Consumption	35 W
Lamp Current (Nom)	2.92 A
Starting Time (Nom)	0.0 s
Voltage (Nom)	12 V

12 V
MR16 [2inch/50mm]
EnAdvIR Alu 35W 12V MR16 36D 1CT/4XF5
925633717104
1
20
925633717104
EnAdvIR Alu 35W 12V MR16 36D 1CT/4XF5
50046677202687
046677202682


Datasheet, 2023, September 4 data subject to change

Energy Advantage IR MR16

Dimensional drawing




Product	D (max)	C1 (max)
EnAdvIR Alu 35W 12V MR16 36D 1CT/4XF5	51 mm	50.5 mm



Product	D (max)	C1 (max)
EnAdvIR Alu 35W 12V MR16 36D 1CT/4XF5	51 mm	50.5 mm

Photometric data



Light Distribution Diagram - EnAdvIR Alu 35W 12V MR16 36D 1CT/4XF5



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.