



# **MASTER PL-C 2 Pin**

# **MASTER PL-C 10W/827 1CT/5X10CC**

MASTER PL-C is an efficient medium-wattage compact fluorescent lamp, typically used in general downlights for retail, hospitality and office applications. The original Philips-invented bridge technology guarantees optimum performance in the application, enabling more light and higher efficacy than the bended technology. The 2-pin version is designed for operation on electromagnetic gear and is provided with a plug-in/pull-out lamp base.

#### **Warnings and Safety**

- $\cdot$  Use only with electromagnetic control gear
- Lamp light technical and electrical characteristics are influenced by operating conditions, i.e. lamp ambient temperature and operating position
- Dimming is not possible
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

#### Product data

General Information	
Cap-Base	G24D-1 [G24d-1]
Life to 50% Failures (Nom)	10,000 hour(s)
Light Technical	
Color Code	827 [CCT of 2700K]
Luminous Flux	600 lumen
Color Designation	Incandescent White
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	60 lm/W
Color rendering index (CRI)	>80

Operating and Electrical	
Power Consumption	10.0 W
Lamp Current (Nom)	0.190 A
Controls and Dimming	
Dimmable	No
Approval and Application	
Mercury (Hg) Content (Nom)	1.4 mg
Energy Consumption kWh/1000 h	13 kWh

Datasheet, 2023, September 4 data subject to change

# **MASTER PL-C 2 Pin**


Product Data	
Full product code	692341076101600
Order product name	MASTER PL-C 10W/827 1CT/5X10CC
Order code	927903882705
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	50

Material Nr. (12NC)	927903882705
Full product name	MASTER PL-C 10W/827 1CT/5X10CC
EAN/UPC - Case	6923410762051
EAN/UPC - Product/Case	6923410761016

## Dimensional drawing


Product	D (max)	D1 (max)	A (max)	B (max)	C (max)
MASTER PL-C 10W/827 1CT/5X10CC	27.1 mm	27.1 mm	75.5 mm	95.0 mm	117.4 mm


### Photometric data



Spectral Power Distribution Colour - MASTER PL-C 10W/827 1CT/5X10CC

### Lifetime





Life Expectancy Diagram - MASTER PL-C 10W/827 1CT/5X10CC

Life Expectancy Diagram - MASTER PL-C 10W/827 1CT/5X10CC

# **MASTER PL-C 2 Pin**

Lifetime

Lumen Maintenance Diagram - MASTER PL-C 10W/827 1CT/5X10CC



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.