



MASTER PL-C 2 Pin

MASTER PL-C 13W/827/2P 1CT/5X10BOX

Energy-saving compact fluorescent lamps Compact long-arc low-pressure mercury discharge lamp Envelope consists of 4 parallel narrow fluorescent tubes

Product data

General Information		Lamp current (nom.)	
Cap base	G24D-1 [G24d-1]		0.170 A
Life to 10% failures (nom.)	6500 h	Temperature	
Life to 50% failures (nom.)	10000 h	Design temperature (nom.)	28 °C
LSF 2000 h Rated	99 %	Controls and Dimming	
LSF 4000 h Rated	98 %	Dimmable	no
LSF 6000 h Rated	92 %	Mechanical and Housing	
LSF 8000 h Rated	78 %	Cap base information	2P
Light Technical		Approval and Application	
Colour Code	827 [CCT of 2,700 K]	Energy efficiency label (EEL)	A
Lamp Luminous Flux 25°C EL (Nom)	925 lm	Mercury (Hg) content (nom.)	1.4 mg
Lamp Luminous Flux (Nom)	925 lm	Energy Consumption kWh/1000 h	17 kWh
Colour Designation	Incandescent White	Product Data	
Colour Temperature, horizontal (Nom)	2700 K	Full product code	871150062081100
Lamp Luminous Efficacy EM (Nom)	69 lm/W	Order product name	MASTER PL-C 13W/827/2P 1CT/5X10BOX
Colour Rendering Index, horiz (Nom)	83	EAN/UPC – product	8711500620811
LLMF 2000 h Rated	92 %	Order code	927904882701
LLMF 4000 h Rated	87 %	Numerator – quantity per pack	1
LLMF 6000 h Rated	83 %	Numerator – packs per outer box	50
LLMF 8000 h Rated	81 %	Material no. (12NC)	927904882701
Operating and Electrical		Net weight (piece)	53.600 g
Power (Rated) (Nom)	13.4 W		

MASTER PL-C 2 Pin


ILCOS Code

FSQ-13/27/1B-I-G24d-1

Warnings and Safety

- Use only with electromagnetic control gear
- Lamp light technical and electrical characteristics are influenced by operating conditions, i.e. lamp ambient temperature and operating position
- Dimming is not possible
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.


Dimensional drawing




Product	D (max)	D1 (max)	A (max)	B (max)	C (max)
MASTER PL-C 13W/827/2P 1CT/5X10BOX	27.1 mm	27.1 mm	97.5 mm	117.0 mm	139.4 mm

PL-C 13W/827/2P

Photometric data



Lightcolour /827



Lightcolour /827

MASTER PL-C 2 Pin

Lifetime

