


MASTER PL-C 2 Pin 2-針腳型

MASTER PL-C 26W/827/2P 1CT/5X10BOX

省電型精巧螢光燈管。精巧型長電弧低壓水銀放電燈管。套管內含 4 個平行細長螢光燈管

安全提示

- Use only with electromagnetic control gear
- Lamp light technical and electrical characteristics are influenced by operating conditions, i.e. lamp ambient temperature and operating position
- Dimming is not possible
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

产品数据

一般資訊	
燈座基底	G24d-3
壽命 (故障率 50%) (標稱)	10,000 h

照明技術	
色碼	827 [CCT of 2700K]
光通量	1,800 lm
色彩名稱	白熾白色
相關色彩溫度 (規範)	2700 K
光效 (額定) (標準)	68 lm/W
演色性指數 (CRI)	82

運轉與電力	
耗電量	26.5 W
燈具電流 (標稱)	0.335 A

控制與調光	
可調光	否

認證與應用	
汞 (Hg) 含量 (標稱)	1.4 mg
能源消耗 kWh/1000 h	32 kWh


產品資料	
下訂產品名稱	MASTER PL-C 26W/827/2P 1CT/5X10BOX
完整產品名稱	MASTER PL-C 26W/827/2P 1CT/5X10BOX
完整產品代碼	871150062095800
訂單代碼	927906182701
材質 Nr. (12NC)	927906182701

MASTER PL-C 2 Pin 2-針腳型

分子 - 每個包裝的數量	1
EAN/UPC - 產品/案例	8711500620958
分子 - 每一外盒包裝	50


EAN/UPC - 箱	8711500621276

二维绘图




Product	D (max)	D1 (max)	A (max)	B (max)	C (max)
MASTER PL-C 26W/827/2P 1CT/ 5X10BOX	27.1 mm	27.1 mm	130.5 mm	149.0 mm	171.4 mm

光度数据




Spectral Power Distribution Colour - MASTER PL-C 26W/827/2P 1CT/5X10BOX

壽命



Life Expectancy Diagram - MASTER PL-C 26W/827/2P 1CT/5X10BOX



Lumen Maintenance Diagram - MASTER PL-C 26W/827/2P 1CT/5X10BOX

MASTER PL-C 2 Pin 2-針腳型

壽命

Life Expectancy Diagram - MASTER PL-C 26W/827/2P 1CT/5X10BOX

© 2023 Signify Holding 保留一切權利。 Signify 不對本協議所含括資訊之準確性及完整性提供任何聲明或保證，對以此訊息為依據採取的任何行動亦概不負責。 除非 Signify 同意，本文件提及之資訊並非任何商業合約，亦不構成任何報價或合約任一部分。 Philips 與 Philips Shield Emblem 均屬 Koninklijke Philips N.V 註冊商標。