



MASTER PL-T 2 Pin

MASTER PL-T 26W/830/2P 1CT/5X10CC

MASTER PL-T is an efficient compact fluorescent lamp, typically used in general downlights for retail, hospitality and office applications demanding higher lighting levels. The original Philips-invented bridge technology guarantees optimum performance in the application, enabling more light and higher efficacy than the bended technology. The 2-pin version is designed for operation on electromagnetic gear and is provided with a plug-in/pull-out lamp base.

Warnings and Safety

- Use only with electromagnetic control gear
- Lamp light technical and electrical characteristics are influenced by operating conditions, i.e. lamp ambient temperature and operating position
- Dimming is not possible
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data

Operating and Electrical		Color Designation	
Power Consumption	26.9 W	Color Designation	Warm White (WW)
Lamp Current (Nom)	0.335 A	Chromaticity Coordinate X (Nom)	0.44
General Information		Chromaticity Coordinate Y (Nom)	0.403
Cap-Base	GX24D-3 [GX24d-3]	Correlated Color Temperature (Nom)	3000 K
Flux measurement reference	Sphere	Luminous Efficacy (Rated) (Min)	66 lm/W
Brand	Philips	Color rendering index (CRI)	80
Light Technical		Controls and Dimming	
Color Code	830 [CCT of 3000K]	Dimmable	No
Luminous Flux	1,800 lumen	Approval and Application	
		Mercury (Hg) Content (Max)	1.4 mg

MASTER PL-T 2 Pin


Mercury (Hg) Content (Nom)	1.4 mg
Energy Consumption kWh/1000 h	27 kWh
EPREL Registration Number	423,344

Product Data

Full product code	871150061102470
Order product name	MASTER PL-T 26W/830/2P 1CT/5X10BOX
Order code	61102470


Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	50
Material number (12NC)	927914583071
Net weight	66.000 kg
Full product name	MASTER PL-T 26W/830/2P 1CT/5X10CC
EAN/UPC - Case	8711500611109

Dimensional drawing



Product	D (max)	A (max)	B (max)	C (max)
MASTER PL-T 26W/830/2P 1CT/5X10BOX	41 mm	86.7 mm	111.0 mm	134.2 mm



Photometric data



Spectral Power Distribution Colour - MASTER PL-T 26W/830/2P 1CT/5X10BOX


MASTER PL-T 2 Pin

Lifetime



Life Expectancy Diagram - MASTER PL-T 26W/830/2P 1CT/5X10BOX

Life Expectancy Diagram - MASTER PL-T 26W/830/2P 1CT/5X10BOX



Lumen Maintenance Diagram - MASTER PL-T 26W/830/2P 1CT/5X10BOX

