



TL-D consumer products



TL-D 30W/827 1PP/10

The lamp can be operated in existing TL-D luminaire and is available in a wide range of wattages and colors.

Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data

General Information		Lamp Current (Nom)	
Cap-Base	G13 [Medium Bi-Pin Fluorescent]		0.360 A
Flux measurement reference	Sphere	Controls and Dimming	
Life to 50% Failures (Nom)	15,000 hour(s)	Dimmable	Yes
Light Technical		Mechanical and Housing	
Color Code	827 [CCT of 2700K]	Bulb Shape	T8
Luminous Flux	2,400 lm	Approval and Application	
Color Designation	Incandescent White	Energy Efficiency Class	G
Chromaticity Coordinate X (Nom)	0.463	Mercury (Hg) Content (Nom)	1.7 mg
Chromaticity Coordinate Y (Nom)	0.42	Energy Consumption kWh/1000 h	31 kWh
Correlated Color Temperature (Nom)	2700 K	EPREL Registration Number	423369
Luminous Efficacy (rated) (Nom)	80 lm/W	Product Data	
Color rendering index (CRI)	82	Order product name	TL-D 30W/827 1PP/10
Operating and Electrical		Full product name	TL-D 30W/827 1PP/10
Power Consumption	30.2 W	Full product code	871150062264825


TL-D consumer products

Order code	927920582719
Material Nr. (12NC)	927920582719
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8711500622648


Numerator - Packs per outer box	10
EAN/UPC - Case	8711500622778

Dimensional drawing

Product	D (max)	A (max)	B (max)	B (min)	C (max)
TL-D 30W/827 1PP/10	28 mm	894.6 mm	901.7 mm	899.3 mm	908.8 mm




Photometric data




Spectral Power Distribution Colour - TL-D 30W/827 1PP/10

Lifetime




Life Expectancy Diagram - TL-D 30W/827 1PP/10



Life Expectancy Diagram - TL-D 30W/827 1PP/10

TL-D consumer products

Lifetime



Lumen Maintenance Diagram - TL-D 30W/827 1PP/10

