



MASTER TL5 High Efficiency

MASTER TL5 HE 14W/865 SLV/40

Low-pressure mercury discharge lamps with a tubular 16 mm envelope

Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data

General Information		
Cap-Base	G5	
Features	na [Not Applicable]	
Flux measurement reference	Sphere	
Light Technical		
Color Code	865 [CCT of 6500K]	
Luminous Flux	1,125 lm	
Color Designation	Cool Daylight	
Chromaticity Coordinate X (Nom)	0.313	
Chromaticity Coordinate Y (Nom)	0.337	
Correlated Color Temperature (Nom)	6500 K	
Luminous Efficacy (rated) (Nom)	80 lm/W	
Color rendering index (CRI)	82	

Operating and Electrical	
Power Consumption	14.0 W
Lamp Current (Nom)	0.165 A
Controls and Dimming	
Dimmable	Yes
Mechanical and Housing	
Bulb Shape	T5
Approval and Application	
Energy Efficiency Class	G
Mercury (Hg) Content (Nom)	1.2 mg
Energy Consumption kWh/1000 h	14 kWh
EPREL Registration Number	423448


Datasheet, 2023, April 17 data subject to change

MASTER TL5 High Efficiency

Product Data	
Order product name	MASTER TL5 HE 14W/865 SLV/40
Full product name	MASTER TL5 HE 14W/865 SLV/40
Full product code	871150071009355
Order code	927926086555
Material Nr. (12NC)	927926086555


Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8711500710093
Numerator - Packs per outer box	40
EAN/UPC - Case	8711500867490

Dimensional drawing







Photometric data



Spectral Power Distribution Colour - MASTER TL5 HE 14W/865 SLV/40

Lifetime






Life Expectancy Diagram - MASTER TL5 HE 14W/865 SLV/40

Life Expectancy Diagram - MASTER TL5 HE 14W/865 SLV/40

MASTER TL5 High Efficiency

Lifetime



Lumen Maintenance Diagram - MASTER TL5 HE 14W/865 SLV/40

