



PL-T Triple 4-Pin Base Non Amalgam

PL-T 26W/835/4P/ALTO

Philips Non-Amalgam PL-T Compact Fluorescent lamps offer designers, specifiers, and end-users new levels of efficiencies and versatility in sizes, configurations and application possibilities.


Product data

General Information	
Cap-Base	GX24Q-3 [GX24q-3]
Light Technical	
Color Code	835 [CCT of 3500K]
Luminous Flux	1,750 lumen
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3500 K
Luminous Efficacy (Rated) (Min)	67.3 lm/W
Luminous Efficacy (rated) (Nom)	65.1 lm/W
Color rendering index (CRI)	82
Operating and Electrical	
Power Consumption	26 W
Lamp Current (Nom)	0.335 A
Controls and Dimming	
Dimmable	Yes

Approval and Application	
Mercury (Hg) Content (Nom)	1.4 mg
Energy Consumption kWh/1000 h	29 kWh
Product Data	
Order product name	PL-T 26W/835/4P/ALTO
Order code	927933083530
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	927933083530
Full product name	PL-T 26W/835/4P/ALTO
EAN/UPC - Case	50046677433395
EAN/UPC - Product/Case	046677433390


PL-T Triple 4-Pin Base Non Amalgam

Dimensional drawing




Product	D (max)	A (max)	B (max)	C (max)
PL-T 26W/835/4P/ALTO	41.0 mm	86.7 mm	111.0 mm	126.7 mm

Photometric data




Spectral Power Distribution Colour - PL-T 26W/835/4P/ALTO

Lifetime




Life Expectancy Diagram - PL-T 26W/835/4P/ALTO



Life Expectancy Diagram - PL-T 26W/835/4P/ALTO

PL-T Triple 4-Pin Base Non Amalgam

Lifetime



Lumen Maintenance Diagram - PL-T 26W/835/4P/ALTO

