



# PL-Q 2 Pin



# PL-Q 28W/827/2P 1CT/10BOX

Compact fluorescent lamps with a quadrant-like shape

#### Warnings and Safety

- $\boldsymbol{\cdot}$  Use only with electromagnetic control gear
- Lamp light technical and electrical characteristics are influenced by operating conditions, i.e. lamp ambient temperature and operating position
- Dimming is not possible
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

#### **Product data**

General Information	
Cap-Base	GR8 [GR8]
Flux measurement reference	Sphere
Life to 50% Failures (Nom)	8,000 hour(s)
Light Technical	
Color Code	827 [CCT of 2700K]
Luminous Flux	2,050 lm
Color Designation	Incandescent White
Chromaticity Coordinate X (Nom)	0.463
Chromaticity Coordinate Y (Nom)	0.42
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	73.2 lm/W
Color rendering index (CRI)	81
Operating and Electrical	
Power Consumption	28.4 W

Lamp Current (Nom)	0.320 A
Controls and Dimming	
Dimmable	No
Approval and Application	
Energy Efficiency Class	G
Mercury (Hg) Content (Max)	3 mg
Mercury (Hg) Content (Nom)	4.0 mg
Energy Consumption kWh/1000 h	29 kWh
EPREL Registration Number	423609
Product Data	
Order product name	PL-Q 28W/827/2P 1CT/10BOX
Full product name	PL-Q 28W/827/2P 1CT/10BOX
Full product code	871150027454025
Order code	27454025


Datasheet, 2023, May 1 data subject to change

## PL-Q 2 Pin

Material Nr. (12NC)	927939282740
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8711500274540
Numerator - Packs per outer box	10

EAN/UPC - Case	8711500274588

### Dimensional drawing




 Product
 U (max)
 D (max)
 D1 (max)
 C (max)
 C1 (max)
 F (max)
 E (max)

 PL-Q 28W/827/2P
 46.5 mm
 18.9 mm
 33.0 mm
 203 mm
 76 mm
 41 mm
 200 mm


 1CT/10BOX


#### Photometric data



Spectral Power Distribution Colour - PL-Q 28W/827/2P 1CT/10BOX

#### Lifetime






Life Expectancy Diagram - PL-Q 28W/827/2P 1CT/10BOX

Life Expectancy Diagram - PL-Q 28W/827/2P 1CT/10BOX

# PL-Q 2 Pin

#### Lifetime



Lumen Maintenance Diagram - PL-Q 28W/827/2P 1CT/10BOX

