



Blue (/52) TL/TL-D

TL20W/52 SLV/25

By emitting light almost entirely within the 400 to 500 nm bandwidth these Medical Therapy Jaundice TL/TL-D /52 lamps have no radiation from the short wave UVB waveband. They are therefore ideal for treating new born babies suffering from hyperbilirubinemia (neonatal jaundice) and Crigler-Najjar Syndrome (CNS). Moreover, the bandwidth of these lamps peak at the most effective treatment wavelength of 450 nm. This highly efficacious phototherapy treatment has eliminated the need for blood transfusions in almost all jaundiced infants.

Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- Lamp contains mercury.
- Manage in Accord with Disposal Laws.
- See: www.lamprecycle.org or 1-800-555-0050

Product data

General information	
Base	G13 [Medium Bi-Pin Fluorescent]
Main Application	-
Life to 50% Failures (Nom)	9000 h
Useful Life (Nom)	2000 h
Light technical	
Color Code	52
Initial lumen (Nom)	318 lm
Beam Description	-
Chromaticity Coordinate X (Nom)	154
Chromaticity Coordinate Y (Nom)	69

LLMF 2000 h Rated	20 %
Operating and electrical	
Power (Rated) (Nom)	19.3 W
Lamp Current (Nom)	0.36 A
Voltage (Nom)	59 V
Controls and dimming	
Dimmable	No

Blue (/52) TL/TL-D

Mechanical and housing

Bulb Shape T12 [T12]

Approval and application

Mercury (Hg) Content (Nom) 8.0 mg

Product data

Order product name TL 20W/52 SLV/25

EAN/UPC - Product 8711500643025


Order code 161190

Numerator - Quantity Per Pack 1


Numerator - Packs per outer box 25

Material Nr. (12NC) 928003505203

Net Weight (Piece) 156.000 g




Dimensional drawing




TL 20W/52 SLV/25

Product	D (max)	A (max)	B (max)	B (min)	C (max)
TL 20W/52 SLV/25	40.5 mm	589.8 mm	596.9 mm	594.5 mm	604 mm

Photometric data



XDPB_XUATL_52-Spectral power distribution B/W



XDPO_XUATL_52-Spectral power distribution Colour

