



# TL-D Standard Colours

## TLD 30W STANDARD 25PCS

TL-D Standard Colors lamps (tube diameter of 26 mm) create atmospheres from warm white to cool daylight. Lamps with moderate efficacy and color rendering.

### Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

### Product data


General Information		Controls and Dimming	
Cap-Base	G13 [Medium Bi-Pin Fluorescent]	Dimmable	Yes
Life to 50% Failures (Nom)	13,000 hour(s)		
Light Technical		Mechanical and Housing	
Color Code	75	Bulb Shape	T8
Luminous Flux	1,310 lm		
Color Designation	Daylight	Approval and Application	
Correlated Color Temperature (Nom)	5000 K	Mercury (Hg) Content (Nom)	8.0 mg
Color rendering index (CRI)	70		
Operating and Electrical		Product Data	
Power Consumption	30 W	Order product name	TLD 30W STANDARD 25PCS
Lamp Current (Nom)	0.360 A	Full product name	TLD 30W STANDARD 25PCS
Voltage (Nom)	98 V	Full product code	872790091804500
Voltage (Nom)	98 V	Order code	928025407548
		Material Nr. (12NC)	928025407548
		Numerator - Quantity Per Pack	1
		EAN/UPC - Product/Case	8727900918045
		Numerator - Packs per outer box	25

## TL-D Standard Colours

EAN/UPC - Case

8727900918052

### Dimensional drawing



Product	D (max)	A (max)	B (max)	B (min)	C (max)
TLD 30W STANDARD 25PCS	28 mm	894.6 mm	901.7 mm	899.3 mm	908.8 mm

