



MASTER TL-D 90 De Luxe

MASTER TL-D 90 De Luxe 18W/930 SLV/10

This TL-D lamp makes colors appear rich, deep and enhanced in a natural way. Thus very suitable for applications where a high color recognition is needed: first aid and treatment rooms in hospitals, printing rooms, jewelry, dentists, hairdressing, museums and shops

Warnings and Safety

• A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data

General Information					
Cap-Base	G13 [Medium Bi-Pin Fluorescent]				
Life to 50% Failures (Nom)	15,000 hour(s)				
Light Technical					
Color Code	930 [CCT of 3000K]				
Luminous Flux	1,200 lm				
Color Designation	Warm White (WW)				
Chromaticity Coordinate X (Nom)	434				
Chromaticity Coordinate Y (Nom)	399				
Correlated Color Temperature (Nom)	3000 K				
Luminous Efficacy (rated) (Nom)	66.7 lm/W				
Color rendering index (CRI)	91				
	-				
Operating and Electrical					
Power Consumption	18.0 W				

Lamp Current (Nom) 0.360 A
Controls and Dimming
Dimmable Yes
Mechanical and Housing
Bulb Shape T8 [26 mm (T8)]
Approval and Application
Mercury (Hg) Content (Nom) 2 mg
Energy Consumption kWh/1000 h 22 kWh
Product Data
Order product name MASTER TL-D 90 De Luxe 18W/930 SLV/10
'
Full product name MASTER TL-D 90 De Luxe 18W/930 SLV/10


Datasheet, 2023, September 21 data subject to change

MASTER TL-D 90 De Luxe

Order code	928043593081
Material Nr. (12NC)	928043593081
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8711500888372


Numerator - Packs per outer box	10
EAN/UPC - Case	8711500888389

Dimensional drawing




Product	D (max)	A (max)	B (max)	B (min)	C (max)
MASTER TL-D 90 De Luxe	28 mm	589.8 mm	596.9 mm	594.5 mm	604 mm
18W/930 SLV/10					


Photometric data



Spectral Power Distribution Colour - MASTER TL-D 90 De Luxe 18W/930 SLV/10

Lifetime






Life Expectancy Diagram - MASTER TL-D 90 De Luxe 18W/930 SLV/10

Life Expectancy Diagram - MASTER TL-D 90 De Luxe 18W/930 SLV/10

MASTER TL-D 90 De Luxe

Lifetime



Lumen Maintenance Diagram - MASTER TL-D 90 De Luxe 18W/930 SLV/10



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.