



MASTER TL-D Food

MASTER TL-D Food 18W/79 1SL/25

Low-pressure mercury discharge lamps with a tubular 26 mm envelope

Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.


Product data

| General Information | |
|------------------------------------|---------------------------------|
| Cap-Base | G13 [Medium Bi-Pin Fluorescent] |
| Life to 50% Failures (Nom) | 15,000 hour(s) |
| Light Technical | |
| Color Code | 79 |
| Luminous Flux | 740 lm |
| Color Designation | Food |
| Correlated Color Temperature (Nom) | 3800 K |
| Luminous Efficacy (rated) (Nom) | 41 lm/W |
| Color rendering index (CRI) | 74 |
| Operating and Electrical | |
| Power Consumption | 18.0 W |
| Lamp Current (Nom) | 0.360 A |
| Voltage (Nom) | 59 V |
| Voltage (Nom) | 59 V |
| Controls and Dimming | |
| Dimmable | Yes |

| Mechanical and Housing | |
|---------------------------------|--------------------------------|
| Bulb Shape | T8 |
| Approval and Application | |
| Mercury (Hg) Content (Nom) | 5.0 mg |
| Energy Consumption kWh/1000 h | 23 kWh |
| Product Data | |
| Order product name | MASTER TL-D Food 18W/79 SLV/25 |
| Full product name | MASTER TL-D Food 18W/79 1SL/25 |
| Full product code | 871150070621840 |
| Order code | 70621840 |
| Material Nr. (12NC) | 928048002043 |
| Numerator - Quantity Per Pack | 1 |
| EAN/UPC - Product/Case | 8711500706218 |
| Numerator - Packs per outer box | 25 |
| EAN/UPC - Case | 8711500613080 |


MASTER TL-D Food

Dimensional drawing




| Product | D (max) | A (max) | B (max) | B (min) | C (max) |
|--------------------------------|---------|----------|----------|----------|---------|
| MASTER TL-D Food 18W/79 SLV/25 | 28 mm | 589.8 mm | 596.9 mm | 594.5 mm | 604 mm |

Photometric data




Spectral Power Distribution Colour - MASTER TL-D Food 18W/79 SLV/25

Lifetime




Life Expectancy Diagram - MASTER TL-D Food 18W/79 SLV/25



Life Expectancy Diagram - MASTER TL-D Food 18W/79 SLV/25

MASTER TL-D Food

Lifetime



Lumen Maintenance Diagram - MASTER TL-D Food 18W/79 SLV/25

