

# Lighting

**PHILIPS** 

# **MASTER MHN-LA**

# MASTER MHN-LA 2000W/956 400V XWH

Compact quartz metal halide lamps with double-pinch

#### Warnings and Safety

- Use only in totally enclosed luminaire, even during testing (IEC61167, IEC 62035, IEC60598)
- Use only in totally enclosed luminaire, even during testing (IEC61167, IEC 62035, IEC60598)
- The luminaire must be able to contain hot lamp parts if the lamp ruptures
- The luminaire must be able to contain hot lamp parts if the lamp ruptures
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

#### **Product data**

General Information		Arc Length O (Nom)	108 mm
Cap-Base	X528		
Operating Position	P5 [Parallel +/-5D or Horizontal(HOR)]	<b>Operating and Electrical</b>	
Life to 50% Failures (Nom)	13,000 hour(s)	Power Consumption	2,040.0 W
		Voltage (Nom)	225 V
Light Technical		Voltage (Nom)	225 V
Color Code	956 [CCT of 5600K]		
Color Designation	Daylight	Controls and Dimming	
Chromaticity Coordinate X (Nom)	330	Dimmable	No
Chromaticity Coordinate Y (Nom)	339		
Correlated Color Temperature (Nom)	5600 K	Mechanical and Housing	
Luminous Efficacy (rated) (Nom)	93 lm/W	Bulb Finish	Clear
Color rendering index (CRI)	82	Bulb Shape	TD40


# **MASTER MHN-LA**

Approval and Application	
Mercury (Hg) Content (Nom)	140 mg
Energy Consumption kWh/1000 h	2244 kWh
Product Data	

Order product name	MASTER MHN-LA 2000W/956 400V XWH		
Full product name	MASTER MHN-LA 2000W/956 400V XWH		
Full product code	871150020073000		


Order code	928072505130
Material Nr. (12NC)	928072505130
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718291548225
Numerator - Packs per outer box	1
EAN/UPC - Case	8711500200730

## Dimensional drawing



Product	D (max)	0	х	А
MASTER MHN-LA 2000W/956 400V XWH	40 mm	108 mm	58 mm	353 mm


### Photometric data



Spectral Power Distribution Colour - MASTER MHN-LA 2000W/956 400V XWH

# **MASTER MHN-LA**

#### Lifetime



Life Expectancy Diagram - MASTER MHN-LA 2000W/956 400V XWH

Lumen Maintenance Diagram - MASTER MHN-LA 2000W/956 400V XWH

4000

6000

8000

10000

Burning hours



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2023, April 16 - data subject to change