



# MASTER CityWhite CDO-TT



## MASTER CityWh CDO-TT Plus 50W/828 E27

Ceramic metal halide lamp with clear tubular outer bulb shape, used in outdoor offering pleasant white light

#### Warnings and Safety

- · Use only in totally enclosed luminaire, even during testing (IEC61167, IEC 62035, IEC60598)
- $\boldsymbol{\cdot}$  The luminaire must be able to contain hot lamp parts if the lamp ruptures
- · Lamps may use electromagnetic control gear or electronic gear suitable to drive CDO lamps (e.g. HID-PV Xt CDO)
- · Control gear must include end-of-life protection (IEC61167, IEC 62035)
- · Warm restart time can be up to 15 minutes; T15 ignitors therefore advised
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

#### **Product data**

General Information					
Cap-Base	E27				
Operating Position	UNIVERSAL [Any or Universal (U)]				
Flux measurement reference	Sphere				
Life to 50% Failures (Nom)	21,000 hour(s)				
Light Technical					
Color Code	828 [CCT of 2800K]				
Luminous Flux	5,500 lm				
Color Designation	Warm White (WW)				
Chromaticity Coordinate X (Nom)	0.447				
Chromaticity Coordinate Y (Nom)	0.4				
Correlated Color Temperature (Nom)	2800 K				

Luminous Efficacy (rated) (Nom)	104 lm/W
Color rendering index (CRI)	84
Arc Length O (Nom)	5.25 mm
Operating and Electrical	
Power Consumption	53.0 W
Voltage (Nom)	83 V
Voltage (Nom)	83 V
Controls and Dimming	
Dimmable	Yes


Datasheet, 2024, March 21 data subject to change

# **MASTER CityWhite CDO-TT**

Mechanical and Housing					
Bulb Finish	Clear				
Bulb Shape	T31				
Approval and Application					
Energy Efficiency Class	F				
Mercury (Hg) Content (Max)	5.4 mg				
Mercury (Hg) Content (Nom)	5.4 mg				
Energy Consumption kWh/1000 h	53 kWh				
EPREL Registration Number	473330				
Product Data					
Order product name	MASTER CityWh CDO-TT Plus 50W/828 E27				


Full product name	MASTER CityWh CDO-TT Plus 50W/828 E27				
Full product code	871829118561100				
Order code	928082419235				
Material Nr. (12NC)	928082419235				
Numerator - Quantity Per Pack	1				
EAN/UPC - Product/Case	8718291185611				
Numerator - Packs per outer box	12				
EAN/UPC - Case	8718291185628				


## Dimensional drawing




Product	D (max)	0	L	C (max)
MASTER CityWh CDO-TT Plus 50W/828 E27	36 mm	5.25 mm	102 mm	156 mm

## Photometric data









Light Distribution Diagram - MASTER CityWh CDO-TT Plus 50W/828 E27

Spectral Power Distribution Colour - MASTER CityWh CDO-TT Plus 50W/828 E27

# **MASTER CityWhite CDO-TT**

#### Lifetime





Life Expectancy Diagram - MASTER CityWh CDO-TT Plus 50W/828 E27

Lumen Maintenance Diagram - MASTER CityWh CDO-TT Plus 50W/828 E27

