



TUV Amalgam XPT systems

TUV 330W XPT DE UNP

Philips TUV Amalgam XPT system consists of an electronic driver that operates one TUV Amalgam XPT lamp, mounted in a sleeve. The electrical specifications are tailored to the lamp, ensuring an optimized performance of the Philips TUV Amalgam XPT system. Thanks to extensive testing before a lamp system is released, we can ensure maximum reliability and long lifetime.

Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- DANGER: Risk Group 3 Ultra Violet product. These lamps emit high-power UV radiation that can cause severe injury to skin and eyes. Avoid eye and skin exposure to unshielded product. Use only in an enclosed environment which shields users from the radiation.

Product data


General Information		Controls and Dimming	
Operating Position	P10 [Parallel +/-10D or Horizontal(HOR)]	Dimmable	Yes
Useful Life (Nom)	12,000 hour(s)		
Light Technical		UV	
Depreciation at Useful Lifetime	10 %	UV-C Radiation at 100 hr	95 W
Arc Length O (Nom)	1,440 mm		
Operating and Electrical		Product Data	
Power Consumption	330 W	Order product name	TUV 330W XPT DE UNP
		Full product name	TUV 330W XPT DE UNP
		Full product code	872790081112400
		Order code	81112400
		Material Nr. (12NC)	928107205112

TUV Amalgam XPT systems

Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8727900811124
Numerator - Packs per outer box	20


EAN/UPC - Case	8727900811124
----------------	---------------

Dimensional drawing




Product	D	O	C (max)
TUV 330W XPT DE UNP	32 mm	1,440 mm	1,554 mm

Photometric data



Spectral Power Distribution Colour - TUV 330W XPT DE UNP

Lifetime



Lumen Maintenance Diagram - TUV 330W XPT DE UNP

TUV Amalgam XPT systems

