



MASTER SON-T PIA Plus

MST SON-T PIA Plus 400W E40 1SL/12

High Pressure Sodium lamp with clear tubular outer bulb, high output and long reliable lifetime

Warnings and Safety

- Control gear must include end-of-life protection (IEC60662, IEC 62035)
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data


General Information		Operating and Electrical		
Cap-Base	E40 [E40]	Power Consumption	408.0 W	
Operating Position	UNIVERSAL [Any or Universal (U)]	Voltage (Nom)	105 V	
Flux measurement reference	Sphere	Voltage (Nom)	105 V	
Life to 50% Failures (Nom)	36000 hour(s)			
		Controls and Dimming		
Light Technical		Dimmable	Yes	
Color Code	220 [CCT of 2000K]			
Luminous Flux	55900 lm	Mechanical and Housing		
Chromaticity Coordinate X (Nom)	0.535	Bulb Finish	Clear	
Chromaticity Coordinate Y (Nom)	0.42	Bulb Shape	T46 [T 46mm]	
Correlated Color Temperature (Nom)	2000 K			
Luminous Efficacy (rated) (Nom)	137 lm/W	Approval and Application		
Color rendering index (CRI)	-	Energy Efficiency Class	E	
Arc Length O (Nom)	83 mm	Mercury (Hg) Content (Max)	19.6 mg	
		Mercury (Hg) Content (Nom)	20 mg	
		Energy Consumption kWh/1000 h	408 kWh	

MASTER SON-T PIA Plus

EPREL Registration Number	473370		
Product Data			
Order product name	MST SON-T PIA Plus 400W E40 1SL/12		
Full product name	MST SON-T PIA Plus 400W E40 1SL/12		
Full product code	871829118077700		
Order code	928144809293		


Material Nr. (12NC)	928144809293		
Numerator - Quantity Per Pack	1		
EAN/UPC - Product/Case	8718291180777		
Numerator - Packs per outer box	12		
EAN/UPC - Case	8718291180784		

Dimensional drawing



Product	D (max)	0	L	C (max)
MST SON-T PIA Plus 400W E40 1SL/12	48 mm	83 mm	175 mm	279 mm

Photometric data




Light Distribution Diagram - MST SON-T PIA Plus 400W E40 1SL/12



5 5000 10000 15000 20000 25000 3000 3500 40000 Burning hours

Life Expectancy Diagram - MST SON-T PIA Plus 400W E40 1SL/12

Lifetime



Lumen Maintenance Diagram - MST SON-T PIA Plus 400W E40 1SL/12

-

MASTER SON-T PIA Plus



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2023, April 16 - data subject to change