



MASTER SON-T PIA Plus

MST SON-T PIA Plus 400W E40 1SL/12

High Pressure Sodium lamp with clear tubular outer bulb, high output and long reliable lifetime

Warnings and Safety

- · Control gear must include end-of-life protection (IEC60662, IEC 62035)
- · Control gear must include end-of-life protection (IEC60662, IEC 62035)
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data

- II (
General Information				
Cap-Base	E40 [E40]			
Operating Position	UNIVERSAL [Any or Universal (U)]			
Flux measurement reference	Sphere			
Life to 50% Failures (Nom)	36,000 hour(s)			
Light Technical				
Color Code	220 [CCT of 2000K]			
Luminous Flux	55,900 lm			
Chromaticity Coordinate X (Nom)	0.535			
Chromaticity Coordinate Y (Nom)	0.42			
Correlated Color Temperature (Nom)	2000 K			
Luminous Efficacy (rated) (Nom)	137 lm/W			

Color rendering index (CRI)	-
Arc Length O (Nom)	83 mm
Operating and Electrical	
Power Consumption	408.0 W
Voltage (Nom)	105 V
Voltage (Nom)	105 V
Controls and Dimming	
Dimmable	Yes
Mechanical and Housing	
Bulb Finish	Clear


Datasheet, 2023, April 16 data subject to change

MASTER SON-T PIA Plus

Bulb Shape	T46 [T 46mm]			
Approval and Application				
Energy Efficiency Class	E			
Mercury (Hg) Content (Max)	19.6 mg			
Mercury (Hg) Content (Nom)	20 mg			
Energy Consumption kWh/1000 h	408 kWh			
EPREL Registration Number	473370			
Product Data				
Order product name	MST SON-T PIA Plus 400W E40 1SL/12			


Full product name	MST SON-T PIA Plus 400W E40 1SL/12
Full product code	871829118077700
Order code	928144809293
Material Nr. (12NC)	928144809293
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718291180777
Numerator - Packs per outer box	12
EAN/UPC - Case	8718291180784


Dimensional drawing




Product	D (max)	0	L	C (max)
MST SON-T PIA Plus 400W E40 1SL/12	48 mm	83 mm	175 mm	279 mm

Photometric data









Light Distribution Diagram - MST SON-T PIA Plus 400W E40 1SL/12

Spectral Power Distribution Colour - MST SON-T PIA Plus 400W E40 1SL/12

MASTER SON-T PIA Plus

Lifetime





Lumen Maintenance Diagram - MST SON-T PIA Plus 400W E40 1SL/12

Life Expectancy Diagram - MST SON-T PIA Plus 400W E40 1SL/12



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.