



# **MASTER MHN-SA**

# MASTER MHN-SA 2000W/956 400V XW HO UNP/1

Compact quartz metal halide lamps with double-pinch

#### Warnings and Safety

- $\cdot$  Use only in totally enclosed luminaire, even during testing (IEC61167, IEC 62035, IEC60598)
- · Use only in totally enclosed luminaire, even during testing (IEC61167, IEC 62035, IEC60598)
- The luminaire must be able to contain hot lamp parts if the lamp ruptures
- The luminaire must be able to contain hot lamp parts if the lamp ruptures
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

#### **Product data**

General Information		
Cap-Base	X830R	
Operating Position	P15 [Parallel +/-15D or Horizontal(HOR)]	
Life to 50% Failures (Nom)	5,000 hour(s)	
Light Technical		
Color Code	956 [CCT of 5600K]	
Color Designation	Daylight	
Chromaticity Coordinate X (Nom)	330	
Chromaticity Coordinate Y (Nom)	366	
Correlated Color Temperature (Nom	n) 5600 K	
Luminous Efficacy (rated) (Nom)	108 lm/W	
Color rendering index (CRI)	81	

Arc Length O (Nom)	25 mm
Operating and Electrical	
Power Consumption	2,095.0 W
Voltage (Nom)	205 V
Voltage (Nom)	205 V
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Clear


Datasheet, 2023, April 16 data subject to change

# **MASTER MHN-SA**

Bulb Shape	TD40
Approval and Application	
Mercury (Hg) Content (Nom)	215 mg
Energy Consumption kWh/1000 h	2305 kWh
Product Data	
Order product name	MASTER MHN-SA 2000W/956 400V XW HO
	UNP/1
Full product name	MASTER MHN-SA 2000W/956 400V XW HO
	LIND/1


Full product code	871829124183600
Order code	928195105129
Material Nr. (12NC)	928195105129
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718291548423
Numerator - Packs per outer box	1
EAN/UPC - Case	8718291241836

## Dimensional drawing






#### Photometric data




Spectral Power Distribution Colour - MASTER MHN-SA 2000W/956 400V XW HO UNP/1

### **MASTER MHN-SA**

#### Lifetime





Life Expectancy Diagram - MASTER MHN-SA 2000W/956 400V XW HO UNP/1

Lumen Maintenance Diagram - MASTER MHN-SA 2000W/956 400V XW HO UNP/1

