PHILIPS Lighting



MASTER LEDspot LV AR111

MAS LEDspotLV D 15-75W 827 AR111 40D

Delivering a warm, halogen-like accent beam, MASTER LEDspot LV AR111 is an ideal retrofit solution for spot and general lighting applications in the hospitality and retail industry. It is particularly suitable for general lighting where the light is on all the time, such as creative accent lighting applications in shops, restaurants, hotels, and especially for galleries, exhibitions and museums. The robustly designed MASTER LEDspot LV AR111 offers various beam angles for a clearly defined beam spread. There is no UV or IR in the beam, making it suitable for illuminating heat-sensitive objects (food, organic materials, paintings, etc.). The patented intelligent driver enables broad compatibility with existing electromagnetic and electronic halogen transformers. MASTER LEDspot LV AR111 delivers huge energy savings and minimizes maintenance cost without any reduction in brightness.

Product data

General Information	
Cap-Base	G53 [G53]
Nominal lifetime	40,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
EU RoHS compliant	Yes
Light Technical	
Color Code	827 [CCT of 2700K]
Beam Angle (Nom)	40 degree(s)
Luminous Flux	760 lm
Luminous Intensity (Nom)	1,660 cd
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K


Luminous Efficacy (rated) (Nom)	50.67 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Luminous Flux in 90° Cone (Rated)	760 lm
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	15 W
Lamp Current (Nom)	1,600 mA
Wattage Equivalent	75 W
Starting Time (Nom)	1s
Warm-up time to 60% light	instant full light s

MASTER LEDspot LV AR111

Power Factor (Fraction)	0.5
Voltage (Nom)	12 V
Controls and Dimming	
Dimmable	Yes
Mechanical and Housing	
Bulb Shape	AR111
Approval and Application	
Suitable For Accent Lighting	Yes
Energy Consumption kWh/1000 h	16 kWh
EyeComfort	Yes


Order product nameMAS LEDspotLV D 15-75W 827 AR111 40DFull product nameMAS LEDspotLV D 15-75W 827 AR111 40DFull product code871829171858100Order code71858100Material Nr. (12NC)929000261202Numerator - Quantity Per Pack1EAN/UPC - Product/Case8718291718581Numerator - Packs per outer box6	Product Data	
Full product code 871829171858100 Order code 71858100 Material Nr. (12NC) 929000261202 Numerator - Quantity Per Pack 1 EAN/UPC - Product/Case 8718291718581	Order product name	MAS LEDspotLV D 15-75W 827 AR111 40D
Order code 71858100 Material Nr. (12NC) 929000261202 Numerator - Quantity Per Pack 1 EAN/UPC - Product/Case 8718291718581	Full product name	MAS LEDspotLV D 15-75W 827 AR111 40D
Material Nr. (12NC) 929000261202 Numerator - Quantity Per Pack 1 EAN/UPC - Product/Case 8718291718581	Full product code	871829171858100
Numerator - Quantity Per Pack 1 EAN/UPC - Product/Case 8718291718581	Order code	71858100
EAN/UPC - Product/Case 8718291718581	Material Nr. (12NC)	929000261202
	Numerator - Quantity Per Pack	1
Numerator - Packs per outer box 6	EAN/UPC - Product/Case	8718291718581
	Numerator - Packs per outer box	6
EAN/UPC - Case 8718291718598	EAN/UPC - Case	8718291718598

Dimensional drawing



Product D C MAS LEDspotLV D 15-75W 827 AR111 40D 111 mm 56 mm

Photometric data



Light Distribution Diagram - MAS LEDspotLV D 15-75W 827 AR111 40D

MASTER LEDspot LV AR111



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2023, April 29 - data subject to change