



MASTER LEDspot LV

MAS LEDspotLV D 8-50W 840 MR16 24D

Delivering intense accent beam, MASTER LEDspot LV is an ideal retrofit solution for spot lighting. MASTER LEDspot LV is designed to replace halogen or incandescent spots. It realizes natural colors, enables cozy and comfortable ambience for residential, hospitality and emphasizes the beauty of merchandise in retail. New smaller housing provides perfect fitting with majority of luminaires in a market with a MR16 GU 5.3 holder. It not only employs Philips' patented solution to guarantee the broadest possible compatibility with standard 12V halogen electronic transformers, it also delivers high beam intensity which is equivalent to halogen MR16 spots. The dimming function enables to create the desired atmosphere and it works with broad selection of dimmers. Its high SDCM ensure stricter color consistency, that is maintained over product life. MASTER LEDspot LV delivers huge energy savings and minimizes maintenance cost without any compromise on light quality and lifetime, enabling residential and business owners to achieve a return on their investment within short period time.

Product data


General Information			
Cap-Base	GU5.3 [GU5.3]	Correlated Color Temperature (Nom)	4000 K
Nominal lifetime	40,000 hour(s)	Luminous Efficacy (rated) (Nom)	84 lm/W
Switching Cycle	50,000	Color Consistency	<6
Lighting Technology	LED	Color rendering index (CRI)	80
EU RoHS compliant	Yes	LLMF At End Of Nominal Lifetime (Nom)	70 %
		Luminous Flux in 90° Cone (Rated)	670 lm
Light Technical		Operating and Electrical	
Color Code	840 [CCT of 4000K]	Power Consumption	8 W
Beam Angle (Nom)	24 degree(s)	Lamp Current (Nom)	900 mA
Luminous Flux	710 lm	Wattage Equivalent	50 W
Luminous Intensity (Nom)	3,350 cd	Starting Time (Nom)	0.5 s
Color Designation	White (WH)	Warm-up time to 60% light	0.6 s

MASTER LEDspot LV

Power Factor (Fraction)	0.7
Voltage (Nom)	12 V
Temperature	
T-Case Maximum (Nom)	105 °C
Controls and Dimming	
Dimmable	Yes
Mechanical and Housing	
Bulb Shape	MR16 [2inch/50mm]
Approval and Application	
Energy Saving Product	Yes
Suitable For Accent Lighting	Yes



Energy Consumption kWh/1000 h	9 kWh
Product Data	
Order product name	MAS LEDspotLV D 8-50W 840 MR16 24D
Full product name	MAS LEDspotLV D 8-50W 840 MR16 24D
Full product code	871869657633500
Order code	929001150002
Material Nr. (12NC)	929001150002
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718696576335
Numerator - Packs per outer box	10
EAN/UPC - Case	8718696576342

Dimensional drawing



Product	D	C
MAS LEDspotLV D 8-50W 840 MR16 24D	51 mm	55 mm

Photometric data




Light Distribution Diagram - MAS LEDspotLV D 8-50W 840 MR16 24D

General uniform lighting - MAS LEDspotLV D 8-50W 840 MR16 24D

MASTER LEDspot LV

Photometric data



Spectral Power Distribution Colour - MAS LEDspotLV D 8-50W 840 MR16

24D

