



BR/R LED

10BR40/LED/827-22/DIM 120V 6/1

Philips Dimmable LED Reflector Lamps provide a soft, diffused level of light and smooth dimming to reduce glare. The sleek, lightweight design is ideal for downlighting.

Product data

General Information	
Base	E26 [Single Contact Medium Screw]
RoHS mark	RoHS mark
Nominal Lifetime (Nom)	25000 h
Switching Cycle	50000X
Technical Type	10-60 W

Light Technical	
Color Code	822-827 [tunable warm white]
Initial lumen (Nom)	800 lm
Luminous Flux (Rated) (Nom)	800 lm
Color Designation	Soft White
Correlated Color Temperature (Nom)	2200-2700 K
Luminous Efficacy (rated) (Nom)	80 lm/W
Color Consistency	<7
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and Electrical	
Input Frequency	60 Hz
Power (Rated) (Nom)	10 W
Lamp Current (Nom)	120 mA
Wattage Equivalent	65 W
Starting Time (Nom)	0.5 s

Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.9
Voltage (Nom)	120 V

Temperature	
T-Case Maximum (Nom)	85 °C

Controls and Dimming	
Dimmable	Yes

Mechanical and Housing	
Bulb Finish	Frosted (FR)


Approval and Application	
Energy star mark	Energy star
Suitable For Accent Lighting	Yes

Product Data	
Order product name	10BR40/LED/827-22/DIM 120V 6/1
EAN/UPC - Product	046677457013
Order code	457010
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929001155804

BR/R LED

Net Weight (Piece) 0.165 kg



Dimensional drawing



BR40 G5 120V 9W-65W 650lm 2700K E26 D

Product	D	C
10BR40/LED/827-22/DIM 120V 6/1	127 mm	162 mm

Photometric data



LEDbulb, Basic BR40 9W-65W 2700K 650lm WG

