



MASTER LEDspot LV AR111

MAS LEDspotLV D 15-75W 927 AR111 40D


Delivering a warm, halogen-like accent beam, MASTER LEDspot LV AR111 is an ideal retrofit solution for spot and general lighting applications in the hospitality and retail industry. It is particularly suitable for general lighting where the light is on all the time, such as creative accent lighting applications in shops, restaurants, hotels, and especially for galleries, exhibitions and museums. The robustly designed MASTER LEDspot LV AR111 offers various beam angles for a clearly defined beam spread. There is no UV or IR in the beam, making it suitable for illuminating heat-sensitive objects (food, organic materials, paintings, etc.). The patented intelligent driver enables broad compatibility with existing electromagnetic and electronic halogen transformers. MASTER LEDspot LV AR111 delivers huge energy savings and minimizes maintenance cost without any reduction in brightness.

Product data


General Information		Operating and Electrical	
Cap base	G53 [G53]	Rated beam angle	40 °
Nominal lifetime (nom.)	40000 h	Correlated colour temperature (nom.)	2700 K
Switching cycle	50000X	Luminous efficacy (rated) (nom.)	55.33 lm/W
Technical type	15-75W	Colour consistency	<3
		Color rendering index (nom.)	90
		LLMF at end of nominal lifetime (nom.)	70 %
Light Technical			
Colour code	927	Power (Rated) (Nom)	15 W
Beam Angle (Nom)	40 °	Lamp current (nom.)	1800 mA
Light distribution	40D [Medium beam]	Wattage equivalent	75 W
Luminous flux (nom.)	830 lm	Starting time (nom.)	0.5 s
Luminous flux (rated) (nom.)	830 lm	Warm-up time to 60% light (nom.)	0.5 s
Luminous intensity (nom.)	1400 cd	Power factor (nom.)	0.7
Colour designation	Warm White (WW)		

MASTER LEDspot LV AR111

Photometric data



Lifetime



MASTER LEDspotLV AR111 75W G53 940 40D

MASTER LEDspotLV AR111 75W G53 940 40D

