

PHILIPS

MASTER LEDtube EM/ Mains T8

Master LEDTube 1200 mm 18W 865 T8 I W

The Philips MASTER LEDtube integrates a LED light source into a traditional fluorescent form factor. Its unique design creates a perfectly uniform visual appearance, which cannot be distinguished from traditional fluorescent. These T8 LED tubes are the right choice for absolute performance and are designed to stand up to everyday conditions. Unparalleled savings thanks to low energy consumption and an exceptionally long lifetime ensure this tube masters every demanding application.

Warnings and Safety

• NOTE: The overall energy efficiency and light distribution of any installation that uses these lamps will be determined by the design of the installation.

Product data

General Information					
Cap-Base	G13 [Medium Bi-Pin Fluorescent]				
Nominal lifetime	50,000 hour(s)				
Switching Cycle	50,000				
Lighting Technology	LED				
EU RoHS compliant	Yes				
Light Technical					
Color Code	865 [CCT of 6500K]				
Beam Angle (Nom)	160 degree(s)				
Luminous Flux	2,100 lm				
Color Designation	Cool Daylight				
Correlated Color Temperature (Nom)	6500 K				
Luminous Efficacy (rated) (Nom)	116.00 lm/W				

Color Consistency	<6		
Color rendering index (CRI)	82		
LLMF At End Of Nominal Lifetime (Nom) 70 %			
Operating and Electrical			
Line Frequency	50 to 60 Hz		
Input Frequency	50 to 60 Hz		
Power Consumption	18 W		
Lamp Current (Max)	210 mA		
Lamp Current (Min)	74 mA		
Starting Time (Nom)	0.5 s		
Warm-up time to 60% light	0.5 s		
Power Factor (Fraction)	0.92		


Datasheet, 2024, March 11 data subject to change

MASTER LEDtube EM/Mains T8

Voltage (Nom)	100-240 V	
Temperature		
Ambient temperature range	-20 °C to 45 °C	
T-Case Maximum (Nom)	55 ℃	
Controls and Dimming		
Dimmable	No	
Mechanical and Housing		
Product Length	1,200 mm	
Bulb Shape	Т8	
Approval and Application		
Energy Saving Product	Yes	
Suitable For Accent Lighting	No	


Approval Marks	RoHS compliance CE marking KEMA Keur			
	certificate			
Energy Consumption kWh/1000 h	18 kWh			
Product Data				
Order product name	Master LEDTube 1200 mm 18W 865 T8 I W			
Full product name	Master LEDTube 1200 mm 18W 865 T8 I V			
Full product code	871869969524800			
Order code	929001187882			
Material Nr. (12NC)	929001187882			
Numerator - Quantity Per Pack	1			
EAN/UPC - Product/Case	8718699695248			
Numerator - Packs per outer box	10			
EAN/UPC - Case	8718699695255			

Dimensional drawing




Product	D1	D2	A1	A2	А3
Master LEDTube 1200 mm 18W	25.6 mm	27.8 mm	1,198.1 mm	1,205.2 mm	1,212.3 mm
865 T8 I W					

Photometric data




Light Distribution Diagram - Master LEDTube 1200 mm 18W 865 T8 I W




Spectral Power Distribution Colour - Master LEDTube 1200 mm 18W 865 T8 I W

MASTER LEDtube EM/Mains T8


Lifetime






Life Expectancy Diagram - Master LEDTube 1200 mm 18W 865 T8 I W








Life Expectancy Diagram - Master LEDTube 1200 mm 18W 865 T8 I W

Life Expectancy Diagram - Master LEDTube 1200 mm 18W 865 T8 I W



Lumen Maintenance Diagram - Master LEDTube 1200 mm 18W 865 T8 I W

MASTER LEDtube EM/Mains T8



© 2024 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.