



Standard LED bulbs

Standard LEDBulb 9W E27 3000K W A19 1PF/6 MX

Standard LED bulbs are compatible with existing fixtures with a E27 holder and are designed for retrofit replacement of incandescent, halogen and energy saving bulbs. They deliver huge energy savings and minimize maintenance costs. The Standard LED bulb is the perfect bulb for your basic lighting needs. It provides the beautiful light and performance you expect from the LED technology at an affordable price.

Product data


| | | | |
|---------------------------------------|--------------------|--|--|
| General Information | | Power Consumption | |
| Cap-Base | E27 [E27] | 9 W | |
| Nominal lifetime | 25,000 hour(s) | Wattage Equivalent | |
| Switching Cycle | 50,000 | 60 W | |
| Lighting Technology | LED | Starting Time (Nom) | |
| EU RoHS compliant | Yes | 0.5 s | |
| Light Technical | | Warm-up time to 60% light | |
| Color Code | 830 [CCT of 3000K] | 0.5 s | |
| Beam Angle (Nom) | 150 degree(s) | Power Factor (Fraction) | |
| Luminous Flux | 806 lm | 0.92 | |
| Color Designation | White (WH) | Voltage (Nom) | |
| Correlated Color Temperature (Nom) | 3000 K | 100-240 V | |
| Luminous Efficacy (rated) (Nom) | 89.56 lm/W | Temperature | |
| Color Consistency | ANSI | T-Case Maximum (Nom) | |
| Color rendering index (CRI) | 80 | 80 °C | |
| LLMF At End Of Nominal Lifetime (Nom) | 70 % | Controls and Dimming | |
| Operating and Electrical | | Dimmable | |
| Line Frequency | 50 to 60 Hz | No | |
| Input Frequency | 50 to 60 Hz | Mechanical and Housing | |
| | | Bulb Finish | |
| | | Frosted | |
| | | Bulb Shape | |
| | | A19 [A 19mm] | |
| | | Product Data | |
| | | Order product name | |
| | | LEDBulb 9W E27 3000K W A19 1PF/6 MX | |
| | | Full product name | |
| | | Standard LEDBulb 9W E27 3000K W A19 1PF/6 MX | |

Standard LED bulbs

| | |
|-------------------------------|--------------|
| Order code | 929001195341 |
| Material Nr. (12NC) | 929001195341 |
| Numerator - Quantity Per Pack | 1 |
| EAN/UPC - Product/Case | 046677462901 |


| | |
|---------------------------------|----------------|
| Numerator - Packs per outer box | 6 |
| EAN/UPC - Case | 50046677462906 |

Dimensional drawing




| Product | D | C |
|-------------------------------------|-------|--------|
| LEDBulb 9W E27 3000K W A19 1PF/6 MX | 60 mm | 110 mm |

Photometric data



Light Distribution Diagram - LEDBulb 9W E27 3000K W A19 1PF/6 MX



Spectral Power Distribution Colour - LEDBulb 9W E27 3000K W A19 1PF/6 MX

