



# Standard LED bulbs

## Standard LEDBulb13.5-100WE27 6500K 100-240V A67ND

Standard LED bulbs are compatible with existing fixtures with a E27 holder and are designed for retrofit replacement of incandescent, halogen and energy saving bulbs. They deliver huge energy savings and minimize maintenance costs. The Standard LED bulb is the perfect bulb for your basic lighting needs. It provides the beautiful light and performance you expect from the LED technology at an affordable price.

### Product data


General Information		Input Frequency	
Cap-Base	E27 [E27]	Power Consumption	13.5 W
Nominal lifetime	25,000 hour(s)	Wattage Equivalent	100 W
Switching Cycle	50,000	Starting Time (Nom)	0.5 s
Rated Lifetime (Hours)	25,000 hour(s)	Warm-up time to 60% light	instant full light s
Lighting Technology	LED	Power Factor (Fraction)	0.7
EU RoHS compliant	Yes	Voltage (Nom)	100-240 V
Light Technical		Temperature	
Color Code	865 [CCT of 6500K]	T-Case Maximum (Nom)	95 °C
Beam Angle (Nom)	150 degree(s)	Controls and Dimming	
Luminous Flux	1,510 lm	Dimmable	No
Color Designation	Cool White (CW)	Mechanical and Housing	
Correlated Color Temperature (Nom)	6500 K	Bulb Finish	Frosted
Luminous Efficacy (rated) (Nom)	111.9 lm/W	Bulb Shape	A67 [A 67mm]
Color Consistency	ANSI	Approval and Application	
Color rendering index (CRI)	80	Suitable For Accent Lighting	No
LLMF At End Of Nominal Lifetime (Nom)	70 %	Operating and Electrical	
Line Frequency		50 to 60 Hz	

Standard LED bulbs

Energy Consumption kWh/1000 h	14 kWh
Product Data	
Order product name	LEDBulb13.5-100WE27 6500K 100-240V A67ND
Full product name	Standard LEDBulb13.5-100WE27 6500K 100-240V A67ND
Full product code	871869652932400


Order code	52932400
Material Nr. (12NC)	929001195811
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718696529324
Numerator - Packs per outer box	6
EAN/UPC - Case	8718696529331

Dimensional drawing




Product	D	C
LEDBulb13.5-100WE27 6500K 100-240V A67ND	68 mm	127 mm

Photometric data



Light Distribution Diagram - LEDBulb13.5-100WE27 6500K 100-240V A67ND



Spectral Power Distribution Colour - LEDBulb13.5-100WE27 6500K 100-240V A67ND

