



MASTER Plastic LEDbulbs

MAS LEDbulb DT 15-100W A67 B22 827 FR

MASTER LEDbulb range delivers a dimmable glow effect for a welcoming, warm atmosphere, making it ideal for general lighting applications in the hospitality industry. Its unique design radiates warm light in all directions, making it a true alternative to the incandescent lamp. It is particularly suitable for public areas such as lobbies, corridors, stairwells, where the light is always on. Compatible with existing fixtures with an E27 or a B22 holder and designed for retrofit replacement of incandescent bulbs, MASTER LEDbulb delivers huge energy savings and minimises maintenance cost without any compromise on light quality.

Warnings and Safety

- · Operating temperature range is between -20° C and 45° C ambient
- Only to apply in dry or damp locations and most of open fixtures with lamp-holders that offer sufficient space (10 mm free air space)
- \cdot Not intended for use with emergency light fixtures or exit lights

Product data

General Information		
Cap-Base	B22 [B22]	
Nominal lifetime	25000 hour(s)	
Switching Cycle	50000	
Lighting Technology	LED	
EU RoHS compliant	Yes	
Light Technical		
Color Code	822-827 [tunable warm white]	
Luminous Flux	1521 lm	
Color Designation	Warm White (WW)	
·	-	

Luminous Efficacy (rated) (Nom)	101 lm/W
Color Consistency	<lt></lt> 6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	15 W
Lamp Current (Nom)	84 mA
Wattage Equivalent	100 W


Datasheet, 2023, April 29 data subject to change

MASTER Plastic LEDbulbs

Starting Time (Nom)	0.5 s	
Warm-up time to 60% light	0.5 s	
Power Factor (Fraction)	0.7	
Voltage (Nom)	220-240 V	
Temperature		
T-Case Maximum (Nom)	105 °C	
Controls and Dimming		
Dimmable	Yes	
Mechanical and Housing		
Bulb Shape	A67 [A 67mm]	
Approval and Application		
Energy Saving Product	Yes	


Suitable For Accent Lighting	No
Energy Consumption kWh/1000 h	15 kWh
Product Data	
Order product name	MAS LEDbulb DT 15-100W A67 B22 827 FR
Full product name	MAS LEDbulb DT 15-100W A67 B22 827 FR
Full product code	871869655557600
Order code	929001200302
Material Nr. (12NC)	929001200302
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718696555576
Numerator - Packs per outer box	6
EAN/UPC - Case	8718696555583

Dimensional drawing




Product	D	С
MAS LEDbulb DT 15-100W A67 B22 827 FR	70.6 mm	135.9 mm

Photometric data




Spectral Power Distribution Colour - MAS LEDbulb DT 15-100W A67 B22 827 FR $\,$



Light Distribution Diagram - MAS LEDbulb DT 15-100W A67 B22 827 FR

MASTER Plastic LEDbulbs

Photometric data



General uniform lighting - MAS LEDbulb DT 15-100W A67 B22 827 FR



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.