



CorePro LEDspot MV

CorePro LEDspotMV 2-25W GU10 827 36D

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E14 holder and are designed as a retrofit replacement for halogen or incandescent spots. LEDlamps deliver huge energy savings and minimize maintenance cost.

Product data

General Information	
	CINO (CINO)
Cap-Base	GU10 [GU10]
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
EU RoHS compliant	Yes
Light Technical	
Color Code	827 [CCT of 2700K]
Beam Angle (Nom)	36 degree(s)
Luminous Flux	190 lm
Luminous Intensity (Nom)	400 cd
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	85.00 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Luminous Flux in 90° Cone (Rated)	170 lm
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz

Power Consumption	2 W	
Lamp Current (Nom)	20 mA	
Starting Time (Nom)	0.5 s	
Warm-up time to 60% light	0.5 s	
Power Factor (Fraction)	0.45	
Voltage (Nom)	220-240 V	
Temperature		
T-Case Maximum (Nom)	85 ℃	
Controls and Dimming		
Dimmable	No	
Mechanical and Housing		
Bulb Shape	PAR16 [PAR 2 inch/50mm]	
Approval and Application		
Energy Saving Product	Yes	
Suitable For Accent Lighting	Yes	
Energy Consumption kWh/1000 h	2 kWh	
Product Data		
Order product name	CorePro LEDspotMV 2-25W GU10 827 36D	


Datasheet, 2023, April 29 data subject to change

CorePro LEDspot MV

Full product name	CorePro LEDspotMV 2-25W GU10 827 36D	
Full product code	871869656322900	
Order code	56322900	
Material Nr. (12NC)	929001219802	
Numerator - Quantity Per Pack	1	


EAN/UPC - Product/Case	8718696563229
Numerator - Packs per outer box	10
EAN/UPC - Case	8718696563236

Dimensional drawing




Product	D	С
CorePro LEDspotMV 2-25W GU10 827 36D	50 mm	54 mm


Photometric data







Light Distribution Diagram - CorePro LEDspotMV 2-25W GU10 827 36D



General uniform lighting - CorePro LEDspotMV 2-25W GU10 827 36D

CorePro LEDspot MV



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.