



# Standard LED bulbs

## LEDGlobe15-175W G93 E27 WW 100-240V BR

Standard LED bulbs are compatible with existing fixtures with a E27 holder and are designed for retrofit replacement of incandescent, halogen and energy saving bulbs. They deliver huge energy savings and minimize maintenance costs. The Standard LED bulb is the perfect bulb for your basic lighting needs. It provides the beautiful light and performance you expect from the LED technology at an affordable price.

### Product data


|                                       |                    |                                      |  |  |
|---------------------------------------|--------------------|--------------------------------------|--|--|
| <b>General Information</b>            |                    | <b>Starting Time (Nom)</b>           |  | 0.5 s                                  |
| Cap-Base                              | E27 [E27]          | <b>Warm-up time to 60% light</b>     |  | 0.5 s                                  |
| Nominal lifetime                      | 15,000 hour(s)     | <b>Power Factor (Fraction)</b>       |  | 0.7                                    |
| Switching Cycle                       | 50,000             | <b>Voltage (Nom)</b>                 |  | 100-240 V                              |
| Lighting Technology                   | LED                | <b>Temperature</b>                   |  |  |
| EU RoHS compliant                     | Yes                | <b>T-Case Maximum (Nom)</b>          |  | 80 °C                                  |
| <b>Light Technical</b>                |                    | <b>Controls and Dimming</b>          |  |  |
| Color Code                            | 827 [CCT of 2700K] | <b>Dimmable</b>                      |  | No                                     |
| Beam Angle (Nom)                      | 150 degree(s)      | <b>Mechanical and Housing</b>        |  |  |
| Luminous Flux                         | 1,521 lm           | <b>Bulb Finish</b>                   |  | Frosted                                |
| Color Designation                     | Warm White (WW)    | <b>Bulb Shape</b>                    |  | G93 [G 93mm]                           |
| Correlated Color Temperature (Nom)    | 2700 K             | <b>Approval and Application</b>      |  |  |
| Luminous Efficacy (rated) (Nom)       | 101.00 lm/W        | <b>Energy Consumption kWh/1000 h</b> |  | 15 kWh                                 |
| Color Consistency                     | <6                 | <b>Product Data</b>                  |  |  |
| Color rendering index (CRI)           | 80                 | <b>Order product name</b>            |  | LEDGlobe15-175W G93 E27 WW 100-240V BR |
| LLMF At End Of Nominal Lifetime (Nom) | 70 %               | <b>Full product name</b>             |  | LEDGlobe15-175W G93 E27 WW 100-240V BR |
| <b>Operating and Electrical</b>       |                    | <b>Full product code</b>             |  | 871869659313400                        |
| Line Frequency                        | 50 to 60 Hz        |                                      |  |  |
| Input Frequency                       | 50 to 60 Hz        |                                      |  |  |
| Power Consumption                     | 15 W               |                                      |  |  |

Standard LED bulbs

|                               |               |
|-------------------------------|---------------|
| Order code                    | 929001229441  |
| Material Nr. (12NC)           | 929001229441  |
| Numerator - Quantity Per Pack | 1             |
| EAN/UPC - Product/Case        | 8718696593134 |


|                                 |               |
|---------------------------------|---------------|
| Numerator - Packs per outer box | 4             |
| EAN/UPC - Case                  | 8718696593141 |

Dimensional drawing




| Product                                | D     | C      |
|--|-------|--------|
| LEDGlobe15-175W G93 E27 WW 100-240V BR | 95 mm | 128 mm |

Photometric data



Spectral Power Distribution Colour - LEDGlobe15-175W G93 E27 WW 100-240V BR

General uniform lighting - LEDGlobe15-175W G93 E27 WW 100-240V BR



Light Distribution Diagram - LEDGlobe15-175W G93 E27 WW 100-240V BR

## Standard LED bulbs

