



CorePro LEDbulb

CorePro LEDbulb ND 8-60W A60 E27 827

CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings and minimize maintenance cost.

Product data


General information		Wattage equivalent	
Cap base	E27 [E27]		60 W
CE mark	Yes	Starting time (nom.)	0.5 s
EU RoHS compliant	Yes	Warm-up time to 60% light (nom.)	0.5 s
Nominal lifetime (nom.)	15000 h	Power factor (nom.)	0.5
Switching cycle	50000	Voltage (Nom)	220-240 V
	Sphere		
Tier	CorePro		
Light technical		Temperature	
Colour Code	827 [CCT of 2,700 K]	T-Case maximum (nom.)	85 °C
Beam Angle (Nom)	200 °		
Luminous flux (nom.)	806 lm	Controls and dimming	
Colour designation	Warm White (WW)	Dimmable	No
Correlated Colour Temperature (Nom)	2700 K		
Luminous efficacy (rated) (nom.)	100 lm/W	Mechanical and housing	
Colour consistency	<6	Lamp Finish	Frosted
Colour rendering index (nom.)	80	Bulb shape	A60 [A 60mm]
LLMF at end of nominal lifetime (nom.)	70 %		
Operating and electrical		Approval and application	
Input frequency	50 to 60 Hz	Energy Efficiency Class	F
Power (Rated) (Nom)	8 W	Energy consumption kWh/1,000 hours	8 kWh 397626
Lamp current (nom.)	75 mA		
Product data			
Full product code	871869657755400		
Order product name	CorePro LEDbulb ND 8-60W A60 E27 827		

CorePro LEDbulb

EAN/UPC – product	8718696577554
Order code	57755400
SAP numerator – quantity per pack	1
Local code description	3700410
Numerator – packs per outer box	10

SAP material	929001234302
Net Weight (Piece)	0.076 kg


Dimensional drawing




CorePro LEDbulb ND 8-60W A60 E27 827

Product	D	C
CorePro LEDbulb ND 8-60W A60 E27 827	60 mm	110 mm


Photometric data



CorePro LEDbulb ND 8-60W A60



CorePro LEDbulb ND 8-60W A60




SDPO_LED Bulb_0021-Spectral Power distribution

CorePro LEDbulb

Lifetime



LEDbulb 40W E27 830 FR A60



LEDbulb 40W E27 830 FR A60

