



LED Scene Switch 60W A60 E27 WW FR ND RF 1BC/6

Some situations call for cool light, others benefit from the ambiance of a warm cozy glow. With Philips SceneSwitch LEDbulbs, you can have different light settings from just one bulb. And you don't need a dimmer! Optimize your lighting for relaxing, hobbies, recreation or working. Simply at the flick of a switch. And that's your existing switch! No extra installation is required.

Product data

General Information	
Cap-Base	E27 [E27]
Nominal lifetime	15,000 hour(s)
Switching Cycle	100,000
Rated Lifetime (Hours)	15,000 hour(s)
Lighting Technology	LED
EU RoHS compliant	Yes
Light Technical	
Color Code	827/825/822 [CCT of 2700K/2500K/2200K]
Color Designation	Warm/Extra Warm/Very Warm
Luminous Efficacy (rated) (Nom)	100.00 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom	n) 70 %
Operating and Electrical	
Line Frequency	50 to 60 Hz


Input Frequency	50 to 60 Hz
Power Consumption	258W
Lamp Current (Nom)	100 mA
Wattage Equivalent	60 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.5
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	80 ℃
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Frosted
-	

Datasheet, 2023, April 14 data subject to change

Bulb Shape	A60 [A 60mm]	
Approval and Application		
Energy Consumption kWh/1000 h	8 kWh	
EyeComfort	Yes	
Product Data		
Order product name	LED SSW 60W A60 E27 WW FR ND RF 1BC/6	
Full product name	LED Scene Switch 60W A60 E27 WW FR ND	
	RF 1BC/6	


Full product code	871869658884001
Order code	58884001
Material Nr. (12NC)	929001236517
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718696588840
Numerator - Packs per outer box	6
EAN/UPC - Case	8718696747650


Dimensional drawing



Product	D	С
LED SSW 60W A60 E27 WW FR ND RF 1BC/6	61 mm	111 mm

Photometric data






Spectral Power Distribution Colour - LED SSW 60W A60 E27 WW FR ND RF 1BC/6 $\,$


Spectral Power Distribution Colour - LED SSW 60W A60 E27 WW FR ND RF 1BC/6 $\,$

100


Photometric data



Spectral Power Distribution Colour - LED SSW 60W A60 E27 WW FR ND RF 1BC/6




General uniform lighting - LED SSW 60W A60 E27 WW FR ND RF 1BC/6




Light Distribution Diagram - LED SSW 60W A60 E27 WW FR ND RF 1BC/6

Lifetime



Life Expectancy Diagram - LED SSW 60W A60 E27 WW FR ND RF 1BC/6



Lumen Maintenance Diagram - LED SSW 60W A60 E27 WW FR ND RF 1BC/6



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.