



# Classic filament LEDbulbs

## LEDClassic 2-25W P45 E27 WW CL ND APR

Featuring a classic heritage design, Classic filament LEDbulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light bulbs.

### Product data


General Information		Lamp Current (Nom)	
Cap-Base	E27 [ E27]		20 mA
Nominal Lifetime (Nom)	15000 h	Wattage Equivalent	25 W
Switching Cycle	20000X	Starting Time (Nom)	0.5 s
Technical Type	2-25W	Warm Up Time to 60% Light (Nom)	0.5 s
		Power Factor (Nom)	0.4
		Voltage (Nom)	220-240 V
Light Technical		Controls and Dimming	
Color Code	827 [ CCT of 2700K]	Dimmable	No
Luminous Flux (Nom)	250 lm		
Luminous Flux (Rated) (Nom)	250 lm	Mechanical and Housing	
Color Designation	Warm White (WW)	Bulb Finish	Clear
Correlated Color Temperature (Nom)	2700 K		
Luminous Efficacy (rated) (Nom)	125.00 lm/W	Approval and Application	
Color Consistency	<6	Energy Efficiency Label (EEL)	A++
Color Rendering Index (Nom)	80	Energy Consumption kWh/1000 h	2 kWh
LLMF At End Of Nominal Lifetime (Nom)	70 %		
Operating and Electrical		Product Data	
Input Frequency	50 to 60 Hz	Full product code	871869657433100
Power (Rated) (Nom)	2 W	Order product name	LEDClassic 2-25W P45 E27 WW CL ND APR

# Classic filament LEDbulbs

EAN/UPC - Product	8718696574331
Order code	929001238708
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10

Material Nr. (12NC)	929001238708
Net Weight (Piece)	0.014 kg



## Dimensional drawing



Product	D	C
LEDClassic 2-25W P45 E27 WW CL ND APR	45 mm	78 mm

filament 2.5W-25W 250lm NAD 2700K E27ND

## Photometric data



General Uniform Lighting

Classic 2.5w 2700K E27P45 9290012387  
1 x 250lm

The complex block contains several technical details: a beam spread diagram, a CQS (Color Quality Scale) graph, and two tables. The 'Utilization factor table' shows the relationship between beam angle and utilization factor. The 'Luminous flux table' shows the relationship between beam angle and luminous flux.

Classic LEDCandle ND 2-25W P45 827 CL

## Classic filament LEDbulbs

