



LED A19-A21

BC9A19/AMB/850/ND SSDL 120V

Philips A19/A21 LED lamps are the smart alternative to standard incandescent. The unique lamp design provides omni-directional light with excellent dimming performance.

Product data

General Information	
Cap-Base	E26 [Single Contact Medium Screw]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	100000X
Technical Type	9/3/1-60W

Light Technical	
Color Code	850 [CCT of 5000K]
Beam Angle (Nom)	300 °
Luminous Flux (Nom)	800/320/80 lm
Color Designation	Daylight
Correlated Color Temperature (Nom)	5000 K
Luminous Efficacy (rated) (Nom)	89.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	9/3/1 W
Lamp Current (Nom)	130 mA
Wattage Equivalent	60 W
Starting Time (Nom)	0.5 s

Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.6
Voltage (Nom)	120 V

Temperature	
T-Case Maximum (Nom)	80 °C


Controls and Dimming	
Dimmable	No

Mechanical and Housing	
Bulb Finish	Frosted

Product Data	
Order product name	BC9A19/AMB/850/ND SSDL 120V
EAN/UPC - Product	046677464905
Order code	929001261403
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	4
Material Nr. (12NC)	929001261403
Net Weight (Piece)	0.130 kg

LED A19-A21



Dimensional drawing



Product	D	C
BC9A19/AMB/850/ND SSDL 120V	61.0 mm	111 mm

Scce-Switch Bulb A19 120V 5000K E26 ND

Photometric data



SceneSwitch Bulb 60W A19 800lm 5000K 120V ND

SceneSwitch Bulb 60W A19 800lm 5000K 120V ND

