



SceneSwitch LEDbulbs

LED Scene Switch 60W A60 E27 WW-CW FR ND 1BC/4

Some situations call for cool light, others benefit from the ambiance of a warm cozy glow. With Philips SceneSwitch LEDbulbs, you can have different light settings from just one bulb. And you don't need a dimmer! Optimize your lighting for relaxing, hobbies, recreation or working. Simply at the flick of a switch. And that's your existing switch! No extra installation is required.

Product data


General Information		Input Frequency	
Cap-Base	E27 [E27]	Power Consumption	9.5 W
Nominal lifetime	15,000 hour(s)	Lamp Current (Nom)	100 mA
Switching Cycle	100,000	Wattage Equivalent	60 W
Lighting Technology	LED	Starting Time (Nom)	0.5 s
EU RoHS compliant	Yes	Warm-up time to 60% light	0.5 s
Light Technical		Power Factor (Fraction)	0.5
Color Code	827/840 [CCT of 2700K/4000K]	Voltage (Nom)	220-240 V
Luminous Flux	806 lm	Controls and Dimming	
Color Designation	Warm White (WW)	Dimmable	No
Luminous Efficacy (rated) (Nom)	84.84 lm/W	Mechanical and Housing	
Color Consistency	<6	Bulb Finish	Frosted
Color rendering index (CRI)	80	Bulb Shape	A60 [A 60mm]
LLMF At End Of Nominal Lifetime (Nom)	70 %	Approval and Application	
Operating and Electrical		Energy Saving Product	Yes
Line Frequency	50 to 60 Hz		

SceneSwitch LEDbulbs

Suitable For Accent Lighting	No
Energy Consumption kWh/1000 h	9.5 kWh
Product Data	
Order product name	LED SSW 60W A60 E27 WW-CW FR ND 1BC/4
Full product name	LED Scene Switch 60W A60 E27 WW-CW FR ND 1BC/4
Full product code	871869659837500


Order code	59837500
Material Nr. (12NC)	929001264101
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718696598375
Numerator - Packs per outer box	4
EAN/UPC - Case	8718696598382

Dimensional drawing




Product	D	C
LED SSW 60W A60 E27 WW-CW FR ND 1BC/4	61 mm	111 mm


Photometric data




Spectral Power Distribution Colour - LED SSW 60W A60 E27 WW-CW FR ND 1BC/4



Spectral Power Distribution Colour - LED SSW 60W A60 E27 WW-CW FR ND 1BC/4



Light Distribution Diagram - LED SSW 60W A60 E27 WW-CW FR ND 1BC/4



General uniform lighting - LED SSW 60W A60 E27 WW-CW FR ND 1BC/4

SceneSwitch LEDbulbs

